

DAFTAR PUSTAKA

- Abe, Makiko, Fujii, H., Funakoshi, S., *et al.* 2021 Comparison of Body Mass Index and Waist Circumference in The Prediction of Diabetes : A Retrospective Longitudinal Study. *Dabetes Ther*, 12: 2663-2676.
- Agardh, E., Allebeck, P., Hallqvist, J., *et al.* 2011. Type 2 Diabetes Incidence and Socio-Economic Position: A Systematic Review and Meta-analysis. *International Journal of Epidemiology*, 40: 804–18.
- Alvim, Rafael de O., Junior, Carlos A.M., Oliveira, Camila M.D., Krieger, José E., Mill, J. G., & Pereira, A. C. 2014. Body Mass Index, Waist Circumference, Body Adiposity Index, and Risk for Type 2 Diabetes in Two Populations in Brazil: General and Amerindian. *PLOS ONE*, 9(6): 1-5.
- American Diabetes Association (ADA)., 2014. Diagnosis and Classification of Diabetes Melitus. *Diabetes Care*. 37 (1).
- American Diabetes Association (ADA)., 2021. Classification and Diagnosis of Diabetes Melitus: Standar Medical Care in Diabetes. *Diabetes Care*. 44(1):S15-S33.
- An, Yom, Yi, S., Fitzpatrick, A., Gupta, V., Prak, P.R., Oum, S., & LoGerfo, J.P. 2013. Appropriate Body Mass Index and Waist Circumference Cutoff for Overweight and Central Obesity among Adults in Cambodia. *PLOS ONE*, 8(10): 1-10.
- Astuti, Lucia Mawarti D., Prawirohartono, Endy P., Noormanto, & Julia, Madarina. 2012. Obesitas Sentral Berhubungan dengan Toleransi Glukosa Terganggu pada Remaja Perempuan. *Jurnal Gizi Klinik Indonesia*, 8(3): 113-117.
- Aung, Wai P., Htet, Aung S., Bjertness, E., Stigum, H., Chongsuvivatwong, V., & Kjøllesdal, Marte Karoline R. 2018. Urban–Rural Differences in The Prevalence of Diabetes Mellitus among 25–74 year-old Adults of The Yangon Region, Myanmar: Two Cross Sectional Studies. *BMJ Open*, 8(10):1-9.
- Bahren, R. 2014. *Majalah Kesehatan Muslimah Diabetes Melitus Edisi 9*. Yogyakarta: Penerbit Pustaka Muslim
- Mary E. 2009. *At Glance Ilmu Gizi*. Dialih bahasakan oleh Halim, H. Jakarta : Erlangga.

- Bennett, P. 2008. Epidemiology of Type 2 Diabetes Melitus In Le Roi, Diabetes Melitus a Fundamental and Clinical Text Philadelphia. *Lippincott William And Wilkins*, 43(1).
- Brunner and Suddarth. 2013. *Buku Ajar Keperawatan Medikal Bedah*. Edisi 8 Volume 1. Jakarta: EGC
- Burhans, Maggie S., hagman, D. K., Kuzma, J. N., et al. 2019. Contribution of Adipose Tissue inflammation ti The Development of Type 2 Diabetes Mellitus. *Compr Physiol*, 9(1): 1-118.
- Chan, J.C., Malik, V., Jia, W., et al. 2009. Diabetes in Asia: Epidemiology Risk Factors, and Pathophysiology. *JAMA*, 301: 2129-2140.
- Chen, Chu C., Liu, K., Hsu, Chih C., Chang, Hsing Y., Chung, Hsiao C., Liu, Jih S., Liu, Yo H., Tsai, Tsung L., Liaw, Wen J., Lin, I-Ching, Wu, His W., Juan, Chung C., Chiu, Hou C., Lee, Marion M., & Hsiung, Chao A. 2017. *Medicine (United States)*, 96(6): 1-9.
- D'adamo, Peter J. 2008. *Diet Sehat Diabetes sesuai Golongan Darah*. Yogyakarta : Delaprasta.
- Decroli, E. 2019. *Diabetes Melitus Tipe 2*. Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas. Padang : 28-29.
- Dewi, Mira. 2007. Resistensi Insulin Terkait Obesitas: Mekanisme Endokrin dan Intrinsik Sel. *Jurnal Gizi dan Pangan*, 2(2): 49-54.
- Du, Guo-l., Su, Yin-X., Yao, H., Zhu, J., Ma, Q., Tuerdi, A., et al. 2016. Metabolic Risk Factors of Type 2 Diabetes Mellitus and Correlated Glycemic Control/ Complications: A Cross-Sectional Study between Rural and Urban Uygur Residents in Xinjiang Uygur Autonomous Region. *PLOS ONE*, 11(9): 1-18.
- Ekoe, J. M., Zubin, P., Thomas, R., Ally, P. H., Prebtani., Ronald, G. 2013. Screening for Type 1 and Type 2 Diabetes. *Canadian Journal of Diabetes*, 37(12).
- Fathmi, A. 2012. *Hubungan Indeks Massa Tubuh dengan Kadar Gula Darah pada Penderita Diabetes Melitus Tipe 2 di Rumah Sakit Umum Daerah Karanganyar*. Naskah Publikasi. Surakarta : Fakultas Kedokteran Universitas Muhammadiyah Surakarta.
- Fitriyani. 2012. Faktor Risiko Diabetes Melitus Tipe 2 di Puskesmas

Kecamatan Citangkil dan Puskesmas Kecamatan Pulo Merak Kota Cilegon. *Skripsi*. Depok : Fakultas Kesehatan Masyarakat Universitas Indonesia.

Garg, A. 2004. Regional adiposity and insulin resistance. *J Clin Endocrinol Metab*, 89: 06–10.

Goedecke, Julia H., Nguyen, K. A., Kufe, C., *et al.* 2021. Waist Circumference Thresholds Predicting Incident Dysglycemia and Type 2 Diabetes in Black African Man and Woman. *Diabetes Obes Metab*, 24: 918-927.

Han, T. S. & Lean M.E.J. 2011. Metabolic Syndrome. *Medicine*, 39: 24–31.

Han, T.S., Al-Gindan, Y.Y., Govan, L., Hankey, C.R., & Lean, M.E.J. 2019. Associations of BMI, Waist Circumference, Body Fat, and Skeletal Muscle with Type 2 Diabetes in Adults. *Acta Diabetologica*, 56: 947-954.

Harbuwono, Dante S., Tahapary, Dicky L., Tarigan, Tri J.E., Yunir, Em. 2020. New Proposed cut-Off of Waist Circumference for central Obesity as Risk Factor for Diabetes mellitus: Evidence from the Indonesian Basic National Health Survey. *PLOS ONE*, 15(11): 1-12.

Hilawe, E. H., Yatsuya, H., Li, Y., Uemura, M., Wang, C., Chiang, C., Aoyama, A. 2015. Smoking and Diabetes: Is the Association Mediated by Adiponectin, Leptin, or C-reactive Protein. *Journal of Epidemiology*, 25(2): 99-109.
(<http://doi.org/10.2188/jea.JE20140055>)

Hu, Frank B. 2011. Globalization of Diabetes: The Role of Diet, Lifestyle, and Genes. *Diabetes Care*, 34: 1249-1257.

Ilmi, Ayatun Fil dan uteri, Diah M. 2020. Hubungan Lingkar Pinggang dan Rasio Lingkar Pinggang-Panggul (RLPP) terhadap kadar Glukosa Darah Puasa pada Mahasiswa. *Journal of Nutrition College*, 9(3): 222-227.

- International Diabetes Federation (IDF). 2021. *IDF Diabetes Atlas (10th ed.)*. Diakses : 20 Februari 2022. www.diabetesatlas.org
- Irawan, Dedi. 2010. Prevalensi dan Faktor Risiko Kejadian Diabetes Mellitus Tipe2 di Daerah Urban Indonesia. *Tesis dipublikasikan*. Jakarta: UniversitasIndonesia.
- Ismail, L., Materwala, H., dan Kaabi Juma A. 2021. Association of Risk Factor with Type 2 Diabetes A Systematic Review. *Computational and Structural Biotechnology Journal*, 19(2021): 1759-1785.
- Isnaini, Nur & Ratnasari. 2018. Faktor Risiko Mempengaruhi Kejadian Diabetes Mellitus Tipe 2. *Jurnal Keperawatan dan Kebidanan Aisyiyah*, 4(1): 59-68.
- Jacobs, E.J., Newton, C.C., Wang, Y., Patel, A.V., Mc Cullough, M.L., Campbell, P.T., et al. 2010. Waist Circumference and All-cause Mortality in a Large US Cohort. *Arch Intern Med*, 170(15): 1293-301.
- Kaku K. 2010. Pathophysiology of Type 2 Diabetes and its Treatment Policy. *Japan Medical Association Journal*, 53(1): 41-46.
- Karimah, M. 2018. Rasio Lingkar Pinggang-Panggul Memiliki Hubungan Paling Kuat Dengan Kadar Glukosa Darah. *Jurnal Berkala Epidemiologi*. 6(3): 219-226.
- Kementerian Kesehatan RI. 2010. Petunjuk Teknis Pengukuran Faktor Risiko Diabetes Mellitus. Jakarta: Kementerian Kesehatan RI.
- Kilpatrick, E.S., and Winocour P.H. 2010. ABCD Position Statement on Haemoglobin A1c of The diagnosis of Diabetes. *Pract Diab Int*, 27(7): 306-310.
- Kusnadi, Gita, Murbawani, Etisa A., & Fitranti, Deny Yudi. 2017. Faktor Resiko Diabetes Melitus pada Petani dan Buruh. *Journal of Nutrition College*, 6(2): 138-148.
- Lean, M.E. & Malkova, D. 2016. Altered Gut and Adipose Tissue Hormones in Overweight and Obese Individuals: Cause or Consequence. *Int J Obes*, 40:622–632.

- Li, Shengxu, Xiao, J., Ji, L., Weng, J., Jia, W., Lu, J., Zhou, Z., Guo, X., Liu, J., Shan, Z., Zhu, D., et al. 2014. BMI and Waist Circumference are Associated with Impaired Glucose Metabolism and Type 2 Diabetes in Normal Weight Chinese Adults. *Journal of Diabetes and its Complications*, 28(4) : 470-476.
- Mahendra, dkk. 2008. *Care Your Self Diabetes Mellitus*. Penerbit Parakota: Jakarta.
- Micic, Dragan & Cvijovic, Goran. 2008. Abdominal Obesity and Type 2 Diabetes. *European Endocrinology*, 4: 26-28.
- Misnadiarly. 2006. *Diabetes Melitus Gangren, Ulcer, Infeksi, Mengenal Gejala, Menanggulangi, dan Mencegah komplikasi*. Jakarta: Pustaka Obor Populer.
- PERKENI. 2019. *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2*. Jakarta : PB PERKENI.
- Pradhan, A.D. 2014. Sex Differences in the Metabolic Syndrome: Implications for Cardiovascular Health in Women. *Clin Chem*, 60: 44–52.
- Salasa, Rosfiah A., Rahman, H., & Andiani. 2019. Faktor Resiko Diabetes Melitus Tipe 2 pada Populasi Asia: A Systematic Review. *Jurnal Biosainstek*, 1(1): 95-107.
- Savage, D.B., Petersen, K.F., Shulman, G. I. 2009. Mechanisms of Insulin Resistance in Humans and Possible Links with Inflammation. *Hypertension*, 45(5): 828-833.
- Slagter, S. N., Vliet-Ostaptchouk, J. V. van, Vonk, J. M., Boezen, H. M., Dullaart, R. P., Kobold, A. C. M., Wolffenbuttel, B. H. 2013. Associations Between Smoking, Components of Metabolic Syndrome and Lipoprotein Particle Size. *Journal BMC Medicine*, 11: 195. (<http://doi.org/10.1186/1741-7015-11-195>)
- Smeltzer, S.C. & Bare, B.G. 2013. *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth, edisi 8*. Jakarta : EGC.

- Soetiarto, F., Roselinda, & Suhardi. 2010. Hubungan Diabetes Melitus dengan Obesitas Berdasarkan Indeks Massa Tubuh dan Lingkar Pinggang Data Riskesdas 2007. *Bul. Penelit. Kesehatan*, 38(1): 36-42.
- Souza, Mary Anne N., Costa, Maria Fernanda L., & Peixoto, Sérgio Viana. 2019. "A Body Shape Index" and its Association with Arterial Hypertension and Diabetes Mellitus among Brazilian Older Adults: National Health Survey (2013). *Cadernos De Saúde Pública*, 3(8): 1-11.
- Sun, Q., Spiegelman, D., van Dam, R.M., et al. 2010. White Rice, Brown Rice, and Risk of Type 2 Diabetes in US Men and Women. *Arch Intern Med*, 170:961–969.
- Supriasa, I.D.N., Bakri, B., dan Fajar, I. 2016. *Penilaian Status Gizi*. Edisi ke-2. Jakarta : EGC.
- Syafiq, Wan M., Dwipayana, I Made P., Saraswati, Made R., dan Gotera W. 2020. Correlation Between Waist Circumference and Glycated Haemoglobin (HbA1c) Among Type 2 Diabetes Mellitus Patients in Diabetic Polyclinic Sanglah General Hospital Denpasar-Indonesia. *Neurologico Spinale Medico Chirurgico*, 3(2): 66-70.
- Trisnawati, Shara Kurnia & Setyorogo, Soedijono. 2013. Faktor Risiko Kejadian Diabetes Melitus Tipe II Di Puskesmas Kecamatan Cengkareng Jakarta Barat Tahun 2012. *Jurnal Ilmiah Kesehatan*, 5(1): 6-11.
- Veghari, G., Sedaghat, M., Joshaghani, H., Banihashem, S., Moharloe, P., Angizeh, A., et al. 2014. The Association of Fasting Blood Glucose (FBG) and Waist Circumference in Northern Adults in Iran: A Population Based Study. *J Diabetes Metab Disord*, 13(2): 1-6.
- Warren, Tatiana Y, Wilcox, S., Dowda, M., & Baruth, M. 2012. Independent Association of Waist Circumference with Hypertension and Diabetes in African American Women, South Carolina, 2007–2009. *Preventing Chronic Disease*, 9: 1-9. DOI: <http://dx.doi.org/10.5888/pcd9.110170> .

- Waspadji, Sarwono. 2006. *Komplikasi Kronik Diabetes: Mekanisme Terjadinya, Diagnosis, dan Strategi Pengelolaan Dalam: Buku Ajar Ilmu Penyakit Dalam Edisi IV*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- World Health Organization. 2011. *Waist Circumference and Waist-Hip Ratio: Report of a WHO Expert Consultation*. Geneva, Switzerland : WHO Press.
- World Health Organization. 2016. *World Health Statistics 2016 Monitoring Health for The SDGs*. Geneva, Switzerland : WHO Press.
- World Health Organization. 2019. *Classification of Diabetes Mellitus 2019*. Geneva, Switzerland : WHO Press.
- Yang, W., Lu, J., Weng, J., et al. 2010. Prevalence of Diabetes among Men and Women in China. *N Engl J Med*, 362:1090–1101. [PubMed: 20335585]
- Zhang, Fu L., Ren J. X., Zhang P., et al. 2021. Strong Association of Waist Circumference (WC), Body Mass Index (BMI), Waist-to-Height Ratio (WHtR), Waist-to-Hip Ratio (WHR) with Diabetes: A Population-Based Cross- Sectional Study in Jilin Province , China. *Journal of Diabetes Research*, 2021: 1-9.
- Zheng, Shuang, Shi, S., Ren, X., Han, T., Li, Y., Chen, Y., Liu, W., Hou, Peter C., & Hu, Y. 2016. Triglyceride Glucose-Waist circumference, A Novel and Effective Predictor of Diabetes in First-Degree Relatives of Type 2 Diabetes Patients: Cross-Sectional and Prospective Cohort Study. *Journal of Translational Medicine*, 14: 1-10.