

## DAFTAR PUSTAKA

- Alfredson, H., Pietilä, T., Jonsson, P. and Lorentzon, R. (1998). Heavy-load eccentric calf muscle training for the treatment of chronic Achilles tendinosis. *The American journal of sports medicine*, 26(3): 360-366.
- Duncan, J., Duncan, R., Bansal, S., Davenport, D., & Hacker, A. (2019). Lateral epicondylitis: the condition and current management strategies. *British Journal of Hospital Medicine*, 80(11), 647-651.
- Indrias, R. (2013). Pengaruh Mulligan Mobilization with Movement and Taping Terhadap Penurunan Nyeri dan Penguatan Otot Menggenggam pada Tennis Elbow. Diss. Universitas Muhammadiyah Surakarta
- Kisner, Carolyn and Lynn Allen Colby. (2007). *Therapeutic Exercise: Foundations and Techniques. 5th edition*. Philadelphia: F. A. Davis Company.
- Küçükşen, S., Yilmaz, H., Sallı, A., Uğurlu, H. (2013). Muscle energy technique versus corticosteroid injection for management of chronic lateral epicondylitis: randomized controlled trial with 1-year follow-up. *Archives of physical medicine and rehabilitation*. 94(11): 2068-2074.
- Lee, J.H., Kim, T.H. and Lim, K.B. (2018). Effects of eccentric control exercise for wrist extensor and shoulder stabilization exercise on the pain and functions of tennis elbow. *Journal of physical therapy science*. 30(4): 590-594.
- Magee DJ. (2008). *Orthopedic Physical Assessment. 5th edn*. St. Louis, MO: Saunders Elsevier. 379–380.

- McSwan, J., Gudin, J., Song, X.J., Plapler, P.G., Betteridge, N.J., Kechemir, H., Igracki-Turudic, I. and Pickering, G. (2021). Self-Healing: A Concept for Musculoskeletal Body Pain Management—Scientific Evidence and Mode of Action. *Journal of Pain Research*. 14: 2943-2958.
- Mangku G, Senapathi T. G. A. (2010). Buku Ajar Ilmu Anestesia dan Reanimasi. Jakarta: Indeks.
- Peterson, M., Butler, S., Eriksson, M. and Svärdsudd, K. (2014). A randomized controlled trial of eccentric vs. concentric graded exercise in chronic tennis elbow (lateral elbow tendinopathy). *Clinical rehabilitation*. 28(9): 862-872.
- Pienimäki, T., Tarvainen, T., Siira, P., Malmivaara, A., & Vanharanta, H. (2002). Associations between pain, grip strength, and manual tests in the treatment evaluation of chronic tennis elbow. *The Clinical journal of pain*, 18(3), 164-170.
- Ramdhani, Abdullah, Muhammad Ali Ramdhani, dan Abdusy Syakur Amin. (2014). Writing a *Literature review* Research Paper: A step-by-step approach. *International Journal of Basic and Applied Science*. 03(01): 47-56.
- Saraswati, P.A.S., dkk. 2019. Perbandingan efektivitas myofascial release technique dengan muscle energy technique pada intervensi ultrasound dalam menurunkan disabilitas akibat tennis elbow. *Sport and Fitness Journal*. 7(3): 1-8.
- Saroja G, Aseer PAL, Venkata Sai PM. (2014). Diagnostic accuracy of provocative tests in lateral epicondylitis. *Int J Physiother Res*. 2(6):815–823.
- Seguin, R. and Nelson, M.E. (2003). The benefits of strength training for older

- adults. *American journal of preventive medicine*. 25(3): 141-149.
- Sethi, K. and Noohu, M.M. (2018). Scapular muscles strengthening on pain, functional outcome and muscle activity in chronic lateral epicondylalgia. *Journal of Orthopaedic Science*. 23(5): 777-782.
- Söderberg, J., Grooten, W.J. and Äng, B.O. (2012). Effects of eccentric training on hand strength in subjects with lateral epicondylalgia: a randomized-controlled trial. *Scandinavian journal of medicine & science in sports*. 22(6): 797-803.
- Stasinopoulos, D., K. Stasinopoulou, M. I. Johnson. (2005). An exercise programme for the management of lateral elbow tendinopathy. *Br J Sports Med*. 39: 944–947.
- Stasinopoulos, D. and Stasinopoulos, I. (2017). Comparison of effects of eccentric training, eccentric-concentric training, and eccentric-concentric training combined with isometric contraction in the treatment of lateral elbow tendinopathy. *Journal of hand therapy*. 30(1): 13-19.
- Sugijanto, dan Muki Partono. (2006). Pengaruh Penambahan Transverse Friction Pada Intervensi Ultrasound Terhadap Pengurangan Nyeri Akibat Tennis Elbow Tipe II. *Jurnal Fisioterapi Indonusa*. 6(2): 113-129.
- Taber CB, Vigotsky A, Nuckols G, Haun CT. (2019). Exercise-induced myofibrillar hypertrophy is a contributory cause of gains in muscle strength. *Sports Med*. 49(7): 993–997.
- Van Rijn, R. M., Huisstede, B. M., Koes, B. W., & Burdorf, A. (2009). Associations between work-related factors and specific disorders at the elbow: a systematic literature review. *Rheumatology*, 48(5), 528-536.