

## default.asp

```
</head>
<!--#include file="common.asp"-->

<body
onload="document.form.txtUserName.focus();">

<div id="page-container-login">

<div id="topHeaderLogin">
</div>
<div id="page-content-login">
<div id="conFormLogin">
<div class="innertube">
<p>
<span
class="gayaTitleBlue">Login</span>
<span
class="gayaTitleWhite">Now</span>
</p>
<form name="form" method="post"
action="do_login.asp" >
<table width="100%" border="0"
cellpadding="0"
cellspacing="0">
<tr>
<td><% If
Request.QueryString("err") =
"0" Then Response.Write("<font
color=""#FF0000"">Invalid User
Name Or Password</font>") End
If %>
<% If
Request.QueryString("err") =
"1" Then Response.Write("<font
color=""#FF0000"">Invalid
Password</font>") End If %>
<% If
Request.QueryString("err") =
"2" Then Response.Write("<font
color=""#FF0000"">User Account
Disabled</font>") End If %>
<% If
Request.QueryString("err") =
"4" Then Response.Write("<font
color=""#FF0000"">User Account
being used</font>") End If %>
<%If
Request.QueryString("time") = 0
then lngTime = 5 end if
```

```
If Request.QueryString("time")
= 1 then lngTime = 4 end if
If Request.QueryString("time")
= 2 then lngTime = 3 end if
If Request.QueryString("time")
= 3 then lngTime = 2 end if
If Request.QueryString("time")
= 4 then lngTime = 1 end if%>
<% If
Request.QueryString("err") =
"5" Then Response.Write("<font
color=""#FF0000"">This account
being used by another
user.</font>") end if
'If Request.QueryString("err")
= "5" Then
Response.Write("<font
color=""#FF0000"">This account
available after </font>"
&lngTime& " <font
color=""#FF0000"">minutes(s)</f
ont>") End If %>
<% If
Request.QueryString("err") =
"6" Then Response.Write("<font
color=""#FF0000"">Cannot login
with double account</font>")
End If %></td>
</tr>

<tr>
<td height="22"> <span
class="gayaYellow">Username</span>
</td>
<tr>
<td height="22">
<input name="txtUserName"
type="text" id="txtUserName"
size="20"/></td>
</tr>
<tr>
<td height="22"> <span
class="gayaYellow">Password</span>
</td>
<tr>
<td><input name="txtPassword"
type="password"
id="txtPassword" size="22"
onkeypress="return
clickButton(event,'btnSubmit')"/></td>
</tr>
<tr>
<td>
```

```

<div class="cssbutton glass
b"><input name="Submit"
type="button" class="inputbtn"
value="Submit "
onClick="document.form.submit()
;" /></div>
<!--<a href="#"
onClick="document.form.submit()
;"></a--></td>
</tr>
</table>
</form>

```

```

<div align="center"><span
class="gayamiring">BELUM
MEMILIKI USERNAME DAN PASSWORD
DAFTAR DI ADMIN LAB
ELEKTRO</span></div>
</div>
<br />
<br />
<table width="100%" border="0"
cellspacing="0"
cellpadding="0">
<tr>
<td width="69%">

```

```

<table width="100%" border="0"
cellpadding="0"
cellspacing="0">
<tr>
<td width="195">&nbsp;</td>
<td width="319"><p>&nbsp;</p>
<p>&nbsp;</p></td>
</tr>
</table>

```

```

<p align="center"><span
class="link">Copyright &copy;
2011 HENRI PURNOMO
D400060007</span></p>
<td width="31%"
valign="baseline"
><p>&nbsp;</p>
<p align="center"
class="link">&nbsp;</p></td>

```

```

</tr>
</table>

```

```

<div id="footerLogin">

```

```

</div>

```

```

</div>

```

```

</div>

```

### Switchboard.asp

```

<head>
<meta http-equiv="Content-Type"
content="text/html;
charset=iso-8859-1" />
<title>Inventaris Lab
System</title>
<link
href=" ../includes/erpstyle.css"
rel="stylesheet"
type="text/css">
</head>
<script>
function loadaccount(thisurl)
{
    window.open(thisurl,"acco
untWin","width=1000,height=520,
status=no,scrollbars=yes");
}

```

```

    function
loadmessage(thisurl)
{
    window.open(thisurl,"msgW
in","width=600,height=300,statu
s=no,scrollbars=yes");
}

```

```

</script>
<!--#include
file=" ../common.asp"-->
<!--#include
file=" ../strings/info_user.asp"
-->

```

```

<link type="text/css"
media="screen" rel="stylesheet"
href=" ../includes/main.css" />

```



```

        if not rs.eof then
            %>
            <table
width="100%" border="1">
                <tr>
                    <td
width="50%" rowspan="6"
valign="top">"
width="196" height="129"></td>
                    <td
width="50%">Nama:
<%=rs("ProductName")%></td>
                </tr>
                <tr>
                    <td>Kode:
<%=rs("ProductCode")%></td>
                </tr>
                <tr>
                    <td>Merk:
<%=rs("Brand")%></td>
                </tr>
                <tr>
                    <td>Qty:
<%=rs("Qty")%></td>
                </tr>
                <%
lngProductID = rs("ProductID")
%>
                <!--#include
file=" ../strings/info_open_produ
uct_dipinjam.asp"-->
                <tr>
                    <td>Qty
Dipinjam:
<%=strQtyDipinjam%></td>
                </tr>
                <tr>
                    <td><a
href=" ../product/view_product.a
sp?productid=<%=rs("productid")
%>">Selengkapnya</a></td>
                </tr>
            </table>
            <%
end if
rs.close
end if
%>
        </td>
        <td
width="50%">
            <%
            if
strBookArray(k*2-1) <> "" then

```

```

                strSQL = "SELECT *
FROM tblProduct WHERE ProductID
= "&strBookArray(k*2-1)&"
                rs.Open strSQL,
strCon,0,2
                if not rs.eof then
                    %>
                    <table
width="100%" border="1">
                        <tr>
                            <td
width="50%" rowspan="6"
valign="top">"
width="196" height="120"></td>
                            <td
width="50%">Nama:
<%=rs("ProductName")%></td>
                        </tr>
                        <tr>
                            <td>Kode:
<%=rs("ProductCode")%></td>
                        </tr>
                        <tr>
                            <td>Merk:
<%=rs("Brand")%></td>
                        </tr>
                        <tr>
                            <td>Qty:
<%=rs("Qty")%></td>
                        </tr>
                        <%
lngProductID = rs("ProductID")
%>
                        <!--#include
file=" ../strings/info_open_produ
uct_dipinjam.asp"-->
                        <tr>
                            <td>Qty
Dipinjam:
<%=strQtyDipinjam%></td>
                        </tr>
                        <tr>
                            <td><a
href=" ../product/view_product.a
sp?productid=<%=rs("ProductID")
%>">Selengkapnya</a></td>
                        </tr>
                    </table>
                    <%
end if
rs.close
end if
%>
                </td>
            </tr>

```

```

        <%
            next
        %>
    </table>
</td>
</tr>
</table>
<p>&nbsp;</p></td>
</tr>
</table>
<%
set rs = nothing
%>

</div>
</div>
<div
id="clearStyle"></div>

</div> <!-- end of page-
container -->
</body>
</html>

```

### display\_product\_category.asp

```

<head>
<meta http-equiv="Content-Type"
content="text/html;
charset=iso-8859-1" />
<title>Inventaris Lab
System</title>
<link
href=" ../includes/erpstyle.css"
rel="stylesheet"
type="text/css">
</head>
<script>
function loadaccount(thisurl)
{
    window.open(thisurl,"acco
untWin","width=1000,height=520,
status=no,scrollbars=yes");
}

function
loadmessage(thisurl)
{
    window.open(thisurl,"msgW
in","width=600,height=300,statu
s=no,scrollbars=yes");
}
}

function
confirm_delete(thisid)
{
    if(confirm("Delete
Message?"))
    {
        location.href='netmsg/do_
delete_message.asp?messageid='
+ thisid;
    }
}
</script>
<!--#include
file=" ../common.asp"-->
<!--#include
file=" ../strings/info_user.asp"
-->

<link type="text/css"
media="screen" rel="stylesheet"
href=" ../includes/main.css" />
<link type="text/css"
media="print" rel="stylesheet"
href=" ../includes/print.css" />

<link rel="stylesheet"
href=" ../includes/dropdown/drop
down.css" type="text/css" />
<script type="text/javascript"
src=" ../includes/dropdown/dropd
own.js"></script>

<script
src=" ../includes/jquery-
1.2.6.min.js"
type="text/javascript"></script
>
<script
type="text/javascript">
$(document).ready(function(){
    $("input, textarea,
select").addClass("formIdle");
    $("input, textarea,
select ").focus(function(){
        $(this).addClass("formFocus").r
emoveClass("formIdle");
    }).blur(function(){
        $(this).removeClass("formFocus"
).addClass("formIdle");
    });
}

```

```

    });
  });
  </script>

<body
onLoad="MM_preloadImages('../images/homeOver.jpg')">
<!--#include
file="../layout/header.asp"-->

  <div id="page-container">
    <!--#include
file="../layout/menuMiddle.asp"
-->
    <div
id="clearStyle"></div>

    <div
id="contentExpand">
      <div
class="innertube">
        <!--<p>
          <span
class="gayaTitleBlue">Create</span> <span
class="gayaTitleWhite">Product</span>
        </p>
        <p>
          <div
class="lineCon"></div>
        </p-->

        <table width="98%" border="0"
align="center" cellpadding="0"
cellspacing="0">
          <tr>
            <td valign="top">
              <table width="97%"
border="0" align="center"
cellpadding="2"
cellspacing="0">
                <tr>
                  <td>
                    <%
                    if
request.QueryString("cat") =
"1" then
                      strCat = "Komputer"
                    elseif
request.QueryString("cat") =
"2" then
                      strCat =
"Elektronika"
                    elseif
request.QueryString("cat") =
"3" then
                      strCat = "Tenaga
Listrik"
                    'elseif
request.QueryString("cat") =
"4" then
                      '
strCat = "Buku
Kedokteran"
                    '
                    elseif
request.QueryString("cat") =
"5" then
                      '
strCat = "Buku
Komputer"
                    '
                    elseif
request.QueryString("cat") =
"6" then
                      '
strCat = "Buku
Matematika"
                    end if
                    <%>
                    <strong>Kategori
                    <%=strCat%></strong>

                    <input type="button"
name="btnPrint" id="btnPrint"
value="Print"
onClick="window.open('print_pro
duct_category.asp?cat=<%=reques
t.QueryString("cat")%>')">
                  </td>
                </tr>
              <tr>
                <td>
                  <table
class="headerReport"><table
width="100%" border="1">
                    <%
                    Set rs =
Server.CreateObject("ADODB.Reco
rdset")
                    dim
strBookArray(100)
                    i = 0
                    strSQL = "SELECT *
FROM tblProduct WHERE Category
= '&strCat&' ORDER BY
ProductName"
                    rs.Open strSQL,
strCon,0,2
                    do while not rs.eof
                      strBookArray(i) =
rs("ProductID")
                      i = i+1
                      rs.movenext

```

```

loop
rs.close
%>
<%
for k = 1 to 3
%>
<tr>
<td
width="50%">
<%
if
strBookArray(k*2-2) <> "" then
strSQL = "SELECT *
FROM tblProduct WHERE productID
= "&strBookArray(k*2-2)&"
rs.Open strSQL,
strCon,0,2
if not rs.eof then
%>
<table
width="100%" border="1">
<tr>
<td
width="50%" rowspan="6"
valign="top">"
width="195" height="120"></td>
<td
width="50%">Nama:
<%=rs("ProductName")%></td>
</tr>
<tr>
<td>Kode:
<%=rs("ProductCode")%></td>
</tr>
<tr>
<td>Merk:
<%=rs("Brand")%></td>
</tr>
<tr>
<td>Qty:
<%=rs("Qty")%></td>
</tr>
<%
lngProductID = rs("ProductID")
%>
<!--#include
file=" ../strings/info_open_produ
ct_dipinjam.asp"-->
<tr>
<td>Qty
Dipinjam:
<%=strQtyDipinjam%></td>
</tr>
<tr>

```

```

<td><a
href=" ../product/view_product.a
sp?productid=<%=rs("productid")
%>">Selengkapnya</a></td>
</tr>
</table>
<%
end if
rs.close
end if
%>
</td>
<td
width="50%">
<%
if
strBookArray(k*2-1) <> "" then
strSQL = "SELECT *
FROM tblProduct WHERE productID
= "&strBookArray(k*2-1)&"
rs.Open strSQL,
strCon,0,2
if not rs.eof then
%>
<table
width="100%" border="1">
<tr>
<td
width="50%" rowspan="6"
valign="top">"
width="197" height="120"></td>
<td
width="50%">Nama:
<%=rs("ProductName")%></td>
</tr>
<tr>
<td>Kode:
<%=rs("ProductCode")%></td>
</tr>
<tr>
<td>Merk:
<%=rs("Brand")%></td>
</tr>
<tr>
<td>Qty:
<%=rs("Qty")%></td>
</tr>
<%
lngProductID = rs("ProductID")
%>
<!--#include
file=" ../strings/info_open_produ
ct_dipinjam.asp"-->

```

```

        <tr>
            <td>Qty
Dipinjam:
<%=strQtyDipinjam%></td>
        </tr>
        <tr>
            <td><a
href=" ../product/view_product.a
sp?productid=<%=rs( "productid")
%>">Selengkapnya</a></td>
        </tr>
    </table>
</table>
<%
    end if
rs.close
end if

%>
</td>
</tr>
<%
    next
%>

</table>
</td>
</tr>
</table>
<p>&nbsp;</p></td>
</tr>
</table>
<%
set rs = nothing
%>

</div>
</div>

<div
id="clearStyle"></div>

</div> <!-- end of page-
container -->
</body>
</html>

```

### display\_user.asp

```

<%@LANGUAGE="VBSCRIPT"
CODEPAGE="1252"%>
<html>
<head>
<title>Inventaris Lab
System</title>

```

```

<meta http-equiv="Content-Type"
content="text/html;
charset=iso-8859-1">
<link href=" ../erpstyle.css"
rel="stylesheet"
type="text/css">
<link
href=" ../includes/erpstyle.css"
rel="stylesheet"
type="text/css">
</head>
<!--#include
file=" ../common.asp"-->
<!--#include
file=" ../strings/info_user.asp"
-->
<script>

function
confirm_delete(thisuser)
{
    if (confirm("Delete This
User?"))
    {

        location.href='do_delete_
user.asp?userid='+thisuser;
    }
}
</script>

<link type="text/css"
media="screen" rel="stylesheet"
href=" ../includes/main.css" />
<link type="text/css"
media="print" rel="stylesheet"
href=" ../includes/print.css" />

<link rel="stylesheet"
href=" ../includes/dropdown/drop
down.css" type="text/css" />
<script type="text/javascript"
src=" ../includes/dropdown/dropd
own.js"></script>

<script
src=" ../includes/jquery-
1.2.6.min.js"
type="text/javascript"></script
>
<script
type="text/javascript">

$(document).ready(function(){
    $("input, textarea,
select").addClass("formIdle");

```



```

        $("input, textarea,
select ").focus(function(){

$(this).addClass("formFocus").r
emoveClass("formIdle");
        }).blur(function(){

$(this).removeClass("formFocus"
).addClass("formIdle");
        });
    });
    </script>

```

```

<body
onLoad="MM_preloadImages('../im
ages/homeOver.jpg')">
<!--#include
file="../../layout/header.asp"-->

    <div id="page-container">
        <!--#include
file="../../layout/menuMiddle.asp"
-->

        <div
id="clearStyle"></div>

        <div
id="contentExpand">
            <div
class="innertube">
                <!--<p>
                    <span
class="gayaTitleBlue">Create</s
pan> <span
class="gayaTitleWhite">Product<
/span>
                </p>

                <p>
                    <div
class="lineCon"></div>
                </p>-->
                <table width="100%" border="0"
cellpadding="0"
cellspacing="0">
                    <tr>
                        <td align="center"
valign="top">&nbsp;<br>
                            <table width="99%"
border="0" cellspacing="0"
cellpadding="0">
                                <tr>
                                    <td width="50%"
class="headerReport">Display
User </td>

```

```

                        <td
align="right"><% =
FormatDateTime(Now(),1) %></td>
                    </tr>
                    <tr>
                        <td
colspan="2">&nbsp;</td>
                    </tr>
                    <tr>
                        <td
colspan="2"><hr width="100%"
align="center" size="1"
noshade></td>
                    </tr>
                    <tr>
                        <td
colspan="2"><table width="100%"
border="1" cellpadding="2"
cellspacing="0">
                            <tr>
                                <td width="5%"
align="center"
class="headertext">&nbsp;</td>
                                <td width="20%"
align="center"
class="headertext">User Name
</td>
                                <td width="18%"
align="center"
class="headertext">Full Name
</td>
                                <td
width="17%" align="center"
class="headertext">Alamat</td>
                                <td
width="15%" align="center"
class="headertext">Telephone
</td>
                                <td width="13%"
align="center"
class="headertext">Open</td>
                                <td width="12%"
align="center"
class="headertext">Delete</td>
                            </tr>
                            <!--#include
file="../../strings/start_display_
user.asp"-->
                                <tr <% 'If Odd =
True Then
Response.Write("bgcolor="&#FFFF
DD"") End If %>>
                                    <td
align="center"><% = i %></td>
                                    <td><% =
rs("UserName") %></td>

```

```

                <td><% =
rs("FullName") %></td>
                <td><% =
rs("Address") %></td>
                <td><% =
rs("Phone") %></td>
                <td
align="center"><input
name="btnOpen" type="button"
class="inputbtn" id="btnOpen"
value="Open"
onClick="location.href='open_us
er.asp?userid=<% = rs("UserID")
%>' "></td>
                <td
align="center"><input
name="btnDelete" type="button"
class="inputbtn" id="btnDelete"
value="Delete"
onClick="confirm_delete('<%rs(
"UserID")%>') "></td>
                </tr>
                <!--#include
file="../strings/end_display_us
er.asp"-->
                </table></td>
                </tr>
                <tr>
                <td
colspan="2"><hr width="100%"
align="center" size="1"
noshade></td>
                </tr>
                <tr align="left">
                <td
colspan="2">&nbsp;  </td>
                </tr>
                </table>
                </td>
                </tr>
</table>
</div>
                <div
id="clearStyle"></div>

</div> <!-- end of page-
container -->
</body>
</html>

```

## report\_peminjaman.asp

```

<%@LANGUAGE="VBSCRIPT"
CODEPAGE="1252"%>
<html>
<head>
<title>Inventaris Lab
System</title>
<meta http-equiv="Content-Type"
content="text/html";
charset=iso-8859-1">

<link type="text/css"
media="screen" rel="stylesheet"
href="../includes/main.css" />
<link type="text/css"
media="print" rel="stylesheet"
href="../includes/print.css" />

<script
src="../codebase/dhtmlxcommon.js"
></script>
<script
src="../codebase/dhtmlxcombo.js"
"></script>
<link rel="STYLESHEET"
type="text/css"
href="../codebase/dhtmlxcombo.c
ss">
<script>window.dhx_globalImgPat
h="../codebase/imgs/";</script>

<script type="text/javascript"
src="../includes/jquery-
1.3.2.js"></script>
<script type="text/javascript"
src="../includes/thickbox/thick
box.js"></script>
<link rel="stylesheet"
href="../includes/thickbox/thic
kbox.css" type="text/css"
media="screen" />

<link rel="stylesheet"
href="../includes/dropdown/drop
down.css" type="text/css" />
<script type="text/javascript"
src="../includes/dropdown/dropd
own.js"></script>

<script
src="../includes/jquery-
1.2.6.min.js"

```

```

type="text/javascript"></script
>

<script>
function redirect()
{
    location.href='peminjaman
.asp?customerid=' +
document.form.cmbCustomer[docum
ent.form.cmbCustomer.selectedIn
dex].value;
}

function redirect2(thisform)
{
    if
(parseInt(document.form.cmbBook
[document.form.cmbBook.selected
Index].value.split("#",1)[0])
== 0)
    {
        document.form['txtTitle']
.value = "";
    }
    else
    {
        document.form['txtTitle']
.value =
document.form.cmbBook[document.
form.cmbBook.selectedIndex].val
ue.split("#",2)[1];
    }
}
//function to check form is
filled in correctly before
submitting
function checkform(thisform) {
    //Intialise variables
    var errorMsg = "";
    var errorMsgLong = "";

    //Check for Chart Account
    //if
(thisform.txtUserName.value ==
""){
    //        errorMsg += "\n
User Name \t- Enter User Name";
    //    }
    //
    //    //Check for Client Phone
    //    if
(thisform.txtPassword.value ==
""){
    //        errorMsg += "\n
Password \t- Enter Password";
    //    }
    //
    //    //Check for Client Phone
    //    if
(thisform.txtFullName.value ==
""){
    //        errorMsg += "\n
Full Name \t- Enter Full Name";
    //    }

    //If there is aproblem
with the form then display an
error
    if ((errorMsg != "") ||
(errorMsgLong != "")){
        msg = "";
        msg += "Please Fill
The following field(s) : \n";

        errorMsg +=
alert(msg + errorMsg + "\n" +
errorMsgLong);
        return false;
    }

    if(confirm("Pinjam " +
thisform.txtTitle.value + "
?")) {
        thisform.submit();
    }
}

var browser=navigator.appName;
var
b_version=navigator.appVersion;
var
version=parseFloat(b_version);

//document.write("Browser name:
"+ browser);
//document.write("<br />");
//document.write("Browser
version: "+ version);

if(browser!='Microsoft Internet
Explorer')
{
    HTMLElement.prototype.cli
ck = function()
    {

```

```

                var evt =
this.ownerDocument.createEvent(
'MouseEvents');

        evt.initMouseEvent('click
', true, true,
this.ownerDocument.defaultView,
1, 0, 0, 0, 0, false, false,
false, false, 0, null);

        this.dispatchEvent(evt);
    }
}

function
processedit(oLink,task_id) {
    oLink.href =
"edit_timesheet.asp?tid=" +
task_id +
"&placeValuesBeforeTB_=savedVal
ues&TB_iframe=true&modal=true";
    return true;
}

function applyEdit(task_id){
    //alert(task_id);

    document.getElementById('
lnkapp_'+task_id).click();
}
</script>
</head>
<!--#include
file="../common.asp"-->
<!--#include
file="../strings/info_user.asp"
-->

<script language=JavaScript
src="../cal/AnchorPosition.js">
</script>
<script language=JavaScript
src="../cal/PopupWindow.js"></s
cript>
<script language=JavaScript
src="../cal/date.js"></script>
<script language=JavaScript
src="../cal/CalendarPopup.js"><
/script>
<script
language=JavaScript>document.wr
ite(CalendarPopup_getStyles());
</script>

<script language=JavaScript>
    var callx = new
CalendarPopup("divCal");

```

```

                var cal2x = new
CalendarPopup("divCal2");
</script>

<%
if request.Form("txtStartDate")
<> "" then
    nDate =
request.Form("txtStartDate")
elseif
request.QueryString("startDate"
) <> "" then
    nDate =
request.QueryString("startDate"
)
else
    nDate = date()
end if

if request.Form("txtEndDate")
<> "" then
    nDate2 =
request.Form("txtEndDate")
elseif
request.QueryString("endDate")
<> "" then
    nDate2 =
request.QueryString("endDate")
else
    nDate2 = date()
end if

%>

<link rel="stylesheet"
href="../includes/dropdown/drop
down.css" type="text/css" />
<script type="text/javascript"
src="../includes/dropdown/dropd
own.js"></script>

<script
src="../includes/jquery-
1.2.6.min.js"
type="text/javascript"></script
>
    <script
type="text/javascript">

$(document).ready(function(){
    $("input, textarea,
select").addClass("formIdle");
    $("input, textarea,
select ").focus(function(){

```

```

$(this).addClass("formFocus").r
emoveClass("formIdle");
    }).blur(function(){

$(this).removeClass("formFocus"
).addClass("formIdle");
    });
    });
    </script>

<body
onLoad="MM_preloadImages('../im
ages/homeOver.jpg')">
<!--#include
file="../layout/header.asp"-->

    <div id="page-container">
        <!--#include
file="../layout/menuMiddle.asp"
-->
        <div
id="clearStyle"></div>

        <div
id="contentExpand">
            <div
class="innertube">
                <!--<p>
                    <span
class="gayaTitleBlue">Create</s
pan> <span
class="gayaTitleWhite">Product<
/span>
                </p>
                <p>
                <div
class="lineCon"></div>
                </p-->
                <form name="form" method="post"
action="report_peminjaman.asp">
                <table width="100%" border="0"
cellpadding="0"
cellspacing="0">
                    <tr>
                        <td align="center"
valign="top">&nbsp;<br>
                            <table width="100%"
border="0" cellspacing="0"
cellpadding="0">
                                <tr>
                                    <td width="50%"
class="headerReport">Report
Peminjaman</td>

```

```

        <td
width="4%">To</td>
        <td width="18%">

                <input
name="txtEndDate" type="text"
class="inputtype"
id="txtEndDate" value="<% =
nDate2 %>" size="10"
readonly="1" />

                
                <div
class="bodytext" id=divCal2
style="VISIBILITY: hidden;
POSITION:inherit; BACKGROUND-
COLOR: white; layer-background-
color: white; z-index: 1;
"></div>

        </td>
        <td
width="49%"><input
type="submit" name="btnCari"
id="btnCari" value="Cari">
        &nbsp;
                <input
type="button" name="btnPrint"
id="btnPrint" value="Print"
onClick="window.open('print_rep
ort_peminjaman.asp?startDate=<%
= nDate %>&endDate=<% = nDate2
%>')">
        </td>
</tr>
</table>

</td>
</tr>
<tr>
        <td
colspan="2"><hr width="100%"
align="center" size="1"
noshade></td>
</tr>
<tr>
        <td
colspan="2"><table width="100%"
border="1">

```

```

        <tr
class="headertext">
        <td
width="4%">No</td>
        <td
width="16%">Nama Barang</td>
        <td
width="14%">Peminjam</td>
        <td
width="9%">Quantity</td>
        <td
width="16%">Tgl Pinjam</td>
        <td
width="18%">Tgl Harus
Kembali</td>
        <td
width="14%">Tgl Kembali</td>
        <td
width="9%">Status</td>
</tr>
<%
        'if lngUserID
<> "" and lngUserID <> "0" then

                if
request.form("txtSearch") <> ""
then

                        strSearch =
request.form("txtSearch")
                        end if

                                i = 1
                                Set rs
=
Server.CreateObject("ADODB.Reco
rdset")
                                Set rsU
=
Server.CreateObject("ADODB.Reco
rdset")
                                'if
strSearch <> "" then
'
                                if
request.Form("cmbSearch") = "1"
then
'
                                strSQL = "SELECT * FROM
tblPeminjaman, tblProduct,
tblUser WHERE
tblPeminjaman.ProductID =
tblProduct.ProductID AND
tblUser.UserID =
tblPeminjaman.UserID AND
tblBook.Title Like

```

```

'%"&strSearch&"%' ORDER BY
PeminjamanID Desc"
'
    elseif
request.Form("cmbSearch") = "2"
then
'
    strSQL = "SELECT * FROM
tblPeminjaman, tblProduct,
tblUser WHERE
tblPeminjaman.ProductID =
tblProduct.ProductID AND
tblUser.UserID =
tblPeminjaman.UserID AND
tblUser.FullName Like
'%"&strSearch&"%' ORDER BY
PeminjamanID Desc"
'
    end if
else
if
nDate <> "" and nDate2 <> ""
then
    strSQL = "SELECT
tblPeminjaman.*,
tblProduct.ProductName,
tblUser.FullName FROM
tblPeminjaman, tblProduct,
tblUser WHERE
tblPeminjaman.ProductID =
tblProduct.ProductID AND
tblUser.UserID =
tblPeminjaman.UserID AND
cdate(tblPeminjaman.DatePinjam)
BETWEEN '"&nDate&"' AND
'"&nDate2&"' ORDER BY
tblPeminjaman.PeminjamanID
Desc"
else
    strSQL = "SELECT
tblPeminjaman.*,
tblProduct.ProductName,
tblUser.FullName FROM
tblPeminjaman, tblProduct,
tblUser WHERE
tblPeminjaman.ProductID =
tblProduct.ProductID AND
tblUser.UserID =
tblPeminjaman.UserID ORDER BY
tblPeminjaman.PeminjamanID
Desc"
end if
'end if
'strSQL
= "SELECT * FROM tblPeminjaman
INNER JOIN tblBook ON
tblPeminjaman.BookID =
tblBook.BookID ORDER BY
PeminjamanID Desc"
Odd =
True
'response.Write(strSQL)
rs.Open
strSQL, strCon,0,2
do
while not rs.eof
%>
<tr <%
'If Odd = True Then
Response.Write("bgcolor="#FFFF
DD""") End If %>>
<td
><%=i%></td>
<td><%=rs("ProductName")%></td>
<td><%=rs("FullName")%></td>
<td><%=rs("Qty")%></td>
<td><%=formatdatetime(rs("DateP
injam"),1)%></td>
<td><%=formatdatetime(rs("DateH
arusKembali"),1)%></td>
<td><%
if
rs("DateKembali") <> "" then
response.Write(formatdate
time(rs("DateKembali"),1))
end
if
%></td>
<td><%=rs("Status")%></td>
</tr>
<%
odd = not odd
i
= i + 1
rs.movenext
loop
rs.close

```

```

                                set rs
= nothing
                                set rsU
= nothing
                                'end if
                                %>
                                </table>
                                <br></td>
                                </tr>
                                <tr>
                                <td
colspan="2"><hr width="100%"
align="center" size="1"
noshade></td>
                                </tr>
                                <tr align="right">
                                <td
colspan="2">&nbsp;</td>
                                </tr>
                                </table>
                                </td>
                                </tr>
                                </table>
                                </form>
                                </div>
                                </div>
                                <div
id="clearStyle"></div>

</div> <!-- end of page-
container -->

</body>
</html>

```



## **LAMPIRAN SCRIPT PROGRAM**