

## LAMPIRAN SCRIPT PROGRAM

### 1. Halaman Utama

```
<html> <head>
<meta http-equiv="Content-Type" content="text/html;
charset=utf-8" /> <title>:::Halaman Utama:::</title>
<style type="text/css">
<!-- body {
background-image: url(admin/image/star2.gif);
}.style2 {
color: #009900;
font-size: 18px; text-decoration:none;
}.style2 a:hover { font-size:20px;
color:#FFFFFF; background-color:#009900;
text-decoration:none;}
.style5 {color: #009900;
font-size: 24px;} .style6 {color: #009900; font-weight: bold;
}.style7 {color: #009900; font-size: 24px; font-weight: bold;
}.style8 {color: #FF0000; font-size: 18px; text-decoration:
none; } --> </style>
</head> <body>
<table width="741" height="363" border="0" align="center">
<tr> <td height="21" colspan="4" valign="top"
bordercolor="#FFFFFF" bgcolor="#00FFFF">&nbsp;&nbsp;&nbsp;&nbsp;</td>
</tr> <tr>
<td width="297" height="269" valign="top" bgcolor="#C0DDFF"><p
align="center" class="style2">&nbsp;&nbsp;&nbsp;&nbsp;</p>
<p align="center" class="style2"><strong><a href="index.php"
class="style2">::: HOME:::</a></strong></p>
<p align="center" class="style2"><strong><a
href=" ../projek/index.php?n=? echo "$_GET[n]"; ?&isi=masuk"
class="style8">:::LOGIN UJIAN:::</a></strong></p>
<p align="center" class="style2"><strong><a
href=" ../projek/index.php?n=? echo "$_GET[n]"; ?&isi=lembar"
class="style2">::: PENGUMUMAN:::</a></strong></p>
<p align="center" class="style2"><strong><a href="php"
class="style2">::: PROFIL SMAN 1 NGAWI:::</a></strong></p>
<p align="center" class="style2">&nbsp;&nbsp;&nbsp;&nbsp;</p> <p align="center"
class="style1">&nbsp;&nbsp;&nbsp;&nbsp;</p></td><td colspan="3" valign="top"
bgcolor="#B9DAF9"><p>&nbsp;&nbsp;&nbsp;&nbsp;</p> <p align="center"
class="style5"><strong>SELAMAT DATANG DI</strong></p>
<p align="center" class="style5"><strong>UJIAN MASUK
ONLINE</strong></p> <p align="center" class="style7">SMAN 1
NGAWI </p><p align="center" class="style6">Silakan Login Untuk
Masuk ke Lembar Soal Anda...</p> <p>&nbsp;&nbsp;&nbsp;&nbsp;</p></td>
</tr><tr><td height="21"></td>
<td width="185"></td> <td width="270"></td>
<td>&nbsp;&nbsp;&nbsp;&nbsp;</td></tr><tr>
<td height="23" colspan="3"></td><td width="1">&nbsp;&nbsp;&nbsp;&nbsp;</td>
</tr></table></body>
</html>
```

## 2. Halaman Admin

### a. Login Admin

```
<html> <head>
<meta http-equiv="Content-Type" content="text/html;
charset=utf-8" />
<title>:::Login Admin:::</title>
<style type="text/css"> <!--
body { background-color: #D4F8B9;
background-image: url(image/sma.JPG);
background-repeat: no-repeat;
background-position: center 200px;
margin: 1px 0 0 0;
padding: 0em 0 60px 0; } .style1 {
color: #009900 }
.style2 { color: #009900;
font-size: 18px;
text-decoration:none; }
.style2 a:hover {
font-size:21px; color:#FFFFFF;
background-color:#009900;
text-decoration:none; } .style5 {
color: #009900; font-size: 24px;} .style7 {
color: #009900;font-size: 30px;
text-decoration: none;}
.style8 {text-decoration: none; font-size: 30px;}
.style9 {color: #FF0000; font-size: 30px; text-decoration:
none; } .style5 {color: #FF0000; font-size: 30px; text-
decoration: none; }-->
</style></head> <body>
<table width="413" height="458" border="0" align="center">
<tr></tr> <tr> <p align="center"
class="style1">&nbsp;</p></td>
<td colspan="3" valign="top"><p>&nbsp;</p>
<form name="form1" method="post" action="cek_account.php"
onSubmit="return chek_isi(this)">
<table width="330" height="198" border="0" align="center"
cellpadding="0" cellspacing="0"> <!--DWLayoutTable-->
<tr bgcolor="#FF6633"> <td height="19" colspan="2"
align="center" valign="middle" bgcolor="#FF0000"><span
class="style2"><font color="#0000FF" ><a
href="index.php">=HOME=</a></font></span></td>
</tr> <tr bgcolor="#FF6633">
<td height="19" colspan="2" align="center" valign="middle"
bgcolor="#009900"><span class="style8"><font
color="#FFFFFF">.</font></span><span class="style7"><font
color="#FFFFFF">:::LOGIN ::</font></span><span
class="style8"><font color="#FFFFFF">.</font></span></td>
</tr> <tr> <td width="147" height="27">&nbsp;</td>
<td width="183">&nbsp;</td>
</tr> <tr> <td height="18" align="right"
valign="middle"><div align="left" class="style9">NIP
</div></td> <td valign="middle">
<input type="text" name='fm_user' id="fm_user"
size="20"></td> </tr>
```

```

<tr> <td height="24" align="right" valign="middle"><div
align="left" class="style5">Password</div></td>
<td valign="middle">
  <input type="password" name='fm_password' id="fm_password"
size="20"></td> </tr> <tr>
<td height="19">&nbsp;</td> <td></td>
</tr> <tr> <td height="18" valign="top"><!--
DWLayoutEmptyCell-->&nbsp;</td> <td valign="middle">
<input name="login" type="submit" value=" Login "></td>
</tr> <tr> <td height="28">&nbsp;</td>
<td></td> </tr> <tr bgcolor="#FF6633">
<td height="18" colspan="2" valign="top"
bgcolor="#009900"><!--DWLayoutEmptyCell-->&nbsp;</td>
</tr></table> <div align="center"></div> </form> </td>
</tr> <tr> </table> </body>
</html>

```

## b. Cek Account

```

<?php
extract($_POST);
session_start();
include "config.inc";
$sql="SELECT user,password,akses
FROM user_sistem
WHERE user='$fm_user'
AND password='$fm_password'";
$hasil=mysql_query($sql);
$data=mysql_fetch_array($hasil);
if(!$hasil=mysql_query($sql)) {
echo mysql_error(); return 0;}
$sada_baris=mysql_fetch_row($hasil);
if($sada_baris >=1){
session_start();
  session_name("abcde");
  $_SESSION['user'] = $data['user'];
  $_SESSION['password'] = $data['password'];
  $_SESSION['akses']=$data['akses'];
if($data['akses']==0) {
header("location:./menu_utama.php?user=$_SESSION[user]");
}else if($data['akses']==1)
{header("location:../projek/dosen/menu_utama.php?user=$_SES
SION[user]"); }else if($data['akses']==2) {
header("location:../projek/admin/index.php");
}exit;}
else
{echo"<script>alert('PERIKSA PASSWORD DAN NIP
ANDA');location.href='../projek/index.php';</script>";
exit;}
?>

```

### c. Input Data Peserta

```
<?php
include"config.inc";
extract($_POST);
?>
<html>
<head><title> :: inpt_user </title>
<script language="javascript"> <!--
function cek_isi(y){ var npm=y.npm; var
nama_mhs=y.nama_mhs; var jk=y.jk; var alamat=y.alamat; var
email=y.email;if(npm.value==""){ alert("NIP Belum Di isi");
npm.focus(); return false;
}else if(nama_mhs.value==""){
alert("Nama Belum Diisi");
nama_mhs.focus();
return false; }else
if(jk.value==""){ alert("Jenis_kelamin Belum Di isi");
jk.focus(); return false;
}else if(alamat.value==""){
alert("Alamat Belum Diisi");
alamat.focus(); return false; }else
if(email.value==""){ alert("Email Belum Diisi");
email.focus(); return false;
}else{ return true;
} } --></script>
<style> td {
    vertical-align: top;
    text-transform: capitalize;
    font-family: verdana, "sans Serif", tahoma;
    font-size: 10pt;
}</style>
</head> <body>
<p>&nbsp;</p> <p>
<?
if($_POST["npm"])
{$tgllahir = $_POST['thn']."-".$_POST['bln']."
".$_POST['tgl']; $query="INSERT INTO mahasiswa
(npm,nama_mhs, jk, alamat, email, tgllahir) values
('$npm', '$nama_mhs', '$jk', '$alamat', '$email', '$tgllahir)";
$query2="insert into
user_sistem(user,password, akses, npm) values ('$npm', '$npm', '0
', '$npm)";
$kueri_tbh=mysql_query($query);
mysql_query($query2);
if($kueri_tbh)
{ echo "data <strong>Berhasil</strong> dimasukkan";
} else
{ echo "data <strong>Gagal</strong> dimasukkan NIP SUDAH
ADA";
} }
?>
</p> <form method="post"
action="../admin/index.php?n=&isi=input_mhs"
onSubmit="return cek_isi(this)" >
<table width='470' height='298' align='center'>
<tr align="center">
```

```

<td height="24" colspan="3" align="center">
<h3><font face="Tahoma">Input Data Peserta
</font></h3></td> </tr> <tr> <td colspan="3"
align="center"><font face="Tahoma">&nbsp;</font></td>
</tr> <tr>
<td width="66" align="center"><font
face="Tahoma"><strong>NIP</strong></font></td>
<td width="17" align="center"><font face="Tahoma"><strong>:
</strong></font></td>
<td width="371"> <font face="Tahoma">
<input type="text" title="npm" name="npm">
</font></tr> <tr> <td align="center"><font
face="Tahoma"><strong>nama</strong></font></td>
<td align="center"><font
face="Tahoma"><strong>:</strong></font></td>
<td> <font face="Tahoma">
<input type="text" title="nama_mhs" name="nama_mhs">
</font></tr> <tr> <td width="66"
align="center"><strong><font
face="Tahoma">tglLahir</font></strong></td>
<td width="17" align="center"><font face="Tahoma"><strong>:
</strong></font></td>
<td width="371"> <font face="Tahoma">
<select name="tgl">
<?
for ($i=1; $i<=31; $i++) {
$tg = ($i<10) ? "0$i" : $i;
echo "<option value='$tg'>$tg</option>";
}??
</select>-<select name="bln"> <?
for ($i=1; $i<=12; $i++) {
$bl = ($i<10) ? "0$i" : $i;
echo "<option value='$bl'>$bl</option>";
}??
</select> - <select name="thn"> <?
for ($i=1970; $i<=2000; $i++) {
echo "<option value='$i'>$i</option>";
}??
</select></td> </tr>
<tr><td align="center"><strong><font
face="Tahoma">Kelamin</font></strong></td>
<td align="center"><font
face="Tahoma"><strong>:</strong></font></td>
<td> <font face="Tahoma"><input type="radio" name="jk"
value="wanita"><strong>Wanita</strong>
<input type="radio" name="jk" value="pria">
<strong>Pria</strong>
</font></td> </tr> <tr>
<td height="104" align="center"><font
face="Tahoma"><strong>Alamat</strong></font></td>
<td align="center"><font
face="Tahoma"><strong>:</strong></font></td>
<td> <font face="Tahoma">
<textarea cols="30" rows="5" name="alamat"
title="alamat"></textarea></font></td> </tr><tr>

```

```

<td align="center"><font face="Tahoma"><strong><em>E
Mail</em></strong></font></td> <td align="center"><font
face="Tahoma"><strong>:</strong></font></td>
<td> <font face="Tahoma">
<input type="text" name="email" title="email" size="35">
</font></tr><tr align="center">
<td colspan="3" align="center"><font
face="Tahoma">&nbsp;</font></td> </tr>
<tr align="center">
<td colspan="3" align="center"> <font face="Tahoma">
<input type="submit" value="SIMPAN">
<input type="reset" value="CANCEL">
</font></td></tr></table></form></body>
</html>
} </style> </head> <body> <p>&nbsp;</p> <p>
<? if($_POST["soal"])
{ $query = mysql_query("INSERT INTO ipa
(id,soal,j1,j2,j3,j4,jbenar)values('$id','$soal','$j1','$j2
','$j3','$j4','$jbenar')");
mysql_query($query); if($query)
{ echo "data <strong>Berhasil</strong> dimasukkan";
} else { echo "data <strong>Gagal</strong> dimasukkan";
} } ?> </p> <form method="post"
action=" ../admin/index.php?n=&isi=tambahsoalipa"
onSubmit="return cek_isi(this)" >
<table width='470' height='298' align='center'>
<tr align="center"> <td height="24" colspan="3"
align="center"> <h3><font face="Tahoma">Tambah Soal
IPA</font></h3><h3><font face="Tahoma">NO UJIAN DI
SESUAIKAN DENGAN UJIAN YANG ADA</font></h3>
</td></tr><tr> <td height="50" align="center"><font
face="Tahoma"><strong>NO UJIAN</strong></font></td>
<td align="center"><font
face="Tahoma"><strong>:</strong></font></td>
<td> <font face="Tahoma">
<input type="text" name="id" size="1" maxlength="4">
</font></td></tr><tr><td height="50" align="center"><font
face="Tahoma"><strong>SOAL</strong></font></td>
<td align="center"><font
face="Tahoma"><strong>:</strong></font></td>
<td> <font face="Tahoma"> <textarea cols="30" rows="1"
name="soal" title="soal"></textarea>
</font></td></tr><tr><td height="50" align="center"><font
face="Tahoma"><strong>Jawaban1</strong></font></td>
<td align="center"><font
face="Tahoma"><strong>:</strong></font></td> <td> <font
face="Tahoma"> <textarea cols="30" rows="1" name="j1"
title="j1"></textarea></font></td></tr><tr>
<td height="50" align="center"><font
face="Tahoma"><strong>Jawaban2</strong></font></td>
<td align="center"><font
face="Tahoma"><strong>:</strong></font></td>
<td> <font face="Tahoma">
<textarea cols="30" rows="1" name="j2"
title="j2"></textarea> </font></td>
</table></form> </body></html>

```

#### d. Peserta Yang Lulus

```
<html>
<head> <title>Penjumlahan</title>
</head> <?php
include "config.inc";
?>
<h2>PESERTA YANG LULUS SELEKSI</h2>
<table id="tabel"> <tr>
<table width="99%" border="1" cellpadding="2"
cellspacing="2"><tr align="center" bgcolor="#999999">
<td width="5%" bgcolor="#C6F3FF"><font
face="Tahoma"><strong>No</strong></font></td>
<td width="25%" bgcolor="#C6F3FF"><font
face="Tahoma"><strong>NIP</strong></font></td>
<td width="30%" bgcolor="#C6F3FF"><font
face="Tahoma"><strong>Nama Peserta</strong></font></td>
<td width="30%" bgcolor="#C6F3FF"><font
face="Tahoma"><strong>Alamat Peserta</strong></font></td>
<td width="15%" bgcolor="#C6F3FF"><font
face="Tahoma"><strong>Total Nilai</strong></font></td>
</tr> <? $no = 1;
$query = " select nip, nama, jenkel, alamat, sum(hasil +
ipa + ips) Total From pegawai Group by nip Having
sum(hasil + ipa + ips)>150 order by Total desc, nip asc
limit 204";
$hasil = mysql_query($query);
while ($data = mysql_fetch_array($hasil)){
    $nip = $data['nip'];
    $nama = ($data['nama']);
    $alamat = ($data['alamat']);
    $total = ($data['Total']);
    $warna = ($no%2==1)?"#ffffff":"#efefef"; ?>
<tr bgcolor="<?=$warna?>">
<td><font face="Tahoma"><?=$no?></font></td>
<td><font face="Tahoma"><?=$nip?></font></td>
<td><font face="Arial, Helvetica, sans-serif" >
<?=$nama?></font></td>
<td><font face="Tahoma"><?=$alamat?></font></td><td>
<fontface="Tahoma"><center><?=$total?></font></center>
</tr> <? $no++; } ?>

</table> <p align="center"> <body ><center> <br>
<form name="form1" method="post" action="lapMhs.php"
target="_blank">
<button type="submit" name="Submit" >

</button><br><strong>Print</strong></form></body>
</center></html>
```

### 3. Halaman User

#### a. Login user

```
<html>
<head> <meta http-equiv="Content-Type" content="text/html;
charset=utf-8" />
```

```

<title>:::Login Admin::~</title>
<style type="text/css">
<!-- body {
background-color: #D4F8B9;
background-image: url(image/sma.JPG);
background-repeat: no-repeat;
background-position: center 200px;
margin: 1px 0 0 0; padding: 0em 0 60px 0; }
.style1 { color: #009900
}.style2 {
color: #009900; font-size: 18px;
text-decoration:none; }
.style2 a:hover {
font-size:21px; color:#FFFFFF;
background-color:#009900;
text-decoration:none;}
.style5 { color: #009900;
font-size: 24px;}
.style7 { color: #009900;
font-size: 30px;
text-decoration: none;}
.style8 {text-decoration: none; font-size: 30px;}
.style9 {color: #FF0000; font-size: 30px; text-decoration:
none; } .style5 {color: #FF0000; font-size: 30px; text-
decoration: none; } --> </style></head>
<body>
<table width="413" height="458" border="0" align="center">
<tr> </tr><tr>
<p align="center" class="style1">&nbsp;</p></td>
<td colspan="3" valign="top"><p>&nbsp;</p>
<form name="form1" method="post" action="cek_account.php"
onSubmit="return chek_isi(this)">
<table width="330" height="198" border="0" align="center"
cellpadding="0" cellspacing="0">
<!--DWLayoutTable-->
<tr bgcolor="#FF6633">
<td height="19" colspan="2" align="center" valign="middle"
bgcolor="#FF0000"><span class="style2"><font
color="#0000FF" >
<a href="index.php">=HOME=</a></font></span></td></tr>
<tr bgcolor="#FF6633"><td height="19" colspan="2"
align="center" valign="middle" bgcolor="#009900"><span
class="style8"><font color="#FFFFFF">.</font></span><span
class="style7"><font color="#FFFFFF">:::LOGIN
:::</font></span><span class="style8"><font
color="#FFFFFF">.</font></span></td>
</tr> <tr> <td width="147" height="27">&nbsp;</td>
<td width="183">&nbsp;</td></tr><tr>
<td height="18" align="right" valign="middle"><div
align="left" class="style9">NIP </div></td>
<td valign="middle"><input type="text" name='fm_user'
id="fm_user" size="20"></td>
</tr><tr><td height="24" align="right" valign="middle"><div
align="left" class="style5">Password</div></td>
<td valign="middle"><input type="password"
</html>

```

## b. Soal Matematika

```
<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1"></head>
<body> <?
session_start();
include "config.inc";
$putar = rand(1,35);
$asal="select * from mahasiswa where npm='$_GET[user]';
$boy=mysql_query($asal);
$dodol=mysql_fetch_array($boy); echo '<p>';
echo"<fontcolor=#FF0000><center><strong></strong></font>
</center>". "<center><strong><font color=#FF0000>Nama:
$dodol[1]</font></strong>
</center>"; echo '<p>'; echo " <font
color=#FF0000><center><strong>
</strong></font></center> " . "<center><strong><font
color=#FF0000>Email: $dodol[2]</font></strong></center>";
echo " <font color=#FF0000><center><strong>
</strong></font></center> " . "<center><strong><font
color=#FF0000>Kelamin: $dodol[3]</font></strong></center>";
echo " <font color=#FF0000><center><strong>
</strong></font></center> " . "<center><strong>
<font color=#FF0000>Alamat:
$dodol[4]</font></strong></center>"; echo " <font
color=#FF0000><center><strong></strong></font>
</center> " . "<center><strong> <font color=#FF0000> tgl :
$dodol[6]</font></strong></center>";
echo "<center><p>Selamat datang di halaman ini dengan
user/NIP : ".$_SESSION['user']. "</p></center>";
?> <font color="#666666" face="Tahoma"><strong>Selamat
datang di halaman SOAL MATEMATIKA </strong></font> <hr>
<?php include "config.inc"; $jml = 25;
if($_POST['erida']=="jawab") {
for($i=1; $i<=$jml; $i++){
$ns = $_POST["s_".$i.""];
$jnb = $_POST["j_".$i.""];
$jwb = mysql_query("select * from soal where id='".$ns.'"
and jbenar='".$jnb.""); if(mysql_num_rows($jwb)==0){
$nilai[$i] = 0; if($jnb) echo ' '; else echo ' '; }
else { $nilai[$i] = 1; if($jnb) echo ' ';

} } // REKAP NILAI
$nbbenar = array_sum($nilai);
$nsalah = $jml-$nbbenar;
$ntotal = number_format($nbbenar/$jml*100,1);
if($nbbenar>=0) { echo ' ';
// KATEGORI END
$hasilm =$ntotal; $namas =$dodol[1];
$email =$dodol[2]; $jenkel=$dodol[3];
$alamat=$dodol[4]; $tgl=$dodol[6];
$nip =$_SESSION['user'];
```

```

$query = mysql_query ("INSERT INTO pegawai ( nip, nama,
hasil, email, jenkel, alamat, tgllahir) values
('$nip','$namas','$hasil','$email','$jenkel','$alamat','$t
gl')"); } echo"<b><script> alert('KLIK =OK= LANJUT SOAL
IPS');location.href='../projek/menu_utama.php?user=&isi=ips
';</script></b>"; } else {
echo '<FORM METHOD="POST" ACTION=""><INPUT TYPE="hidden"
NAME="erida" value="jawab">';
echo '<B><center>SOAL MATEMATIKA</center></B>';
echo '<U></U>';
echo '<B><ul>HARAP SEMUA SOAL DI ISI JANGAN SAMPAI
DIKOSONGKAN !!!</U></B></ul>';
echo '<OL>';
$sx = mysql_query("SELECT * FROM soal ORDER BY RAND($putar)
LIMIT $jml"); $no = 1;
while($x=mysql_fetch_array($sx))
{ echo '<br>';
echo '<INPUT TYPE="hidden" NAME="s_'. $no.'"
value="'. $x[id].'">';
echo '<LI>'. $x[soal]. '<br>';
// pilihan
echo 'A.<INPUT TYPE="radio" NAME="j_'. $no.'"
value="'. $x[j1].'">'. $x[j1]. ' ';
echo '<br>';
echo 'B.<INPUT TYPE="radio" NAME="j_'. $no.'"
value="'. $x[j2].'">'. $x[j2]. ' ';
echo '<br>';
echo 'C.<INPUT TYPE="radio" NAME="j_'. $no.'"
value="'. $x[j3].'">'. $x[j3]. ' ';
echo '<br>';
echo 'D.<INPUT TYPE="radio" NAME="j_'. $no.'"
value="'. $x[j4].'">'. $x[j4]. ' ';
echo '</LI>'; $no++;
} echo '</OL>';
echo "<br>"; echo '<center><INPUT TYPE="submit"
value="SIMPAN" ></FORM></center>'; }
echo '<BR>Scripting by <A HREF=""></A> [erik tri
yunianto]'; ?> <center> <hr>
<p><font color="#999999" face="Tahoma"></font>
</center>
</body>
</html>

```

### c. Logout

```

<?php
session_start();
session_unset();
session_destroy();
echo"<script>alert('ANDA SUDAH LOGOUT
!!!');location.href='../projek/index.php';</script>";
?>

```

#### 4. Koneksi Database

```
<?php
// isilah dengan user dan password dari MySQL anda
$host = "localhost";
$user = "root";
$password = "";
$database="projek";
$connect=mysql_connect($host,$user,$password);
if (! $connect)
{
echo " wah nggak Konek tuh ";
} // memilih database pda server
mysql_select_db($database)
or die ( " database nggak ada bos dibuat dulu dung.... ");
?>
```