

DAFTAR PUSTAKA

- Abdul, A.B.H., Abdelwahab, S.I., Al-Zubairi, A.S., Elhasan, M.M., and Murali, S.M., 2008, Anticancer and Antimicrobial Activities of Zerumbone from the Rhizomes of *Zingiber zerumbet*, *International Journal of Pharmacology*, 4 (4), 301-304.
- Andayani, R., Yovita, L., dan Maimunah, 2008, Penentuan Aktivitas Antioksidan, Kadar Fenolik Total dan Likopen pada Buah Tomat (*Solanum lycopersium* L.), *Jurnal Sains dan Teknologi Farmasi*, Vol.13, No.1.
- Anonim, 1995, Medical Herb Index in Indonesia, P.T. Eisai Indonesia, hal. 275-276
- Behera, B.C., Adawadkar, B. and Makhija, U., 2004, Capacity of Some Graphidaceous Lichens to Scavenge Superoxide and Inhibition of Tyrosinase and Xanthine Oxidase Activities, *Current Science*, Vol. 87, No.1
- Bhuiyan, M.N.I., Chowdhury, J.U. and Begum, J., 2009, Chemical investigation of the leaf and rhizome essential oils of *Zingiber zerumbet* (L.) Smith from Bangladesh, *Bangladesh J. Pharmacol*, Vol. 4: 9-12.
- Bustamam, A., Ibrahim, S., Al-Zubairi, A.S., Manal, M.E.T. and Syam, M.M., 2008, Zerumbone: A Natural Compound with Anti-Cholinesterase Activity, *American Journal of Pharmacology and Toxicology* 3, (3): 209-211.
- Chen, I.N., Chang, C.C., Ng, C.C., Wang, C.Y., Shyu, Y.T. and Chang, T.L., 2008, Antioxidant and Antimicrobial Activity of Zingiberaceae Plants in Taiwan, *Plant Foods Hum Nutr*; 63:15–20
- Chun, K.O., Kim Dae-ok., and Lee, Y.C., 2003, Superoxide Radikal Scavenging Activity of the Major Polyphenol in Fresh Plums, *Journal Agric. Food Chem*, Department of Food Science and Tecnology, Cornell University, Geneva, New York.
- Chrubasika, S., Pittlerc, M.H. and Roufogalis, B.D., 2005, *Zingiberis rhizoma*: A comprehensive review on the ginger effect and efficacy profiles, *Phytomedicine*, 12, 684–701.
- Cronquist A, 1981, *An Integrated System of Classification of Flowering Plants*. Newyork: Columbia University Press. P: 477.

- Da'i, M., Nurwaini, S., dan Robithoh N., I., 2005, Uji Aktivitas Antiradikal dengan Metode DPPH dan Penetapan Kadar Fenol Total Ekstrak Daun Keladi Tikus (*Thyphonium divaricatum* (Linn) Decne), *Pharmacon*, 6 (2), 51-56.
- de Guzman, C.C. and Siemonsa, J.S. (Editors), 1999. *Plant Resources of South-East Asia No 13. Spices*. PROSEA. Bogor, 233.
- Endo, K., Kanno, E. and Oshima, Y., 1990, Structures of antifungal diarylheptenones, gingerenones A, B, C and isogingerenone B, isolated from the rhizomes of *Zingiber officinale*, *Phytochemistry*, 29(3),797-799.
- Fessenden, R.J. and Fessenden, J.S., 1986, *Kimia Organik*, diterjemahkan oleh Pudjaatmakan, A. H., Edisi Ketiga, 223-224, Penerbit Erlangga, Jakarta.
- Geiger, J.L., 2005, The essential oil of ginger, *Zingiber officinale*, and anaesthesia, *Aromatherapy*, 15, 7-14.
- Habsah, M., Amran, M., Mackeen, M.M., Lajis, N.H., Kikuzaki, H., Nakatani, H., Rahman, A., Ghafar, A. and Ali, A.M., 2000, Screening of Zingiberaceae extracts for antimicrobial and antioxidant activities, *J Ethnopharmacol* 72:403–410.
- Harborne, J. B., 1987, *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*, Terbitan Ke-2, Penerbit ITB, Bandung
- Hegnauer, R., 1986, *Chemotaxonomie der Pflanzen*, Band 7, Birkhauser Verlag, Stuttgart., p.781
- Hisashi, M., Shin, A., Tomoko, K., Toshio, M., and Masayaki, Y. (2005). Inhibitors from the rhizomes of *Alpinia officinarum* on production of nitric oxide in lipopolysaccharide-activated macrophages and the structural requirements of diarylheptanoids for the activity. *Bioorganic and Medicinal Chemistry*.14: 138-142.
- Huang, D., Ou, B., and Prior, R.L., 2005, The Chemistry behind Antioxidant Capacity Assays, *Journal of Agricultural and Food Chemistry*, 53, 1841-1856.
- Khanom, F., Kayahara, H. and Tadasa, K., *Superoxide-Scavenging and Prolyl Endopeptidase Inhibitory Activities of Bangladeshi Indigenous Medicinal Plants*. *Biosci. Biotechnol. Biochem.*, 2000, 64, 837–840.
- Kim, D., Jeond, S. and Lee, Ch., 2003, Antioxidant capacity of phenolic phytochemicals from various cultivars of plums, *Food Chemistry*, 81,321–326

- Kikue, K., Nakamura, K., and Kobayashi, A. (1998). Acetoxy-1,8-cineoles as aroma constituents of *Alpinia galangal* (L) willd. *Journal of Agricultural and Food Chemistry*. 46: 5244-5247.
- Koleva, I.I., van Beek, T.A., Linssen, J.P.H., de Groot, A., Evstatieva, L.N., 2001, Screening of plant extracts for antioxidant activity: a comparative study on three testing methods. *Phytochem Analysis*, 13, 8–17.
- Kondo, A., Ohigashi, H., Murakami, A., Suratwadee, J. and Koshimizu, K., 1996, “1’-Acetoxychavicol acetate as potent inhibitor of tumor promoter-induced Epstein-Barr virus activation from *Languas galanga*, a traditional Thai condiment”., *Journ. Biosc., Biotechnol., Biochem.*, Vol. 57, No. 8, p. 1344-1335
- Langseth, L., 1995, *Oxidants, Antioxidans, and Disease Prevention*, International Life Sciences institutes (ILSI) Europe, Belgium.
- Lee, K.I., Kim, Y.J., Lee, H.J., and Lee, C.H., 2003, Cocoa Has More Phenolic Phytochemical and Higher Antioxidant Capacity than Teas and Red Wine, *J. Agric. Food Chem.*, 51, 7292-7295.
- Ly, T.N., Yamauchi, R., Shimoyamada, M., and Kato, K. (2002). Isolation and structure elucidation of Some glycosides from the rhizomes of smaller galangal (*Alpinia officinarum* Hance). *Journal of Agricultural and Food Chemistry*. 50: 4919-4924.
- Ly, T. N., Shimoyamada, M., Kato, K., and Yamauchi, R. (2003). Isolation and characterization of some antioxidative compounds from the rhizomes of smaller Galangal (*Alpinia officinarum* Hance). *Journal of Agricultural and Food Chemistry*. 51:4924-4929.
- Mahae, N. and Chaiseri, S. 2009, Antioxidant Activities and Antioxidative Components in Extracts of *Alpinia galanga* (L.) Sw., *Kasetsart J. (Nat. Sci.)* 43 : 358 – 369.
- Malek, S.N.A., Ibrahim, H., Lai, H.S., Serm, S.G., Seng, C.K., and Ali, N.A.M., 2005, The Essential Oils of *Zingiber officinale* Variants, *Malaysian Journal of Science*, 24: 2, 37-43.
- Marxen, K., Heinrich, K., Lippemeier, S., Hintze, R., Ruser, A. and Hansen, U., 2007, Determination of DPPH Radical Oxidation Caused by Methanolic Extract of Some Microalgal Species by Linear Regression Analysis of Spectrophotometric Measurements, *Sensor*, 7, 2080-2095.

- Mau, J.L., Eric, Lai, Y.C., Wang, N.P., Chen, C.C., Chang, C.H. and Chyau, C.C., 2003, Composition and antioxidant activity of the essential oil from *Curcuma zedoaria*, *Food Chem* 82:583–591
- Miliauskas, G., Venskutonis, P.R. and Van Beek T.A., 2004, Screening of radical scavenging activity of some medicinal and aromatic plant extracts, *Food Chem.*, **85**:231-237.
- Murakami, A., Takahasi, D., Kinoshita, T., Koshimizu, K., Kim, H.W., Yushihiro, Nakamura, Y. and Ohigashi, H., 2002, Zerumbone, a Southeast Asian ginger sesquiterpen, markedly suppress free radical generation, proinflammatory protein production, and cancer proliferation accompanied by apoptosis: the α , β -unsaturated carbonyl group is a prerequisite, *Carcinogenesis*, 23: 5, 795-802.
- Prakash, R.O., Rabinarayan, A., Kumar, M.S., 2011, *Zingiber zerumbet* (L.) Sm., a reservoir plant for therapeutic uses: A Review. *International Journal of Pharma World Research*.2, 7-8.
- Prajapati, V., Tripathi, A.K. and Khanuya, S.P., 2005, Insecticidal, repellent and oviposition-deterrent activity of selected essential oils against *Anopheles stephensi*, *Aedes aegypti* and *Culex quinquefasciatus*, *Bioresour. Technol.*, 96(16), 1794-1757.
- Pudjiastuti, B., Dzulkarnain, Budi Nuratmi., 2000, Uji Analgetik Infus Rimpang Lempuyang Pahit (*Zingiber americana*) pada Mencit Putih, *Cermin Dunia Kedokteran No. 129*.
- Rahayu, V., 2007, Uji Aktivitas Penangkap Radikal Fraksi Non Polar Ekstrak Etil Asetat Daun Dewandaru (*Eugenia uniflora* L.) Dengan Metode DPPH Disertai Penetapan Kadar Fenol Dan Flavonoidnya, *Skripsi*, Fakultas Farmasi Universitas Muhammadiyah Surakarta, Surakarta.
- Ravindran, P.N. and Babu, K.N., 2005, *Ginger The Genus Zingiber*, CRC Press. New York.
- Reynertson, K.A., 2007, Phytochemical Analysis of Bioactive Constituents from Edible Myrtaceae Fruit, *Dissertation*, The City University of New York, New York.
- Rohman, A. dan Riyanto, S., 2006, Aktivitas Antiradikal Bebas Ekstrak Kloroform Buah Mengkudu (*Morinda citrifolia*, L.) dan Fraksi-fraksinya, *Artocarpus*, Vol.6 No.1 Maret 2006, 39
- Ruslay, S., Abas, F., Shaari, K., Zainal, Z., Maulidiani, Sirat, H., Israfi, D.A. and Lajis, N.H., 2007, Characterization of the components present in the active

fractions of health ginger (*Curcuma xanthorrhiza* and *Zingiber zerumbet*) by HPLC-DAD-ESIMS, *Food Chemistry* 104 (2007) 1183-1191.

- Sangat, H.M., Zuhud, E.A.M. dan Damayanti, E. K., 2000, Kamus Penyakit dan Tumbuhan Obat Indonesia [Etnofitomedika], Yayasan Obor Indonesia, Jakarta.
- Shafina, Makpol, S., Aini, N., Das, S., Zurinah, W. and Anum, Y., 2008, Ginger extract (*Zingiber officinale*) has anti-cancer and anti-inflammatory effects on ethionine-induced hepatoma rats, *Clinics*, 63(6):807-13.
- Shukla, Y. and Singh, M., 2007, Cancer preventive properties of ginger : a brief review, *J Food Chem Toxicol*, 45(5) :683-690.
- Sirat, H.M., Rahman, A.A., Itokawa, H., and Morita, H., 1996, Constituents of the rhizomes of two *Alpinia* species of Malaysia, *Planta Med* 62:188–189
- Subehan, U.T., Kadota, S. and Tezuka, Y., 2005, Constituents of *Zingiber aromaticum* and their CYP3A4 and CYP2D6 inhibitory activity, *Chem. Pharm. Bull.*, 53(3) 333-335 (2005) 333.
- Surh, Y.J., 2003, Cancer chemoprevention with dietary phytochemical, *Nat Rev Cancer* 3:768-80.
- Sutarno, H., Hadad, E. A. and Brink, M., 1999, *Zingiber officinale* Roscoe In : de Guzman, C.C. and Siemonsma, J.S. (Eds.) *Plant Resources of South-East Asia No13 Spices*. Backhuys Publishers, Leiden, the Netherlands
- Stoilova, I., Krastanov, A., Stoyanova, A., Denev, P. and Gargova, S., 2006, Antioxidant activity of a ginger extract (*Zingiber officinale*), *J.Foodchem.*
- Syamsuhidayat, S.S. dan Hutapea, J.R., 1991, *Inventaris Tanaman Obat Indonesia I*, Depkes RI, Jakarta., p.600
- Tao, L., Wang, Z. T., Zhu, E. Y., Lu, Y. H., and Wei, D. Z. (2006). HPLC analysis of bioactive flavonoids from the rhizome of *Alpinia officinarum*. *South African Journal of Botany*. 72: 163-166.
- Tara, V.S., Chandrakala, S., Sachidananda, A., Kurady, B.L., Smita, S., and Ganesh, S., 2006, Wound healing activity of alcoholic extract of *kaempferia galangal* in wistar rats, *Indian J Physiol Pharmacol.*, 50 (4): 384-390.
- Teow, Choong C., Truong, Van Den., McFeeters, Roger F., Thompson, Roger., Pecota, kennet, Yenko, G. Craig, 2007, Antioxidant activities, phenolic

and b-carotene contents of sweet potato genotypes with varying flesh colours, *Food Chemistry* 103, 829–838

- Toda, S., Kumura, M. and Ohnishi, M., *Effects of Phenolcarboxylic Acids on Superoxide Anion and Lipid Peroxidation Induced by Superoxide Anion*. *Planta Med.*, 1991, 57, 8–10.
- Tripathy, Y. B. and Upadhyay, A. K., *Antioxidant Property of Mucuna pruriens Linn*. *Curr. Sci.*, 2001, **80**, 1377–1378
- Tewtrakul, S., Yuenyongsawad, S., Kummee, S. and Atsawajaruwan, L., Chemical components and biological activities of volatile oil of *Kaempferia galanga* Linn. *Songklanakarinn J. Sci. Technol.*, 2005, 27(Suppl. 2) : 503-507
- Usia, T., Iwata, H., Hiratsuka, A., Watabe, T., Kadota, S. dan Tezuka, Y. (2004). “Sesquiterpenes and Flavonol Glycosides from *Zingiber aromaticum* and Their CYP3A4 and CYP2D6 Inhibitory Activities.” *J. Nat. Prod.* **67**. 1079 – 1083.
- Vaya, J. and Aviram, M., 2001, Nutritional Antioxidant: Mechanisms of Action, Analyses of Activities and Medical Application, *Curr. Med. Chem.-Imm, Endoc. & Metab. Agent*, Vol.1 No.1.
- Wilmsen, P.K., Spada, D.S., and Salvador, M., 2005, Antioxidant activity of flavanoid hesperidin in chemical and biological systems, *J. Agric. Food Chem.*, 53,4757-4761.
- Winarsi, H., 2005, *Isoflavon; Berbagai Sumber, Sifat dan Manfaatnya pada Penyakit Degeneratif*, Cetakan pertama, 38, UGM Press, Yogyakarta
- Windono, T., Hendrajaya, K., Nurfatmawati, H. dan Soraya F., 2001, Uji Perendaman Radikal Bebas terhadap DPPH Dari Ekstrak Kulit Buah dan Biji Anggur (*Vitis linifera*) Probolinggo Biru dan Bali, *Artikel hasil penelitian Artocarpus*, Vol. 1 Fakultas Farmasi UNAIR, Surabaya 34-43.
- Wulandari, E.T., 1996, Identifikasi Perbedaan Rimpang Lempuyang Pahit, Lempuyang Wangi dan Lempuyang Gajah, *Artikel Journal - ilmiah nasional*, Widya Dharma: Majalah Ilmiah Kependidikan, hal 25-40.
- Yoshikawa, M., Hatakeyama, S., Taniguchi, K., Matuda, H. and Yamahara, J., 1992, 6-Gingersulfonic acid, a new antiulcer principle, and gingerlycolipids A, B and C, three new monoacyldigalactosylglycerols, from *Zingiberis rhizoma* originating in Taiwan, *Chem. Pharm. Bull.*, 40(8), 2239-2241.

- Zaeoung, S., Plubrukarn, A. and Keawpradub, N., 2004, Cytotoxic and free radical scavenging activities of Zingiberaceous rhizomes, *Songklanakarin J. Sci. Technol.*, 2005, 27(4) : 799-812.
- Zakaria, F.R. dan Rajab, T.M., 1999, Pengaruh ekstrak jahe (*Zingiber officinale* Roscoe) terhadap produksi radikal bebas makrofag mencit sebagai indikator imunostimulan secara in vitro, Persatuan Ahli Pangan Indonesia (PATPI), Prosiding Seminar Nasional Teknologi Pangan: 707–716.
- Zhou, H., Wei, L., Lei, H., 1998, Analysis of essential oil from rhizoma *Zingiberis* by GC-MS, *Zhongguo Zhong Yao Za Zhi*, 23 234–6, 256.
- Zhu, X.L., Yang, M.H., Luo, J.G., Huang, X.F. and Kong, L.Y., 2009, A New Phenylpropanoid from *Alpinia galanga*, *Chinese Journal of Natural Medicines*, 7, 1, 19-20.