

### DAFTAR PUSTAKA

- Adnan, M., 1997, Teknik *Kromatografi Untuk Analisis Bahan Makanan*, Penerbit Andi, Yogyakarta, hal 63–64, 79.
- Agusta, A., 2000, *Minyak Atsiri Tumbuhan Tropika Indonesia*, ITB, Bandung, hal 29-37.
- Ali, B.H., 2004, The Effect Of *Nigella sativa* Oil On Gentamicin Nephrotoxicity In Rats, *Am J Chin Med*, 32: 49-55.
- Ali S., Peyman S., Mohammad R., and Samad N., 2005, Antibacterial and Antioxidant Activity and Essential Oil Composition of *Grammosciadium scabridum* Boiss. from Iran, *Z. Naturforsch.* 60c
- Belgin, C., Turker, A., Arif, I., Bilal, G., and Arslan, N., 2009, Chemical Compositions and Antibacterial Activities of the Essential Oils from Aerial Parts and Corollas of *Origanum acutidens* (Hand-Mazz) Ietswaart, an Endemic Species to Turkey, *Molecules*, 14, 1702-1712
- Burits, M., and Bucar, F., 2000, Antioxidant Activity of *Nigella sativa* Essential Oil, *Phytother Res*, 14: 323-08.
- Claudia. C., Maria. G., Hanganu. D., Olah. N., Maria. F., Hammam. C., Hammam. M., 2010, Chemical Composition Of The Tunisian *Nigella Sativa*. Note I. Profile on Essential oil, *farmacia*, 2010, vol.58, 4
- David, R.W., Omar A.G., and Peter A.C., 1998, The In Vitro Antitumor Activity Of Some Crude And Purified Anticomponents Of Black Seed. *Nigella sativa*. *Anticancer Res*. 18, 1527D1532.
- DEPKES RI, 1979, *Materia Medika*, jilid III, Jakarta, hal 112-114.
- DEPKES RI, 1995, *Informasi Simplisia Asing*, Pengawasan Obat Tradisional, Dirjen Pengawasan Obat Dan Makanan, Jakarta, hal 63-64.
- El-Dakhkhny, M., Mady, N.I., Halim, M.A., 2000, *Nigella sativa* L. Oil protects against induced hepatotoxicity and improves serum lipid profile in rats. *Arzneimittel-Forschung* Vol.50 (9), Hlm 832–836.
- El-Tahir, K.E., Ashour MM, Al-Harbi MM., 1993, The respiratory effects of the volatile oil of the black seed (*Nigella sativa*) in guinea-pigs: elucidation of the mechanism(s) of action, *Gen Pharmacol* 24:1115–1122.

- Fancy, S.A., and Rumpel, K., 2008, GC-MS-Based Metabolomics, dalam *Methods in Pharmacology and Toxicology: Biomarker Methods in Drug Discovery and Development*, Humana Press, Totowa, hal 317–340.
- Ferdous, A.J., Islam S.-N., Ashan M., Hasan C.M., and Ahmed Z.U., 1992, In Vitro Antibacterial Activity Of The Volatile Oil Of Nigella sativa Seeds Against Multiple Drug Resistant Isolates Of Shigella, *V. Cholerae and E. coli. Phytother. Res.* 6, 137D140.
- Gabriella, K. and Sibel, R., 2005, Carvacrol and *p*-cymene inactivate *Escherichia coli* O157:H7 in apple juice, *BMC Microbiology*, 5:36
- Guenther, E., 1987, *Minyak Atsiri*, diterjemahkan oleh Ketaren, S., Jilid I, 134-145, 176-180, Universitas Indonesia (UI-Press), Jakarta.
- Gunawan, D., dan Mulyani, S., 2004, *Ilmu Obat Alam (Farmakognosi)*, Jilid I, 119, Penebar Swadaya, Jakarta, hal 106.
- Gurdiph, S., Marimuthu, P., Carola, S., and Catalan, S., 2005, Chemical constituents and antimicrobial and antioxidant potentials of essential oil and acetone extract of Nigella sativa seeds, *J Sci Food Agric*, 85:2297–2306.
- Hardjono, S., 2004, *Kimia Minyak atsiri*, Gadjah Mada University Press, Yogyakarta, hal 2, 9-15.
- Heyne, K., 1987, *Tumbuhan Berguna Indonesia*, Edisi Kedua, diterjemahkan oleh Badan Litbang Kehutanan Jakarta, Yayasan Sarana Wana Jaya, Jakarta, hal 751.
- Hutapea, J.R., 1994, *Inventaris Tanaman Obat Indonesia* jilid III, Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia, Jakarta, hal 163.
- Leonardo, R., Bonjardim, Edisleide, S., Cunha, Adriana, G., 2012, Evaluation of the Anti-Inflammatory and Antinociceptive Properties of *p*-Cymene in Mice, *Z. Naturforsch.* 67 c, 15 – 21.
- Mozaffari, F.S., Ghorbanli M., Babai A., and Farzami Sepehr M., 2000, The Effect Of Water Stress On The Seed Oil Of Nigella sativa L. *J. Essent. Oil Res*, 12, 36D38.
- Mukhallad A Mohammad, Mohamad MJ Mohamad 1 1 and 2Hatham Dradka., 2009, Effects of Black Seeds (Nigella Sativa) on Spermatogenesis and Fertility of Male Albino Rats, *Research Journal of Medicine and Medical Sciences*, 4(2): 386-390.

- Munson, J.W., 1991, *Analisis Farmasi Metode Modern*, diterjemahkan oleh Harjana., Parwa A, Airlangga University Press, Surabaya, hal 2-43.
- Mursyidi, A., 1989, *Analisis Metabolite Sekunder*, PAU Bioteknologi Universitas Gajah Mada, Yogyakarta, hal 1-7, 71-81.
- Nickavara, B., Mojaba, F., Javidniab, K and Ali, B., (2003), Chemical Composition of the Fixed and Volatile Oils of *Nigella sativa* L. from Iran, *Z. Naturforsch.* 58c, 629-631.
- Nurdjannah, Nanan, 2004, Diversifikasi Penggunaan minyak atsiri, *Perspektif* , vol.3, no.2, 61-70, (online), ([http://perkebunan.litbang.deptan.go.id/upload.files/File/publikasi/perspektif/Perspektif\\_vol\\_3\\_No\\_2\\_3\\_Nanan.pdf](http://perkebunan.litbang.deptan.go.id/upload.files/File/publikasi/perspektif/Perspektif_vol_3_No_2_3_Nanan.pdf), diakses 20 Februari 2012).
- Rached, K. and Zahia, M., 2006, Effect Of Essential Oil Extracted From *Nigella Sativa* L. Seeds And Its Main Components On Human Neutrophil Elastase Activity, *yakugaku zasshi*, 126(4).
- Schleicher, P. and M. Saleh., 1998. Black seed cumini:the magical Egyptian herb for allergies, asthma,and immune disorders Healing Arts Press, *Rochester, Vermont*, p: 90.
- Sugano. M., Tsunashi. K., Hiradate. S., Yoshiharu. F., 2005, Herbicidal and Antifungal Effects of Volatile Allelochemicals in Spices and Herbs, *Agro-Environmental Sciences*, P3-02.
- Swamy, S,M.K. and Tan B.K.H., 2000, Cytotoxic And Immunopotentiating Effects Of Ethanolic Extract Of *Nigella sativa* L. Seeds. *J. Ethnopharmacol*, 70, 1D7.
- Wahyono, T., 2009, *25 Model Analisis Statistik Dengan SPSS 17*, PT Elex Media Komputindo, Jakarta, hal 229-230.