

DAFTAR PUSTAKA

- Adebayo, E.A., Ishola, O.R., Taiwo, O.S., Majolagbe, O.N., & Adekeye, B.T., 2009, Evaluations of The Methanol Extract of *Ficus exasperate* Stem Bark, Leaf and Root for Phytochemical Analysis and Antimicrobial Activities, *African Journal of Plant Science* Vol. 3 (12), pp. 283-287.
- Almahy, H.A., Rahmani, M., Sukari, M.A., & Ali, A.M., 2001, Investigation of Chemical Constituent of the Leaves *Ficus elastica* Roxb. and Their Antimicrobial Activity, *Pertanika Journal Sciences and Technology* 11(1), Hlm 57-63
- Backer, C.A. & van den Brink, R.C., 1965. *Flora of Java: Spermatophytes Only Volume 2*, Netherland, Noordhoff-Groningen.
- Baraja, M., 2008, Uji Toksisitas Ekstrak Daun *Ficus elastica* Nois ex Blume Terhadap *Artemia salina* Leach dan Profil Kromatografi lapis Tipis, *Skripsi*, Fakultas Farmasi Universitas Muhammadiyah Surakarta, Surakarta.
- Chen, C., Nazmi, W.A., Lee, H., & Sofian-Azirun, M., 2005, Susceptibility of *Aedes aegypti* and *Aedes albopictus* to temephos in four study sites in Kuala Lumpur City Center and Selangor State , Malaysia, *Tropical Biomedicine*, 22(2), pp.207-216.
- Dalimartha, S., 2008, *Atlas Tumbuhan Obat Indonesia jilid 5*, Jakarta, Pustaka Bunda.
- Damu, A.G., Kuo, P.C., Shi, L.S., Li, C.Y., Kuoh, C.S., Wu, P.L., & Wu, T.S., 2005, Phenanthroindolizidine Alkaloids from the Stems of *Ficus septic*, *J. Nat. Prod.*, 68, Hlm. 1071-1075.
- Ditjen PPM&PL, 2001, *Pedoman Pelaksanaan Surveillans Vektor*, Jakarta: Depkes RI.
- Dinkes Jawa Tengah, 2011, *Profil Kesehatan Provinsi Jawa Tengah*, <http://www.dinkesjatengprov.go.id/dokumen/profil/profil2011/BAB%20I-VI%202011.pdf>.(Diakses tanggal 20 Desember 2012)
- Edreva, A., Velikova, V., Tsonev, T., Dagnon, S., Gurel, A., Aktas, L., & Geseva., E., 2008, Stress-Protective Role of Secondary Metabolites: Diversity of Functions and Mechanisms, *Gen. Appl. Plant Physiology, Special Issue*, 34 (1-2), 67-78

- El-Hawary, S.S., Wassel, G.M., El-Menshawy, B.S., Ibrahim, N.A., Mahmoud, K., & Ayoub, M.M., 2012, Antitumor and Antioxidant Activity of *Ficus elastica* Roxb. and *Ficus bengalensis* Linn. Family Moraceae, *World Applied Sciences Journal*, 19(11) Hlm 1532-1539
- Farnsworth, N.R., 1966, Biological and Phytological Screening of Plants, *Journal of Pharmacheutical and Sciences*, Vol.55 (3)
- Francis, G., Zohar, K., Harinder, P.S.M., & Becker, K., 2002, The Biological Action of Saponins in Animal Systems: A Review, *British Journal of Nutrition*, 8 Pp 587-605.
- Gandahusada, S., Pribadi, W., & Ilahude, H.D., 1988, *Parasitologi Kedokteran*, Jakarta, Balai Penerbit FKUI.
- Gavur, A., Mahrina., & Hardiansyah., 2006., Kerentanan Larva *Aedest aegypti* dari Banjarmasin Utara terhadap Temefos, *Bioscientiae*, Vol.3, No.2 pp 73-78.
- Govindarajan, M., 2010, Larvicidal efficacy of *Ficus benghalensis* L. plant leaf extracts against *Culex quinquefasciatus* Say, *Aedes aegypti* L. and *Anopheles stephensi* L. (Diptera: Culicidae), *European Review for Medical and Pharmacological Sciences*, 14, pp.107-111.
- Hari, B.N.V., Kumar, P.S. & Devi, D.R., 2011, Comparative in-vitro anthelmintic activity of the latex of *Ficus religiosa*, *Ficus elastica* and *Ficus bengalensis*, *Jurnal of Phytology*, 3(3), pp.26-30.
- Hayati, E.K., & Nur., H., 2010, Phytochemical Test and brine Shrimp Lethality Test against *Artemia salina* Leach of Anting-Anting (*Acalypha indica* Linn)
- Hermawan, W. Melanie. Mayanti., T., & Nurdamayanti, M., 2011, Pengaruh Fraksi Ekstrak Daun Cocor Bebek (*Kalanchoe daigremontiana* Hammet&Perrier) Terhadap Fekunditas dan Lolos Hidup Kumbang Koksi (*Epilachna vigintioctopunctata* Fabricius), *Proseding Seminar Nasional Perhimpunan Entomologi Indonesia Universitas padjajaran 2011*: Hal.532.
- Huber, K., Loan, L.L., Hoang, T.H., Tien, T.K., Rodhain, F., & Failloux, A.B., 2003, *Aedes aegypti* in South Vietnam: Ecologi, Genetic Structure, Vectorial Competence and Resistance to insecticides, *Southeast Asian J Trop Med Public Health* Vol 34 No. 1.
- Innocent, E., Joseph, C.C., Nicholas, K.N., Mayunga, H.H., & Hassanali, A., 2009. Growth disruption activity of polar extracts from *Kotschyia*

uguenensis (Fabaceae) Against *Anopheles gambiae* s . s . (Diptera : Culicidae) larvae. *International Journal of Tropical Insect Science*, 28(4), pp.220-224.

- Joseph, B., & Justin R.S., 2010, Phytopharmacological and Phytochemical Properties of Three Ficus Species - an overview, *International Journal and Bioscience*, vol 1. Hlm 249.
- Jumar, K., 2000, *Entomologi Pertanian*, Jakarta, PT. Rineka Cipta.
- Khan, A., Haque, E., Rahman, M., & Nessa, F., 2008, Bioactivity of Roots of *Laportea crenulata*, *Pharmaceutical Biology*, Vol. 46, Nos. 10–11, pp. 695.
- Khanna, V.G. & Kannabiran, K., 2007, Larvicidal effect of *Hemidesmus indicus*, *Gymnema sylvestre*, and *Eclipta prostrata* against *Culex quinquefasciatus* mosquito larvae. *African Journal of Biotechnology*, 6(3), pp.307-311.
- Kiem, V.P., Minh, C.V., Niem N.X., Tai, B.H., Quong, T.H., & Anh, A.L.T., 2012, Chemical Constituents of the *Ficus elastica* Leaves and Their Antioxidant Activities, *Bulletin Korean Chemical Soc. Vol. 33 (10)*, Hlm 3461-3464
- Kumar, M.S., & Maneemegalai, S., 2008, Evaluation of Larvicidal Effect of Lantana Camara Linn Against Mosquito Species *Aedes aegypti* and *Culex quinquefasciatus*, *Advances in Biological Research* 2 (3-4): 39-43.
- Lailatul, L.K., Kadarohman, A., & Eko, R., 2010, Efektivitas Biolarvasida Ekstrak Etanol Limbah Penyulingan Minyak Akar Wangi (*Vetiveria zizanoides*) terhadap Larva Nyamuk *Aedes aegypti*, *Culex sp*, *Anopheles sundaicus*, *Jurnal Sains dan Teknologi Kimia Vol 1. No. 1* Hal: 59-65.
- Lokesh, R., Barnabas, E.L., Saurav, K., & Sundar, K., 2009, Larvicidal Activity of *Trigonella foenum* and *Nerium oleander* Leaves Against Mosquito Larvae Found in Vellore City, India, *Current Research Journal of Biological Sciences* 2(3): 154-160.
- Loomis, T.A., 1978, *Toksikologi Dasar*, Diterjemahkan oleh Imono Argo D., Edisi Ke-10, 225-226, IKIP Press, Semarang.
- Macoris, M.L.G., Andrighetti, M.T.M., Takaku, L., Glasser, C.M., Garbeloto, V.C., & Bracco, J.E., 2003, Resistance of *Aedes aegypti* from The State of Sao Paulo, Brazil, to Organophosphates Insecticide, *Mem Inst Oswaldo, Rio de Janeiro*, Vol. 98.

- Manilal, A., Sujith, S., Kiran, S.G., Selvin, J., & Shakir, C., 2009, Cytotoxic Potentials of Red Alga, *Laurencia brandenii* Collected from the Indian Coast, *Global Journal of Pharmacology*, 3 (2): 90-94.
- Mbosso, E.J.T., Jules, J.C.A., Franck, M., Bruno, N.L., Silvere, L., Benjamin, L., *et al.*, 2012, Ceramide, cerebroside and triterpenoid saponin from the bark of aerial roots of *Ficus elastica* (Moraceae), *Phytochemistry* (83), Pp 95-103
- Meyer BN, Ferrigni NR, Putnam JE, Jacobsen LB, Nichols DE & Melaughlin JL., 1982, Brine shrimp: A convenient general bioassay for active plant constituents, *J. Planta Medica.*,45: 31-34.
- Morrissey, J.P. & Osbourn, A.E., 1999, Fungal Resistance to Plant Antibiotics as a Mechanism of Pathogenesis, *Microbiology and Molecular Biology Reviews*, 63(3), Hlm 708.
- Moehammadi, L., 2005, Potensi Biolarvasida Ekstrak Herba *Agenatum conyzoides* Linn. dan Daun *Saccopetalum horsfieldii* Benn. terhadap Larva Nyamuk *Aedes aegypti* L., *Jurnal berkala Penelitian Hayati*. 10, Hlm 1-4
- Mubo, A.S., Adeniyi, A.J., & Adeyemi, E., 2003, A morphometric analysis of the genus *Ficus* Linn. (moraceae), *African Journal of Biotechnology* Vol. 3 (4), Hlm 229-235.
- Ndung'u, M., Torto, B., Knols, B.G.J., & Hassanali, A., 2004, Laboratory Evaluation of Some Eastern African Meliaceae as Sources of Larvicidal Botanicals for *Anopheles gambiae*, *International Journal of tropical Insect Science*, Vol.24 Hlm 311-318.
- Olugbenga, A.M., Abdurrahman, E.M., Ajulo, H.O., 2012, Toxicological Activity of Crude Saponin Extract of *Ficus platyphylla*, *Asian Journal of Pharmaceutican and Clinical Research*, Vol. 5.
- Paraakh, P.M., 2008, *Ficus racemosa* Linn.: An overview., *Natural Product Radiance*, 8(1), Pp 84-90
- Prapanthadara, L., Promtet, N., Koottathep, S., Somboon, P., Wonnapa, S., McCarrol, L., & Hemingway, J., 2002, Mechanism of DDT and Permethrin Resistance in *Aedes aegypty* from Chiang Mai, Thailand, *Dengue Bulletin*, Vol.26: Hal. 185-189.
- Salni., Marisa, H., & Mukti, R.W., 2011, Isolasi Senyawa Antibakteri Dari Daun Jengkol (*Pithecolobium lobatum* Benth) dan Penentuan Nilai KHM-nya, *Jurnal Penelitian dan Sains*, Volume 14 No. 1D.

- Sackeyfio, AC & Lugeleka, OM., 1986, The anti-inflammatory effect of a crude aqueous extract of the root bark of *Ficus elastica* in the rat, *Archives Internationales de Pharmacodynamie et de Thérapie*, (1):169-76
- Sezgin, A.E.C., & Artik, N., 2010, Determination of Saponin Content in Turkish Tahini Halvah by Using HPLC, *Advance Journal of Food Science and Technology* 2(2):Hlm 109-115
- Soedarto, 1992, *Entomologi Kedokteran*, Jakarta, Penerbit Buku Kedokteran EGC. Hal. 58-63.
- Stamp, N., 2003, Out of the quagmire of plant defense hypotheses, *The Quarterly Review of Biology* 78 (1): 23–55.
- Sudarmo, S., 1992. *Pestisida Untuk Tanaman*, Yogyakarta, Kanisius.
- Sudewa, K.A., Suprpta, D.N. & Mahendra, M.S., 2008, Residu pestisida pada sayuran kubis (*Brassica oleracea* L.) dan kacang panjang (*Vigna sinensis* L.) yang dipasarkan di pasar badung Denpasar, *Ecotrophic*, 4(2), pp.125-130.
- Sumarmo, 1988, *Demam Berdarah (Dengue) pada Anak*, Jakarta, UI Press
- Zamrud, A., 2010, Isolasi Alkaloid Fenantroindolizidin dan Flavonoid Baru *Ficus* spp dari Das anai dan Uji Sitotoksis/ *Chemopreventive in vitro* dengan *Mtt-Colorimetric Assay*, *Laporan Penelitian*, Universitas Andalas.