

## DAFTAR PUSTAKA

- Adebayo, E.A., Ishola, O.R., Taiwo, O.S., Majolagbe, O.N., & Adekeye, B.T., 2009, Evaluations of The Methanol Extract of *Ficus exasperate* Stem Bark, Leaf and Root for Phytochemical Analysis and Antimicrobial Activities, *African Journal of Plant Science* Vol. 3 (12), pp. 283-287.
- Almahy, H.A., Rahmani, M., Sukari, M.A., & Ali, A.M., 2001, Investigation of Chemical Constituent of the Leaves *Ficus elastica* Roxb. and Their Antimicrobial Activity, *Pertanika Journal Sciences and Technology* 11(1), Hlm 57-63
- Backer, C.A., dan Van Den Brink, R.C.B., 1965, *Flora of Java: Spermatophytes Only Volume 2*, Netherland, Noordhoff-Groningen, Hal 23
- Baraja, M., 2008, Uji Toksisitas Ekstrak Daun *Ficus elastica* Nois ex Blume Terhadap *Artemia salina* Leach dan Profil Kromatografi lapis Tipis, *Skripsi*, Fakultas Farmasi Universitas Muhammadiyah Surakarta. Surakarta.
- Ben-Dov, E., Boussyba, F., Zaritsky, A., 1995, Mosquito Larvicidal Activity of *Escherichia coli* with Combinations of Genes from *Bacillus thuringiensis* subsp. *Israelensis*. *Journal of Bacteriology*, p. 2851–2857.
- Cahyadi, R., 2009, Uji Toksisitas Akut Ekstrak Etanol Buah Pare (*Momordica charantia* L.) Terhadap Larva *Artemia salina* Leach Dengan Metode *Brine Shrimp Lethality Test* (BSLT), *Laporan Akhir Penelitian Karya Tulis Ilmiah*, Semarang: Undip.
- Chen, C.D., Nazni, W.A., Lee, H.L. and Sofian-Azirun, M., 2005, Susceptibility of *Aedes aegypti* and *Aedes albopictus* to temephos in four study sites in Kuala Lumpur City Center and Selangor State, Malaysia, *Topical biomedicine* 22(2), pp. 207-216.
- Crawley, J., Chu, C., Mtove, G. & Nosten, F., 2010, Malaria in children, *Lancet*, 375(9724), pp.1468-81.
- Dalimartha, S., 2008, *Atlas Tumbuhan Obat Indonesia jilid 5*, Jakarta: Pustaka Bunda.
- De Padua, L.S., Bunyapraphatsara, N., & Lemmens, R. H. M., 1999, *Medicinal and Poisonous Plants I*, Bogor: Prosea.

- Djakaria, S., 2000, Parasitologi Kedokteran Pendahuluan dalam Gandahusada, S., Ilahude, H.D., Pribadi, W, *Parasitologi Kedokteran*, edisi III, 217, Fakultas Kedokteran Universitas Indonesia, Jakarta.
- El-Hawary, S.S., Wasel, G.M., El-Menshawi, B.S., Ibrahim, N.A., Mahmoud, K., & Ayoub, M.M, 2012, Antitumor and Antioxidant Activity of *Ficus elastica* Roxb and *Ficus benghalensis* Linn. Family Moraceae, *World Applied Sciences Journal*, 19(11), 1532-1539.
- Fadli, M., 2006, Uji Bioaktivitas Zat Ekstraktif Kayu Beunying (*Ficus fistulosa* REINW) dan Hamerang (*Ficus fulva* REINW) Menggunakan Brine Shrimp Lethality Test, *Skripsi*, Bogor, Departemen Hasil Hutan Fakultas Kehutanan ITB
- Ginanjari, G., 2008. Apa Yang Dokter Anda Tidak Katakan Tentang *Demam Berdarah*. Bentang Pustaka. Yogyakarta.
- Govindarajan, M., 2010, Larvicidal efficacy of *Ficus benghalensis* L. plant leaf extracts against *Culex quinquefasciatus* Say, *Aedes aegypti* L. and *Anopheles stephensi* L.(Diptera: Culicidae), *European Review for Medical and Pharmacological Sciences*.14: 107.
- Hafni, M., 2005, Uji Patogenisitas Isolat *Bacillus Thuringiensis* dari berbagai lokasi habitat air sawah terhadap larva *Anopheles aconitus*, *Skripsi*, Universitas Diponegoro.
- Hari, B.N.V., Kumar, P.S. & Devi, D.R., 2011, Comparative in-vitro anthelmintic activity of the latex of *Ficus religiosa*, *Ficus elastica* and *Ficus bengalensis*, *Jurnal of Phytology*, 3(3), pp.26-30.
- Hoedjo, R., 2000, Morfologi Daur Hidup dan Perilaku Nyamuk dalam Gandahusada, S., Ilahude, H.D., Pribadi, W, *Parasitologi Kedokteran*, edisi III, 220, Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Huber, K., Loan, L.L., Hoang, T.H., Tien, T.K., Rodhain, F., Failloux, A.B., 2003, *Aedes aegypti* in South Vietnam: Ecologi, Genetic Structure, Vectorial Competence and Resistance to insecticides, *Southeast Asian J Trop Med Public Health* Vol 34 No. 1.
- Innocent, E., Joseph, C.C., Gikonyo, Nicholas K., Nkunya, M.H.H. & Hassanali, A., 2009, Growth disruption activity of polar extracts from *Kotschyia uguenensis* ( Fabaceae ) Against *Anopheles gambiae* s . s . ( Diptera : Culicidae ) larvae, *International Journal of Tropical Insect Science*, 28(4), pp.220-22

- Isnansetyo, A., & kurniastuti, 1995, *Teknik Kultur Phytoplanton dan Zooplanton: Pakan Alami Untuk Pembenihan Organisme Laut*, Cetakan 1, Kanisius, Yogyakarta.
- Jumar, K., 2000, *Entomologi Pertanian*, Jakarta: PT. Rineka Cipta.
- Khanna, V.G. & Kannabiran, K., 2007, Larvicidal effect of *Hemidesmus indicus*, *Gymnema sylvestre*, and *Eclipta prostrata* against *Culex quinquefasciatus* mosquito larvae, *African Journal of Biotechnology*, 6(3), pp.307-311
- Kuete V., Kamga J., Sandjo Louis P., Ngameni B., Poumale Herve MP., Ambbasa P., Ngadjul Bonaventure T., 2011, *Antimicrobial activities of the methanol extract, fractions and compounds from Ficus polita Vahl. (Moraceae)*, *BMC Complementary and Alternative Medicine* 2011, 11:6
- Lailatul L.K., Kadarohman A., dan Eko, R., 2010, Efektifitas biolarvasida ekstrak etanol limbah penyulingan minyak akar wangi (*Vetiveria zizanoides*) terhadap larva nyamuk *Aedes aegypti*, *Culex sp.*, dan *Anopheles sundaicus*, *jurnal sains dan teknologi kimia* Vol. 1, No. 1 : 59- 65
- Lokesh, R., Barnabas, E.L., Saurav, K., Sundar, K., 2009, Larvicidal Activity of *Trigonella foenum* and *Nerium oleander* Leaves Against Mosquito Larvae Found in Vellore City, India, *Current Research Journal of Biological Sciences* 2(3): 154-160.
- Kiem, V.P., Minh, C.V., Niem N.X., Tai, B.H., Quong, T.H., & Anh, A.L.T., 2012, Chemical Constituents of the *Ficus elastica* Leaves and Their Antioxidant Activities, *Bulletin Korean Chemical Soc. Vol. 33 (10)*, Hlm 3461-3464
- Mbosso, E.J.T., Jules, J.C.A., Franck, M., Bruno, N.L., Silvere, L., Benjamin, L., *et al.*, 2012, Ceramide, cerebroside and triterpenoid saponin from the bark of aerial roots of *Ficus elastica* (Moraceae), *Phytochemistry* (83), Pp 95-103
- Meyer BN, Ferrigni NR, Putnam JE, Jacobsen LB, Nichols DE & Melaughlin JL., 1982, Brine shrimp: A convenient general bioassay for active plant constituents, *J. Planta Medica.*,45: 31-34.
- Moehammadi, N., 2005, “Potensi biolarvasida Ekstrak Herba *Ageratum conyzoides* Linn. dan Daun *Saccopetalum horsfieldii* Benn. terhadap Larva Nyamuk *Aedes aegypti* L”, *jurnal Berk. Penel, Hayati*, 10, 1-4.
- Morrissey. J. P & Ousbourn, A.E., 1999, Fungal Resistance to plant antibiotic as a mechanism of Pathogenesis microbiology and molecular biology *Reviews*, 63(3).708.

- Moshi, M.J., Innocent, E., Magadula, J.J., Otieno, D.F., Weisheit., A., Mbabazi, P.K., *et al.*, 2010, Brine Shrimp Toxicity of Some Plants Used As Traditional Medicines in Kagera Region North Western Tanzania, *Tanzania Journal of Health Research*, 12(1)
- Ndung'u, M., Torto, B., Knols, B. G. J., & Hassanali, A., 2004, Laboratory Evaluation of Some Eastern Meliaceae as Sources of Larvicidal Botanical for *Anopheles gambiae*, *International Journal of Tropical Insect Science*, Vol. 24, No. 4, pp 311-318.
- Nursal, S., 2005, *Kandungan Senyawa Kimia ekstrak Daun Lengkuas (Lactuca indica Linn), Toksisitas dan Pengaruh Subletalnya terhadap Mortalitas Larva Nyamuk Aedes aegypti L.*, Laporan penelitian pada Universitas Sumatera Utara Medan: tidak diterbitkan.
- Olugbenga, A.M., Abdurrahman, E.M., Ajulo, H.O., 2012, Toxicological Activity of Crude Saponin Extract of *Ficus platyphylla*, *Asian Journal of Pharmaceutican and Clinical Research*, Vol. 5.
- Paarakh, P., M., 2009, *Ficus racemosa* Linn. An overview, *Natural product Radiance*, vol. 8(1), pp. 84-90.
- Rahmawati N, Yulfi Z, & Perry, B, 2010, Pemanfaatan Minyak Atsiri Akar Wangi (*Vetiveria zizanoides*) dari Family Poaceae Sebagai Senyawa Antimikroba dan Insektisida Alami, *Prosiding Skripsi*, Surabaya: Kimia FMIPA-ITS
- Ranson, H., Burhani, J., Lumjuan, N., Black IV, William C., 2010, Insecticide resistance in dengue vectors, *TropIKA.net* vol.1 no.1.
- Rumengan, A., P., 2010, Uji Larvasida Nyamuk (*Aedes aegypti*) dari Ascidian (*Didemnum molle*), *Jurnal Perikanan dan Kelautan* Vol. VI-2.
- Salni., Marisa, H., Mukti, R.W., 2011, Isolasi Senyawa Antibakteri Dari Daun Jengkol (*Pithecolobium lobatum* Benth) dan Penentuan Nilai KHM-nya, *Jurnal Penelitian dan Sains*, Volume 14 No. 1D.
- Soedarto, 1992, *Entomologi Kedokteran*, Jakarta, Penerbit Buku Kedokteran EGC. Hal. 58-63.
- Stone, K.J., Wellburn, A R., Hemming, F.W. & Pennock, J.F., 1967, The characterization of ficaprenol-10, -11 and 12 from the leaves of *Ficus elastica* (decorative rubber plant), *The Biochemical journal*, 102(1), pp.325-330.
- Sudarmo, S., 1992, *Pestisida Untuk Tanaman*, Yogyakarta, Kanisisus.

- Upadhyay, R., K., 2011, Plant latex : A Natural source of pharmaceuticals and pesticides, Review article, *International Journal of Green Pharmacy*.
- Utomo, M., Amaliah, S. & Suryati, F.A., 2010, Daya Bunuh Bahan Nabati Serbuk Biji Papaya Terhadap Kematian Larva *Aedes aegypti* Isolat Laboratorium B2P2VRP Salatiga, *Prosiding Seminar Nasional Unimus*, pp.152-158.
- Yasmin, Y., dan Fitri, L., 2010 The Effect of *Metharrizium anisopliae* Fungi On Mortality of *Aedes aegypti* Larvae, *Jurnal Natural* Vol. 10, No. 1.
- Yeni, 2008, *Efektivitas Ekstrak Daun Babandotan (Ageratum conyzoides Linn) terhadap Larva Anopheles sundaicus Linn di Desa Babakan Pangandaran Jawa Barat*. Laporan Kerja Praktik pada Jurusan Biologi FMIPA Universitas Lampung Bandar Lampung: tidak diterbitkan
- Zamrud, A., 2010, Isolasi Alkaloid Fenantroindolizidin dan Flavonoid Baru Ficus spp dari Das anai dan Uji Sitotoksis/ *Chemopreventive in vitro* dengan *Mtt-Colorimetric Assay*, *Laporan Penelitian*, Universitas Andalas