

DAFTAR PUSTAKA

- Anonim, 2004, General Principles of Freeze Drying (The Lyophilization Process) Importance of Vacuum in the Freeze Drying Process, http://www.freezedrying.com/freeze_drying_principles4.html (diakses tanggal 13 April 2013).
- Ansel, H. C., 1989, *Pengantar Bentuk Sediaan Farmasi*, Edisi IV, Jakarta, Universitas Indonesia Press : 465.
- Apak, R., Guclu K., Demirata B., Ozyurek M. & Celik S. E., 2007, Comparative Evaluation of Various Total Antioxidant Capacity Assays Applied to Phenolic Compounds with the CUPRAC Assay, *Molecules*, 12, 1496-1547.
- Aqil, F., Ahmad I. & Mehmood Z., 2006, Antioxidant and Free Radical Scavenging Properties of Twelve Traditionally Used Indian Medicinal Plants, *Turk. J. Biol.*, 30, 177-183.
- Asami, D. K., Hong, Y. J., Barrett, D. M. & Mitchell., A. E., 2003, Comparison of the Total Phenolic and Ascorbic Acid Content of Freeze-Dried and Air-Dried Marionberry, Strawberry, and Corn Grown Using Conventional, Organic, and Sustainable Agricultural Practices, *J. Agric. Food Chem.*, 51, 1237–1241.
- Backer, C. A. & van den Brink, R. C. B., 1965, *Flora of Java: Spermatophytes only Volume II*, N. V. P. Noordhof-Groningen-The Neterlands.
- Cholisoh, Z. & Utami, W., 2008, Aktivitas Penangkap Radikal Ekstrak Ethanol 70 % Biji Jengkol (Archidendron jiringa), *PHARMACON*, 9(1), 33–40.
- Cook, N. C. & Samman, S., 1996, Flavonoids : Chemistry, Metabolism, Carsioprotective Effects, and Dietary Sources, *Nutr. Biochem.*, 7, 66-67.
- Cronquist, A., 1981, *An Integrated System of Classification of Flowering Plants*, New York, Columbia University Press.
- Deinum, B. & Maassen, A., 1994, Effects of Drying Temperature on Chemical Composition and In Vitro Digestibility of Forages, <http://www.journals.elsevierhealth.com/periodicals/anifee/article/PII0377840194900663/abstract> (diakses tanggal 18 April 2013).
- Depkes RI, 1979, *Farmakope Indonesia*, Edisi III, Jakarta, Departemen Kesehatan Republik Indonesia, 9-665.

- Evans, P. & Hallewell B., 2001, Micronutrients: Oxidant/Antioxidant Status, <http://www.ncbi.nlm.nih.gov/pubmed/11509092> (diakses tanggal 26 Maret 2013).
- Fang, Y. Z., Yan, S. & Wu, G., 2002, Free Radicals, Antioxidants, and Nutrition, *Nutrition*, 18, 872–879.
- Fessenden, R. J. & Fessenden, J. S., 1986, *Kimia Organik*, Edisi III, diterjemahkan oleh Aloysius Handyana Pudjaatmaka, Jakarta, Penerbit Erlangga : 223.
- Fitri, H. A., 2013, Komunikasi Pribadi
- Frankel, E. N., 1991, Review : Recent Advances in Lipid Oxidation, *J Sci Food Agric.*, S4, 495-511.
- Ghasemi, K., *et al.*, 2011, Influence of Environmental Factors on Antioxidant Activity, Phenol and Flavonoids Contents of Walnut (*Juglans regia* L.) Green Husks, *Journal of Medicinal Plants Research*, 5(7), 1128-1133.
- Ghasemzadeh, A., Omidvar, V. & Jaafar, H. Z. E., 2012, Polyphenolic Content and Their Antioxidant Activity in Leaf Extract of Sweet Potato (*Ipomoea batatas*), *Journal of Medicinal Plants Research*, 6(15), 2971–2976.
- Halliwell, B., 1996, Antioxidants in Human Health and Disease, *Anna Rev. Nutr.*, 16, 33-50.
- Harborne, J. B., 1987, *Metode Fitokimia : Penuntun Cara Modern Menganalisis Tumbuhan*, diterjemahkan oleh Padmawinata & Soediro, Bandung, Penerbit ITB, : 47-71.
- Heinrich, M., Barnes, J., Gibbons, S. & Williamson, E. M., 2010, *Farmakognosi dan Fitoterapi*, diterjemahkan oleh Syarief, W. R., Aisyah C., Elviana, E. & Fidiyari, E. R., Jakarta, Penerbit Buku Kedokteran EGC : 82.
- Hue, S. M., Boyce, A. N. & Somasundram, C., 2012, Antioxidant Activity, Phenolic and Flavonoid Contents in The Leaves of Different Varieties of Sweet Potato (*Ipomoea batatas*), *AJCS*, 6(3), 375-380.
- Hung, P. V. & Duy, T. L., (2012), Effects of Drying Methods on Bioactive Compounds of Vegetables and Correlation Between Bioactive Compounds and Their Antioxidants, *International Food Research Journal* 19(1): 327-332.
- Islam, M. D. S., Yoshimoto, M., Yahara, S., Okuno S., Ishiguro, K. & Yamakama, O., 2002, Identification and Characterization of Foliar Polyphenolic

- Composition in Sweetpotato (*Ipomoea batatas* L.) Genotypes, *J. Agric. Food Chem.*, 50, 3718–3722.
- Islam, S., 2006, Sweetpotato (*Ipomoea batatas* L.) Leaf: Its Potential Effect on Human Health and Nutrition, *Journal of Food Science*, 71(2).
- Islam, I., Shaikh, A. U. & Shahidul, I. M., 2009, Antioxidative and Antimutagenic Potential of Phytochemical From *Ipomoea batatas* (L.) Lamm, *International of Journal Cancer Research*, 5(3), 83-94.
- Juanda, D. & Cahyono, B., 2000, *Ubi Jalar, Budidaya, dan Analisis Usaha Tani*, Yogyakarta, Penerbit Kanisius : 14.
- Keinanen, M. & Tiito, R. J., 1999, Effect of Sample Preparation Method on Birch (*Betula pendula* Roth) Leaf Phenolics, <http://pubs.acs.org/doi/pdf/10.1021/jf960168x> (diakses tanggal 06 Januari 2014).
- Koncic, M. Z., Petlevski, R. & Zdenka, 2011, Antioxidant Activity of *Ipomoea Batatas* L. Lam. Leaf Grown in Continental Croatia and its Effect on Glutathione Level in Glucose-Induced Oxidative Stress, *DOI* : 10.1080/10942912.2011.573117.
- Lim, Y. Y., Lim, T. T. & Tee, J. J., 2007, Antioxidant Properties of Several Tropical Fruits: A Comparative Study, *Food Chemistry*, 103, 1003–1008.
- Lindsay D. G, & Astley S. B., 2002, European Research on The Functional Effects of Dietary Antioxidants—EUROFEDA, *Mol Aspects Med.*, 23, 1-38.
- Luo J.G. & Kong L.Y., 2005, Study on Flavonoids from Leaf of *Ipomoea batatas*, <http://www.ncbi.nlm.nih.gov/pubmed/16011096> (diakses tanggal 06 Januari 2014).
- Marliana, E., 2012, Aktivitas Antioksidan Ekstrak Etanol Daun Andong (*Cordyline fruticosa* [L] A. Cheval), *Mulawarman Scientifie*, 11(1).
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakar J. Sci. Technol.*, 26(2), 211-21.
- Mun'im, A., Andrajati, R. & Susilowati, H., 2008, Tumorigenesis inhibition of water extract of red fruit (*Pandanus conoideus* Lam.) on Sprague-Dawley Rat Female Induced by 7,12 Dimetilbenz(a)antrasen (DMBA), *Indonesia Journal of Pharmaceutical Science*. 3: 153–161.

- Nantitanon, W., Yotsawimonwat, S. & Okonogi S., 2010, Factors Influencing Antioxidant Activities and Total Phenolic Content of Guava Leaf Extract, *Food Science and Technology*, 43, 1095-1103.
- Nunes, L. C. C., *et al.*, 2013, Influence of Seasonal Variation on Antioxidant and Total Phenol Activity of Red Propolis Extracts, *Advanced Studies in Biology*, 5(3), 119-133.
- Nurwaini, S., Sofiana Y. R., Noor I. R. & Rahayu V., 2006, Uji Aktivitas Antiradikal Ekstrak Herba Cakar Ayam (*Selaginella doederleinii Hieron*), Herba Keladi Tikus (*Typhonium divaricatum* (L) Decne) dan Daun Dewandaru (*Eugenia uniflora* Linn.) sebagai Sumber Alternatif Pencegahan Penyakit Degeneratif, *PKMP*, 2(18), 2.
- Padda, M. S. & Picha D. H., 2007, Antioxidant Activity and Phenolic Composition in 'Beaugard' Sweetpotato Are Affected by Root Size and Leaf Age, *J. Amer. Soc. Hort. SCI*, 132(4), 447-451.
- Pisoschi, A. M. & Negulescu, G. P., 2011, Methods for Total Antioxidant Activity Determination: A Review, *Biochem & Anal Biochem.*, 1(1).
- Rangaana, S., 1977, *Manual of Analysis of Fruit and Vegetable Products*, New Delhi, Tata Mc Graw-Hill Publishing Company Limited : 58-59.
- Rezaeizadeh, A., ABZ Zuki, Abdollahi M., Y. M., Goh, M. M. Noordin, M. Hamid & TI Azmi, 2011, Determination of Antioxidant Activity in Methanolic and Chloroformic Extract of *Momordica carantia*, *African Journal of Biotechnology*, 10 (24), 4932-4940.
- Rohman, A., 2009, *Kromatografi untuk Analisis Obat*, Yogyakarta, Penerbit Graha Ilmu : 45-47.