

## REFERENCES

- [1] P. Chockalingam and L. H. Wee, "Surface Roughness and Tool Wear Study on Milling of AISI 304 Stainless Steel Using Different Cooling Conditions," *Int. J. Eng. Technol. Vol. 2 No. 8, August, 2012. Melaka Malaysia*, vol. 2, no. 8, pp. 1386–1391, 2012.
- [2] B. . Damazo, M. . Dutterer, and M. . Kennedy, "A summary of micromilling studies," *1st Int. Conf. Gen. Meet. Eur. Soc. Precis. Eng. nanotechnology, Bremen, Ger.*, 2001.
- [3] C. Dr. Troy D. Marusich, *Sustainable Manufacturing\_U.S. DOE Advanced Manufacturing Office peer Review Meeting*. Clifornia Santa Barbara: Third Wave Systems Inc., 2014.
- [4] X. Li, B. S. Lim, J. H. Zhou, S. Huang, S. J. Phua, K. C. Shaw, and M. J. Er, "Fuzzy Neural Network Modelling for Tool Wear Estimation in Dry Milling Operation," *Annu. Conf. Progn. Heath Manag. Soc.*, pp. 1–11, 2009.
- [5] O. Gilbert, "Force Balancing an Advanced Toolpath." Connecticut Center for Advanced Technology, Inc., USA.
- [6] P.J. Agnew, "What to Consider When Evaluating Solid Carbide End Mill Machining." .
- [7] Y. Yang, X. Li, P. Jiang, and L. Zhang, "PREDICTION OF SURFACE ROUGHNESS IN END MILLING WITH GENE," *Proc. 41st Int. Conf. Comput. Ind. Eng.*, pp. 441–446, Wuhan China.
- [8] H. Ku and W. C. Chia, "DESIGN OF MULTI-PURPOSE CARBIDE END MILL," vol. 67, no. 2, pp. 34–40, 2006.
- [9] S. Engin and Y. Altintas, "Generalized modeling of milling mechanics and dynamics: part i - helical end mills," *Univ. Br. Columbia Dep. Mech. Eng.*, no. 1997, 1998.
- [10] M. A. Kuttolamadom, S. Hamzehlouia, and M. L. Mears, *Effect of Machining Feed on Surface Roughness in Cutting 6061 Aluminum*. Clemson University - International Center for Automotive Research Copyright, 2010, pp. 1–19.
- [11] P. Spanoudakis, N. Tsourveloudis, and I. Nikolos, "Optimal Selection of Tools for Rough Machining of Sculptured Surfaces," *Proc. Int. MultiConference Eng. Comput. Sci. 2008 Vol II IMECS 2008, 19-21 March, 2008, Hong Kong*, vol. II, pp. 19–21, 2008.
- [12] T. H. C. Childs, "Simulating steel machining AdvantEdge user defined and user defined yield custom material options."
- [13] Troy D. Marusich, "The Path for Improvement in Third Wave Software," 2010.
- [14] C. Saikaew and P. Baowan, "Surface finish improvement in ball nose end milling by optimizing operating conditions for different cutting times," *Indian J. Eng. Mater. Sci.*, vol. 22, no. February, pp. 38–50, 2015.

- [15] J. Kechagias, P. Kyratsis, and N. Mastorakis, "On Prediction of Surface Roughness of Al7075alloy during Slot Milling using NN Modeling," *Recent Adv. Mech. Mater. Mech. Eng. Chem. Eng.*, pp. 98–107.
- [16] V. S. Jatti, R. Sekhar, and R. K. Patil, "Study of Ball Nose End Milling of LM6 Al Alloy: Surface Roughness Optimisation using Genetic Algorithm," *Int. J. Eng. Technol.*, vol. 5, no. 3, pp. 2859–2865, 2013.
- [17] W. D. S. M. Ponnala and K. L. N. Murthy, "MODELING AND OPTIMIZATION OF END MILLING MACHINING PROCESS," *IJRET Int. J. Res. Eng. Technol.*, pp. 430–447, 2012.
- [18] A. A. Syah, E. Sutikno, R. Raharjo, J. Teknik, M. Fakultas, and T. Universitas, "PENGARUH FEED RATE DAN DEPTH OF CUTS TERHADAP SURFACE ROUGHNESS PADA PROSES MILLING DENGAN," Jurusan Teknik Mesin Fakultas Teknik Universitas Brawijaya.
- [19] J.A. Schey, *Introduction to Manufacturing Process 2nd*, Second ed. New York, 1987.
- [20] G. S. I. HESLER, "Investigating the Mechanisms of Diamond Tool Wear Cutting Ferrous Materials Using a Quantitative Study of Machining Parameters."
- [21] B. Sick, "Review on-Line and indirect tool wear monitoring in turning with artificial neural networks," *A Rev. more than a Decad. Res. Mech. Syst. Signal Process.*, pp. 16(4), 487–546,, 2002.
- [22] J. Qu and A. J. Shih, "Analytical Surface Roughness Parameters of a Theoretical Profile Consisting of Elliptical Arcs," in *Machining Science and Technology*, vol. 7, no. 2, United states, 2003, pp. 281–294.
- [23] T. G. Stoebe and A. West, "Iron and Steel — Properties and Applications." 2009.
- [24] ALCOA Inc., "ALCOA Mill Products-Alloy 7075 Plate and Sheet."
- [25] Sede Legale e Amministrativa/Headquarters and Administration Office, *Aluminum 7075-T6; 7075-T651*. Modena: CRP Meccanica S.r.l.
- [26] A. D. Isadare, B. Aremo, M. O. Adeoye, O. J. Olawale, and M. D. Shittu, "Effect of heat treatment on some mechanical properties of 7075 aluminium alloy," *Mater. Res.*, vol. 16, no. sep,3rd, pp. 190–194, Feb. 2013.
- [27] D. Singla and S. R. Mediratta, "Evaluation of Mechanical Properties of Al7075-Fly Ash Composite Material," *Int. J. Innov. Res. Sci. Eng. Technol.*, vol. 2, no. April,4th, pp. 951–959, 2013.
- [28] V. Songmene, R. Khettabi, I. Zaghbani, J. Kouam, and A. Djebara, "Machining and Machinability of Aluminum Alloys," Canada, 1983.
- [29] A. Gatto, E. Bassoli, and L. Iuliano, "Performance Optimization in Machining of Aluminium Alloys for Moulds Production : HSM and EDM," University of Modena and Reggio Emilia-Politecnico di Torino,Italy, 2010.
- [30] H.-T. Young, L.-C. Chuang, K. Gerschwiler, and S. Kamps, "A five-axis rough machining approach for a centrifugal impeller."
- [31] J. G. Parmar and P. A. Makwana, "Prediction of surface roughness for end milling process using Artificial Neural Network," *Int. J. Mod. Eng. Res.*, vol. 2, no. 3, pp. 1006–1013, 2012.

- [32] Chia Wee Chong, "Research and Development of Multi Purpose Carbide End mill," 2005.
- [33] T. Conical Cutting Tool, "End Mill Attributes and Terminology commonly used industry language and definisions." [Online]. Available: [http://www.conicalendmills.com/wp-content/uploads/2014/10/End\\_Mill\\_Attributes\\_Terminology.pdf](http://www.conicalendmills.com/wp-content/uploads/2014/10/End_Mill_Attributes_Terminology.pdf). [Accessed: 15-Mar-2016].
- [34] M. Kuttolamadom, "Prediction of the Wear & Evolution of Cutting Tools in a Carbide / Ti-6Al-4V Machining Tribosystem by Volumetric Tool Wear," 2012.
- [35] Rao, *Manufacturing Technology Vol-Ii 2E*. Tata McGraw-Hill Education. ISBN 978-0-07-008769-9., 2009, p. 30.
- [36] J. R. Davis, *ASM International. Handbook Committee (1995). Tool materials*. ISBN 978-0-87170-545-7., 1995, p. 289.
- [37] K. Kadirgama, B. Mohammad, H. Al-ani, and M. M. Noor, "Cutting force prediction model by FEA and RSM when machining Hastelloy C-22HS with 90 ° holder," *J. Sci. Ind. Res.*, vol. 67, no. June, pp. 421–427, 2008.
- [38] TWS\_user Manual, *Third Wave System AdvantEdge User Manual Version 4.8 (Third Wave System, Minneapolis)*. 2007, pp. 8–20.
- [39] C. Constantin, S. Croitoru, G. Constantin, and E. S. T. R. Ǟ. Jescu, "FEM TOOLS FOR CUTTING PROCESS MODELLING AND SIMULATION," *U.P.B. Sci. Bull., Ser. D*, vol. 74, 2012.
- [40] TWS\_AdvantEdge 4.4, *Third Wave Systems Releases Version 4 . 4 of AdvantEdge™ Classic*, no. 1. Minneapolis, MN 55349 USA: Third Wave Systems Inc., 2003, p. 55439.
- [41] Saurabh R. Virkar A, "NUMERICAL SIMULATIONS AND ANALYSIS OF DUCTILE MODE MICRO," Kalamazoo, Michigan, 2010.
- [42] Tecplot Inc., *tecplot.360 2011 User 's Manual*. Bellevue U.S: tecplot,Inc., 2011.
- [43] Copyright © 1995-2015 Third Wave Systems., *Third Wave AdvantEdge User's Manual*. AdvantEdge © Third Wave Systems Windows © Microsoft CorporationNX®Siemens Product Lifecycle Management Software Inc., 2015.
- [44] Uddeholm Corrax, "Cutting Data Recomendations." [Online]. Available: [http://www.uddeholm.com/files/Cutting\\_Data\\_Corrax\\_eng.pdf](http://www.uddeholm.com/files/Cutting_Data_Corrax_eng.pdf). [Accessed: 08-Mar-2016].