

## Daftar Pustaka

- Alberta Center for Activity Living. (2012). *Preventing falls through physical activity: A guide for people working with older adults.*
- Almeida, S. T., Cristina, L. C .S., Geraldo, A. C., Irenio, G., & Thais, L. R. (2012). Analysis of extrinsic and intrinsic factors that predispose elderly individuals to fall. *Rev Assoc Med Brass*, 58 (4), 427-433.
- Azizah, L.M. (2011). *Keperawatan lanjut usia*. Yogyakarta: Graha Ilmu.
- Barak, Y., Wagenaar, R. C., & Holt, K. G. (2006). Gait characteristics of elderly people with a history of falls: A dynamic approach. *Physical Therapy*. 86, 11.
- BKKBN. (2012). “*Lansia*”. (<http://www.bkkbn.go.id>, diakses pada tanggal 13 november 2015).
- Blackburn, J. A., & Dulmus, C. N. (2007). *Handbook of gerontology: Evidence based approach to theory, practice, and policy*. USA: Library og Congress Cataloging.
- Bora, J. K., & Saikia, N. (2015). Gender differentials in self-rated health and self-reported disability among adults in india. *Plos One*. Doi: 10.1371/journal.pone.0141953.
- BPS. (2014). “Jumlah penduduk berdasarkan jenis kelamin”. (<http://sukoharjokab.bps.go.id> , diakses tanggal 25 Mei 2016).
- Bruce, D., Davis, W. A., & Davis, T. M. E. (2005). Longitudinal predictors of reduced mobility and physical disability in patients with type 2 diabetes. *Diabetic care*, volume 28 no. 10.
- Chaudhury, M., & Shelton, N. (2010). Physical activity among 60-69 years olds in england: Knowledge, perception, behavior and risk factors. *Aging and society*, 30: 1343-1355.
- Chin, L. P., Martin, W., Houn, C. M., Cheung, W. W., & Tat, L.C. (2009). An ecological study of physical environmental risk factors for elderly falls in an urban setting of hong kong. *Science of the Total Environment*. 6157-6165.
- Darmojo, B. (2011). *Buku ajar geriatrik: Ilmu kesehatan usia lanjut*, edisi 4 cet. 3. Jakarta: Balai Penerbit FKUI.
- Departemen Kesehatan RI. (2006). *Pusat promosi kesehatan.*

- Dewi, S. R. (2014). *Buku ajar keperawatan gerontik*, edisi 1 Cet. 1. Yogyakarta: Deplibish.
- Dhargave, P., & Sendhilkumar, R. (2016). Prevalence of risk factors for falls among elderly people living in long-term care homes. *Journal of Clinical Gerontology and Geriatrics*.
- Efendi, F., & Makhfudli. (2009). *Keperawatan kesehatan komunitas: Teori dan praktik dalam keperawatan*. Jakarta: Salemba Medika.
- Gronstedt, H., Kerstin, F., Astrid, B., Jorunn, L. H., Randi, G., Lis, P., Mette, A., & Karin, H. (2013). Effects of individually tailored physical and daily activity in nursing home residents on activities of daily living, physical performance and physical activity level: A randomized controlled trial. *Journal Gerontology*, 59: 220-229.
- Hao, Q., Yang, M., Luo, L., Hai, S., Ding, X., & Dong, B. (2015). The association of falls and various physical activities in chinese nonagenarians/centenarians. *Archives of Gerontology and Geriatrics*. 21-26.
- Hidayat, A. A. (2008). *Metode penelitian keperawatan dan teknik analisa data*. Jakarta: Salemba Medika.
- \_\_\_\_\_. (2011). *Metode penelitian kesehatan: Paradigma kuantitatif*. Surabaya: Health Books Publishing.
- Hu, J., Xia, Q., Jiang, Y., Zhou, P., & Li, Y. (2015). Risk factors of indoor fall injuries in community-dwelling older women: A prospective cohort study. *Archives of Gerontology and Geriatrics*. Doi: 10.1016/j.archger.2014.12.006.
- Imron, TA. M., & Amrul, M. (2010). *Metodologi penelitian bidang kesehatan*. Jakarta: Sagung Seto.
- Kaminska, M. S., Jacek, B., & Beata, K. (2015). Fall risk factors in community-dwelling elderly depending on their physical function, cognitive status and symptoms of depression. *International Jurnal of Environmental Research and Public Health*, 1660-4601.
- Kamei, T., Hasimoto, S., Kawado, M., Seko, R., Ujihira, T., & Konagaya, M. (2010). Change in activities of daily living, functional capacity, and life stisfaction in japanese patients with subacute myelo-optico-neuropathy. *J. Epidemiology*. Doi: 10.2188/jea.JE20090184.
- Kim, Seonho., So, Wi-Yong. (2013). Prevalence and correlates of fear of falling in korean community-dwelling elderly subjects. *Experimental Gerontology*. doi. 10.1016/j.exger.2013.08.015.

- Maryam, R. S., Mia, F. E., Rosidawati., Ahmad, J., & Irwan, B. (2008). *Mengenal usia lanjut dan perawatannya*. Jakarta: Salemba Medika.
- Mauk, K. L. (2014). *Gerontological nursing: Competencies for care*, Edisi 3. USA: Library of Congress Cataloging.
- Meiner, S. E., & Annette, G.L., (2006). *Gerontologic nursing*, Edisi 3. Mosby Elsevier.
- Munawwarah, M., N, & Parahitha nindya. (2015). Pemberian latihan pada lansia dapat meningkatkan keseimbangan dan mengurangi resiko jatuh lansia. *Jurnal Fisioterapi*, vol 15 no 1.
- Notoatmodjo, S. (2010). *Metodologi penelitian kesehatan*. Jakarta: Rineka Citra.
- Nugroho, W. (2008). *Keperawatan gerontik & geriatrik*, Edisi-3. Jakarta: EGC.
- Nursalam. (2008). *Konsep dan penerapan metodologi penelitian ilmu keperawatan*. Jakarta: Salemba Medika.
- Okubo, Y., Seino, S., Yabushita, N., Osuka, Y., Jung, S., Nemoto, M., Figueroa, R., & Tanaka, K. (2015). Longitudinal association between habitual walking and fall occurrences among community-dwelling older adults: Analyzing the differnt risks of falling. *Archives of Gerontology and Geriatrics*. 45-51.
- Potter, Patricia A., & Perry, A. G. (2006). *Buku ajar fundamental keperawatan konsep, proses, dan praktik, edisi 4 vol.2* (Adrina Frederika, penerjemah). Jakarta: EGC.
- Pugh, D. (2012). Time to encourage patients to take more excercise. *National Health Service*. 256 (1754) 25-28.
- Riyadina, Woro. (2009). “Cidera akibat jatuh pada penduduk usia lanjut (Usila) yang mengalami obesitas di Indonesia”. ([ejournal.litbang.depkes.go.id](http://ejournal.litbang.depkes.go.id). diakses pada 13 november 2015).
- Rosdahl, C. B., & Kowalski, M. T. (2008). *Textbook of basic nursing*. Philadelphia: Lippincott.
- Sjolund, B. M., Wimo, A., Engstrom, M. & Strauss, E. V. (2015). Incidence of adl disability in older persons, physical activity as a protective factor and the need for informal and formal care results from the snac-n project. *Ploss One*. doi: 10.1371.
- Smee, D. J., Judith, M. A., Gordon, S. M., & Helen, L. B. (2012). Association between physical fungstionality and falls risk in community-living older

adults. *Current Gerontology and Geriatrics Research.* doi: 1155/2012/864516.

Stahl, S. T., & Albert, S. M. (2015). Gender differences in physical activity patterns among older adults who fall. *Preventive Medicine.* 71: 94-100.

Stanley, M., & Beare, P. G. (2006). *Buku ajar keperawatan gerontik* (Nety Juniarti & Sari Kurnianingsih, Penerjemah). Jakarta: EGC.

Stockslager, J. L. (2008). *Buku saku asuhan keperawatan geriatrik*. Jakarta: EGC.

Stomel, M., & Wills, C. E. (2004). Clinical research: Concepts and principles for advanced practice nurses. Lippincott williams & wilkins.

Suardiman, S. P. (2011). *Psikologi usia lanjut*. Yogyakarta: Gajah Mada University Press.

Sugiyono. (2009). *Metode penelitian bisnis*. Jakarta: Alfabeta.

Talkowski, J. B., Brach, J. S., Studenski, S., & Newman, A. B. (2008). Impact of health perception, balance perception, fall history, balance performance, and gait speed on walking activity in older adults. *Physical Therapy.* 88: 1474-1481.

Tamher, S., & Noorkasiani. (2009). *Kesehatan usia lanjut dengan pendekatan asuhan keperawatan*. Jakarta: EGC.

Thibaud, M., Bloch, F., Facon, C. T., Breque, C., Rigaud, A. S., Dugue, B., & Kemoun, G. (2011). Impact of physical activity and sedentary behaviour on fall risks in older people: a systematic review and meta-analysis of observational studies. *Eur Rev Aging Phys Act.* 9: 5-15. doi: 10.1007/s11556-011-0081-1.

Trombetti, A., Hars, M., Herrmann, F., Rizzoli, R., & Ferrari, S. (2013). Effect of a multifactorial fall and fracture risk assessment and management program on gait and balance performances and disability in hospitalized older adults: A controlled study. *Journal Osteoporos,* 24, 867-876.

Vermeulen, joan., Marieke D. S., Ramon, D., jacques, CL.N., Erik, V. R., & Luc, P. D. W. (2012). Does a falling level of activity predict disability development in community-dwelling elderly people. *Clinical Rehabilitation,* 27 (6) 546-554.

Waters, T. M., Chandler, A. M., Lorraine, C. M., Michael, J. D., Lori, A. K., Stephen, T. M., & Ronald, I. S. (2013). Use of ICD-9-CM codes of indetify inpatient fall-related injuries. *Journal American Geriatric Soc.* 61 (12): doi: 10.1111/jgs.12539.

- WHO. (2004). *What are the main risk factors for falls amongst older people and what is the most effective interventions to prevent these falls?*
- \_\_\_\_\_. (2007). *Global report on falls prevention in older ages.*
- Wood, G. L., & Haber, J. (2006). *Nursing research: Method and clinical appraisal*. Mosby Elsevier-Medical.
- Yokoya, T., Demura, S., & Sato, S. (2007). Relationships between physical activity, ADL capability and fall risk in community-dwelling Japanese elderly population. *Environmental Health and Preventive Medicine*. 12: 25-32.