

## DAFTAR PUSTAKA

- Abass, S.M. 2009. Effect of Microwave Disinfection on Some Properties of Gypsum Products . *J Bagh College Dentistry*. 21 (4) : 24-29.
- Abass, S.M., Mahmood, M.A., Khalaf, B.S., 2011. Effect of Microwave Irradiation on Disinfection, Dimensional accuracy, and Surface Porosity of Dental Casts. *MDJ*. 8 (2) : 177-187.
- Agostinho, A.M., Miyoshi, P.R., Gnoatto, N., Paranhos, H.F.O., Figueiredo, L.C., Salvador, S.L., 2004. Cross Contamination in the Dental Laboratory Through the Polishing Procedure of Complete Dentures. *Braz Dental J*. 15 (2) : 138-143.
- Amalan, A., Ginjupalli, K., Upadhyaya, N., 2013. Evaluation of Properties of Irreversible Hydrocolloid Impression Materials Mixed with Disinfectant Liquids. *DRJ*. 10 (1) : 65-73.
- Amin, W.M., Al-Ali, M.H., Al Tarawneh, S.K., Taha, S.T., Saleh, M.W., Ereifij, N., 2009. The Effects of Disinfectants on Dimensional Accuracy and Surface Quality of Impression Materials and Gypsum Casts. *J Clin Med Res*. 1 (2) : 81-89.
- Anaraki, M.R., Lotfipour, F., Moslehifard, E., Momtaheni, A., Sigari, P., 2013. Effect of Different Energy Levels of Microwave on Disinfection of Dental Stone Casts. *JODDD*. 7 (3) : 140-146.
- Anaraki, M.R., Moslehifard, E., Bahari, M., Mahboubi, S., 2014. Effect of Repeated Microwave Disinfection on Surface Hardness and Dimensional Accuracy of Two Dental Stone Materials. *Advances in Bioscience and Clinical Medicine*. 3 (1) : 17-24.
- Anaraki, M.R., Akhi, M.T., Pirzadeh, T., Moslehifard, E., Ghanati, H., Mosavi, A., Khorramdel, A., 2015. Efficacy of Microwave Disinfection on Moist and Dry Dental Stone Casts with Different Irradiation Times. *Advances in Bioscience and Clinical Medicine*. 3 (3) : 40-48.
- Anusavice, K.J., 2003. *Phillip's Science of Dental Materials*. ed 11. Elsevier Science : St. Louis.
- Anusavice, K.J., 2004. *Phillip's Buku Ajar Ilmu Bahan Kedokteran Gigi*. ed 10. Alih bahasa : Budiman JA, Purwoko S. Jakarta: EGC.
- Bhat, V., Shenoy, K., Shetty, S., 2012. Evaluation of Efficacy of Microwave Oven Irradiation in Disinfection of Patient Derived Dental Cast. *Int J Infect Control*. 8 (3) : 1-4.

- Denizoglu, S., Yanikoglu, N., Baydas., B., 2015. The Linear Setting Expansions of the Dental Stone and Whose Initial Setting Times. *Dentistry*. 5 (6) : 1-5.
- Donavan, T.E., Chee,W.W.L., 2004. A Review of Contemporary Impression Materials and Techniques. *Dental Clinics of North America*. 48 (2): 445-470.
- Gandhi, N., Sangur,R., Dayakare, H.R., Gandhi, S., 2013. Effects of Gum Arabic and Calcium Hydroxide on The Surface Hardness of Type I, Type II and Type III Gypsum Products. *IJDS*. 5 (1) : 18-20.
- Hasan, R.H., 2008. The Effect of Microwave Desinfection on Tensile Strength of Dental Gypsum. *Al-Rafidain Dental Journal*. 8 (2) : 213-218.
- Kalahasti, D., Hegde, V., Kosaraju, K., Baliga, S., Reddy, N.K., Sujatha, B.K., 2014. Evaluation of Efficacy of Microwave Irradiation in Disinfecting Dental Gypsum Casts : An Ex Vivo Study. *J Indian Prosthodont Soc*. 14 (4) : 381-392.
- Kambhampati, S., Subhash, V., Vijay, C., Das, A., 2014. Effect of Temperature Change on the Dimensional Stability of Elastomeric Impression Materials. *JIOH*. 6 (1) : 12-19.
- Karibasappa, G.N., Sujatha, A., Singh, R., Prithiani, P., Rajeshwari, K., 2013. Microwave - A Novel Wave in Dentistry. *IOSR-JDMS*. 12 (3) : 1-5.
- Lugito, M.D.H., 2013. Infection Control and Occupational Safety in Dental Practice. *Jurnal PDGI*. 62 (1) : 24-30.
- McCabe, J.E. dan Walls, A.G., 2008. *Bahan Kedokteran Gigi*. ed 9. Jakarta :EGC.
- Meghashri, K., Kumar, P., Prasad, D.K., Hegde, R., 2014. Evaluation and Comparison of High-Level Microwave Oven Disinfection with Chemical Disinfection of Dental Gypsum Casts. *JIOH*. 6 (3) : 56-60.
- Powers, J.M. dan Wataha, J.C., 2008. *Dental Materials Properties and Manipulation*. 9<sup>th</sup> ed. Missouri : Mosby Elsevier.
- Sari, D.F., Parnaadji, R.R., Sumono, A., 2013. Pengaruh Teknik Desinfeksi dengan Berbagai Macam Larutan Desinfektan pada Hasil Cetakan Alginat terhadap Stabilitas Dimensional. *Jurnal Pustaka Kesehatan*. 1 (1) : 29-34.
- Silva, M.A.B., Vitti, R.P., Consani, S., Sinhoreti, M.A.C., Mesquita, M.F., Consani, R.L.X., 2012. Linear Dimensional Change, Compressive Strength, and Detail Reproduction in Type IV Dental Stone Dried at Room Temperature and in A Microwave Oven. *J Appl Oral Sci*. 588-593.
- Subeqi, M.D., Soekartono, R.H., Harijanto, E., 2012. Combined Design of Mechanic Electrical Spatulating with Vibration Tool for Gypsum. *Jurnal PDGI*. 61 (3) : 92-95.

Yap, Au., Yap, S.H., Teo, J.C., Tay, C.M., Ng, KL., Thean, H.P., 2003.  
Microwave Dying of High-Strength Stones : Effect on Dimensional  
Accuracy. *Oper Dent.* 28 (2) : 193-199.