

DAFTAR PUSTAKA

- Ansel, 1989, *Pengantar Bentuk Sediaan Farmasi*, Terjemahan: Farida Ibrahim, Edisi 4, UI Press: Jakarta, 212-217.
- Ansel, H.C., Allen, L.V., dan M. Vlachou., 1999, *Pharmaceutical Dossage Forms and Drug Delivery System*, Leipincott Williams and Wilkins, Philadelphia, 175-176.
- Andarwulan, N., Ratna, B., Diny, A.S., Bradley, B., dan Hanny, W., 2010, Flavonoid Content And Antioxidant Activity Of Vegetables From Indonesia, *Journal Food Chemistry*, Vol 4, 121: 1231-1235.
- Amrun, H.M., Umiyah, dan Evi Umayah U., 2007, Uji Aktivitas Antioksidan Ekstrak Air dan Ekstrak Metanol Beberapa Varian Buah Kenitu (*Chrysophyllum cainito* L) dari Daerah Jember, *Berk Penel Hayati* 13: 45-50.
- Aulton ME, 1988, *Pharmaceutich The Sciense Of Dosage From Design*, Churvill Livingstone Edinburgh, 247-312.
- Baba K, Taniguchi M, Shibano M, M.H., 2009, The Components and Line Breeding of Angelica keiskei koidzumi, *Chikuya Shuubansha*, 125.
- Burhan, L., Paulina, Y.Y., dan Hamidah, S.S., Formulasi Sediaan Granul Effervescent Sari Buah Sirsak (*Annona muricata* L), *Makalah*, Program Studi DIII Farmasi Stikes Muhammadiyah Manado: Manado, 77-78.
- Chen, I., H. Chang, H. Yang and G. Chen, 2004, Evaluation of Total Antioxidant Activity of Several Popular Vegetables and Chinese Herbs : A Fast Approach with ABTS / H₂O₂ / HRP System in Microplates. *Journal Food and Drug Analysis*, 12(1), 29–33.
- Dwijayanti, R., 2009, Pemanfaatan Natrium Alginat Sebagai Fortifikasi Serat Dalam Pembuatan Minuman Serbuk *Effervescent* Bercitarasa Jeruk Lemon, *Makalah*, Fakultas Perikanan dan Ilmu Kelautan Institut Pertanian Bogor, Bogor, 33-35.
- Enoki, T., Ohnogi, H. and N.K., 2009, Antidiabetic Activities of Chalcones Isolated From A Japanese Herb Angelica keiskei, *Journal of Agricul-tural and food chemistry*. 55: 6013-6017.
- Hagerman, A.E., 2002, *Tannin Chemistry*, Department of Chemistry and Biochemistry, Miami University, Oxford, USA, 47-48.

- Hernani dan Rahardja, 2005, *Tanaman Berkhasiat Antioksidan*, Penebar Swadaya, Jakarta, 23.
- Hida, K., 2007, *Ashitaba - A medical Plant and Healthy Method*, Available at: www.organicashitaba.com/article.html.
- Inamori, Y., Baba, K., Tsujibo, H., Taniguchi, M., Nakata, K., and Kosawa, M., 1991, Antibacterial Activity Of Two Chalcones, Xanthoangelol and 4-hydroxyderricin, Isolated From The Root of *Angelica keiskei* koidzumi, *Pharmacol Ther* 1991 Dec; 52(3):331-63.
- Juita, Y., 2008, *Formulasi Tablet Tepung Lidah Buaya*, FMIPA Universitas Indonesia, <http://www.digilib.ui.ac.id>.
- Kang, M.H., Park, Y.K., Kim, H.Y., and Kim, T.S., 2004, Green Vegetable Drink Consumption Protects Peripheral Lymphocytes DNA Damage in Korean Smokers, *Biofactor*, 22, (1-4) 245-247.
- Lachman L., H. Lieberman, and J. Kanig, L., 1989, *Teori dan Praktek Farmasi Industri*, Terjemahan: Siti Suyatmi, Jilid II Edisi 3, UI Press: Jakarta, 74-75.
- Lee, R., E., 2004, *Effervescent Tablets: Key Facts About A Unique, Effective Dossage Form*, CSC Publishing, Tablets and Capsules, 77.
- Li, L., G. Aldini, M. Carini, C.Y.O. Chen, H. Chun, S. Choo, K. Park, C.R. Correa, R.M. Russell, J.B.B. dan K.Y., 2009, Characterisation, Extraction Efficiency, Stability and Antioxidant Activity of Phytonutrients in *Angelica keiskei*, *Food chemistry*, Vol.4 No.2, 179-180.
- Liebermann, H.A., L. Lachman dan J.B. Schwartz, 1992, *Pharmaceutical Dosage Forms*, Marcel Dekker Inc, New York, 68-69.
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity, *J. Sci. Technol*, 26 (2): 211-219.
- Nagata J, Morino T, S.M., 2007, Effects of Dietary *Angelica keiskei* on Serum and Liver Lipid Profiles, and Body Fat Accumulations in Rats, *Journal of National Institute of Health and Nutrition*, Vol. 53(2): 242-246.
- Okuyama T, Takata M, Takayasa J, Hasegawa T, Tokuda H, Nishino A, Nishini H, I.A., 1991, Anti-Tumor-Promotion by Principles Obtained from *Angelica keskei*, *Chem Phram Bull (Tokyo)*, 39(6) 1604-5.

- Pham-Huy, L. A., He, H., and Pham-Huyc, C., 2008, Free Radical, Antioxidant in Disease and Health. *Int. J. Biomed. Sci*, 4 (2):89–96.
- Pietta, P.G., 1999, Flavonoids As Antioxidants, Reviews, *J. Nat. Prod.*, 63, 1035-1042.
- Prakash, A., 2001, Antioxidant Activity, *Medallion Laboratories Analytical Progress*, Vol. 19, 2.
- Reynerston, A.K., 2007, Phytochemical Analysis Of Bioactive Constituents From Edible Myrtaceae Fruits, *Dissertation*, The City University Of New York, New York.
- Robinson, T., 1995, Kandungan Organik Tumbuhan Tinggi, Terjemahan K. Padmawinata, Penerbit ITB: Bandung, 180.
- Scoville, 1957, *The Art of Compounding*, In McGraw-Hill Book Company second edition, New York, 66.
- Sembiring, Bagem, Br., Manoi, F., 2011, Identifikasi Mutu Tanaman Ashitaba, *Bul. Littro*, Vol. 22 No. 2, 12, Bogor.
- Sirait, M., 2007, *Penuntun Fitokimia Dalam Farmasi*, Institut Teknologi Bandung: Bandung, 55-69; 93-122; 131-133; 147-148.
- Shibata, S., 1994, Antitumorigenic Chalcones, *Stem Cells*, 12 : 44-52.
- Sunarni, T., 2005, Aktivitas Antioksidan Penangkap Radikal Bebas Beberapa Kecambah Dari Biji Tanaman Familia Papilionaceae, *Jurnal Farmasi Indonesia* 2 (2), 53-61.
- Tjitrosoepomo, G., 2002, *Morfologi Tumbuhan*, UGM Press: Yogyakarta, 421-423.
- Voigt, 1984, *Buku Ajar Teknologi Farmasi*, Terjemahan Soewandhi, S.N. (5th ed.), UGM Press: Yogyakarta, 561, 564, 577, 581.
- Wadke, H.A., and Jacobson, H., 1980, Preformulating Testing, in Lieberman, H.A., and Lachman, L., (eds) *Pharmaceutical Dosage Forms: Tablets*, Vol I, Marcel Dekker Inc., New York, 45.
- Wells, J.I., 1987, *Pharmaceutical Preformulation : The Phsicochemical Properties of Drug Substance*, John Wiley and Sons, New York, 417.

Wicaksono, R. dan Syarifudin, H., 2003, Ashitaba (*Angelica keiskei* Koidzumi) Tanaman Peningkat Sistem Kekebalan Tubuh, In *Prosiding Seminar dan Pameran Nasional Tumbuhan Obat Indonesia XXIV*, 270–275.