

DAFTAR PUSTAKA

- Alma M.H., Ertas M., Nitz S. and Kollmannsberger H., 2007, Chemical composition and content of essential oil from the bud of cultivated Turkish clove (*Syzygium aromaticum* L.), *BioResources*, 2 (2), 265–269.
- Arifianti L., Oktarina R.D. and Kusumawati I., 2014, Pengaruh Jenis Pelarut Pengekstraksi, *E-Journal Planta Husada*, 2 (1), 3–6.
- Aruljothi S., Uma C., Sivagurunathan P. and Bhuvaneswari M., 2014, Investigation on Antibacterial Activity of *Carica papaya* Leaf Extracts against Wound Infection-Causing Bacteria, *International journal of research Studies in Biosciences*, 2 (11), 8–12.
- Atlas R.M., 1995, *Principle of Microbiology*, 1st ed., McGraw-Hill Education, New York.
- Ayoola G.A., Lawore F.M., Adelowotan T., Aibinu I.E., Adenipekun E., Coker H.A.B. and Odugbemi T.O., 2008, Chemical analysis and antimicrobial activity of the essential oil of *Syzygium aromaticum* (Clove), *African Journal of Microbiology Research* *J. Microbiol.*, 2, 162–166.
- Bae I.-K., Min H.-Y., Han A.-R., Seo E.-K. and Lee S.K., 2005, Suppression of lipopolysaccharide-induced expression of inducible nitric oxide synthase by brazilin in RAW 264.7 macrophage cells., *European journal of pharmacology*, 513, 237–242.
- Baum V.H. and Marre R., 2005, Antimicrobial resistance of *Escherichia coli* and therapeutic implications, *International Journal of Medical Microbiology*, 295 (6-7), 503–511.
- Benkeblia N., 2004, Antimicrobial activity of essential oil extracts of various onions (*Allium cepa*) and garlic (*Allium sativum*), *LWT - Food Science and Technology*, 37 (2), 263–268.
- Betoni J.E.C., Mantovani R.P., Barbosa L.N., Di Stasi L.C. and Fernandes A., 2006, Synergism between plant extract and antimicrobial drugs used on *Staphylococcus aureus* diseases, *Memorias do Instituto Oswaldo Cruz*, 101 (4), 387–390.
- Bhunia D. and Modal A.K., 2012, Antibacterial Activity of *Alpinia* L. (Zingiberaceae) from Santal and Lodha Tribal Areas of Paschim Medinipur District in Eastern India, *Advance In Bioresearch*, 3 (1), 54–63.

- BPOM RI, 2009, *Informatorium Obat Nasional Indonesia 2008*, koperpom dan CV Sagung Seto, Jakarta
- Briñas L., Lantero M., de Diego I., Alvarez M., Zarazaga M. and Torres C., 2005, Mechanisms of resistance to expanded-spectrum cephalosporins in *Escherichia coli* isolates recovered in a Spanish hospital, *Journal of Antimicrobial Chemotherapy*, 56 (6), 1107–1110.
- Brooks G., Butel J. and Morse S., 2005, *Mikrobiologi Kedokteran*, 1st ed., Salemba, Jakarta.
- Canini A., Alesiani D., D’Arcangelo G. and Tagliatesta P., 2007, Gas chromatography-mass spectrometry analysis of phenolic compounds from *Carica papaya* L. leaf, *Journal of Food Composition and Analysis*, 20 (7), 584–590.
- Chabi S.K., Sina H., Adoukonou-Sagbadja H., Ahoton L.E., Roko G.O., Saidou a., Adoti K., Ahanchede a. and Baba-Moussa L., 2014, Antimicrobial activity of *Anacardium occidentale* L. leaves and barks extracts on pathogenic bacteria, *African Journal of Microbiology Research*, 8 (25), 2458–2467.
- Clinical and Laboratory Standard Institute (CLSI), 2011, *Performance Standards for Antimicrobial Susceptibility Testing; 21th Informational Supplement*, Clinical and Laboratory Standard Institute, Pennsylvania-USA
- Dahake A.P., Joshi V.D. and Joshi A.B., 2009, Antimicrobial Screening of Different Extract of *Anacardium occidentale* Linn. Leaves, *International Journal of ChemTech Research*, 1 (4), 856–858.
- DiPiro J.T., Well B.G., Schwinghammer T.L. and DiPiro C.V., 2009, *Pharmacotherapy A Pathophysiologic Approach*, The McGraw Hill.
- Doss V.A. and Thangavel kalaichel puthupalayam, 2011, Antioxidant and Antimicrobial Activity Using Different Extracts of *Anacardium Occidentale* L., *International Journal of Applied Biology and Pharmaceutical Technology*, 2 (3), 436–443.
- Fu Y., Zu Y., Chen L., Shi X., Wang Z., Sun S. and Efferth T., 2007, Antimicrobial activity of clove and rosemary essential oils alone and in combination., *Phytotherapy research : PTR*, 21 (10), 989–94.
- Goncagul G. and Ayaz E., 2010, Antimicrobial Effect of Garlic (*Allium sativum*) and Traditional Medicine, *Journal of Animal and Veterinary Advances*, 9 (1), 1–4.

- Gonçalves J.L.S., Lopes R.C., Oliveira D.B., Costa S.S., Miranda M.M.F.S., Romanos M.T. V, Santos N.S.O. and Wigg M.D., 2005, In vitro anti-rotavirus activity of some medicinal plants used in Brazil against diarrhea., *Journal of ethnopharmacology*, 99 (3), 403–7.
- Gupta A.D., Bansal V.K., Babu V. and Maithil N., 2013, Chemistry, antioxidant and antimicrobial potential of nutmeg (*Myristica fragrans* Houtt), *Journal of Genetic Engineering and Biotechnology*, 11 (1), 25–31.
- Hernani, Tri Marwati dan Winarti, Cristina, 2007, Pemilihan Pelarut Pada Pemurnian Ekstrak Lengkuas(*Alpinia Galanga*) Secara Ekstraksi, *J.Pascapanen* 4(1), 1-8.
- Hiramatsu K., 2004, Elucidation of the Mechanism of Antibiotic Resistance Acquisition of *Methicillin-Resistant Staphylococcus aureus* (MRSA) and Determination of Its Whole Genome Nucleotide Sequence, *Japanese Medical Association Journal*, 47 (4), 153–159.
- Hoque M.M., Rattila S., Shishir M.A., Bari M.L., Inatsu Y. and Kawamoto S., 2012, Antibacterial Activity of Ethanol Extract of Betel Leaf (*Piper betle* L.) Against Some Food Borne Pathogens, *Bangladesh Journal of Microbiology*, 28 (2), 58–63.
- Huang Y., Ogutu J.O., Gu J., Ding F., You Y., Huo Y., Zhao H., Li W., Zhang Z., Zhang W., Chen X., Fu Y. and Zhang F., 2015, Comparative Analysis of Quinolone Resistance in Clinical Isolates of *Klebsiella pneumoniae* and *Escherichia coli* from Chinese Children and Adults, *Biomed research international*, 2015, 1-6.
- Indu M.N., Hatha a. a M., Abirosh C., Harsha U. and Vivekanandan G., 2006, Antimicrobial activity of some of the South-Indian spices against serotypes of *Escherichia coli*, *Salmonella*, *Listeria Monocytogenes* and *Aeromonas Hydrophila*, *Brazilian Journal of Microbiology*, 37 (2), 153–158.
- Joshi R.K. and Hoti S.L., 2014, Chemical composition of the essential oil of *Ocimum tenuiflorum* L. (Krishna Tulsi) from North West Karnataka, India, *Indian Journal of Pharmaceutical Sciences*, 75 (4), 457–462.
- Kardinan A., 2005, *Tanaman Penghasil Minyak Atsiri*, PT. Agromedia Pustaka, Jakarta.
- Kelm M.A., Nair M.G., Strasburg G.M. and DeWitt D.L., 2000, Antioxidant and cyclooxygenase inhibitory phenolic compounds from *Ocimum sanctum* Linn., *Phytomedicine*, 7 (1), 7–13.

- Kim S.Y., Kim J., Jeong S., Jahng K.Y. and Yu K., 2015, Antimicrobial Effects and Resistant Regulation of Magnolol and Honokiol on *Methicillin-Resistant Staphylococcus aureus*, *Biomed research international*, 2015, 9-18.
- Krishna K.L., Paridhavi M. and Patel J. a, 2008, Review on nutritional , medicinal and pharmacological properties of Papaya (*Carica papaya* Linn .), *Natural Product Radiance*, 7 (4), 364–373.
- Kubo I., Nihei K.-I. and Tsujimoto K., 2003, Antibacterial action of anacardic acids against *methicillin resistant Staphylococcus aureus* (MRSA)., *Journal of agricultural and food chemistry*, 51 (26), 7624–8.
- Kumar R., Keshri U.P.D. and Kumar M., 2013, Antimicrobials sensitivity and resistance pattern of bacterial isolates at a tertiary care hospital in Jharkhand, India, *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 4, 1248–1255.
- Lee W.F., Salleh E. and Mamat S.N.H., 2015, Extraction and Qualitative Analysis of *Piper Betle* Leaves for Antimicrobial Activities, *International Journal of Engineering Technology Science and Research*, 2 (2), 1–8.
- Leitner F., Goodhines R.A., Buck R.E. and Price K.E., 1979, Bactericidal Activity of Cefadroxil, Cephalexin, and Cephadrine in An In Vitro Pharmacokinetic Model, *The Journal of Antibiotic*, 11, 718–726.
- Lewis H.W. and Moody C.J., 1989, *Experimental Organic Chemistry: Principles and Practice*, WileyBlackwell, Oxford, United Kingdom.
- Mehul K B., Shankar M.B., Ajay K S., Kishor K D. and Captain A.D., 2012, Evaluation of Anti-microbial activity of *Ocimum sanctum* methanolic extract Plant Material, *Research Article Journal of Pharmaceutical and Scientific Innovation*, 1, 39–41.
- Menteri Kesehatan Republik Indonesia, 2011, Pedoman Umum Penggunaan Antibiotik, *Departemen Kesehatan Republik Indonesia*, Jakarta
- Moorthi S. and Kalpana S., 2013, Original Research Article Antimicrobial activity of different extracts of *Syzygium aromaticum* (Linn .) against food borne pathogens, *International Journal of Current Microbiology and Applied Sciences*, 2 (11), 30–35.
- Olajuyigbe O.O. and Afolayan A.J., 2012, Synergistic interactions of methanolic extract of *Acacia mearnsii* de wild. with antibiotics against bacteria of clinical relevance, *International Journal of Molecular Sciences*, 13 (7),

8915–8932.

Oonmetta-aree J., Suzuki T., Gasaluck P. and Eumkeb G., 2006, Antimicrobial properties and action of galangal (*Alpinia galanga* Linn.) on *Staphylococcus aureus*, *LWT - Food Science and Technology*, 39 (10), 1214–1220.

Pandey A. and Singh P., 2011, Antibacterial activity of *Syzygium aromaticum* (clove) with metal ion effect against food borne pathogens, *Asian Journal of Plant Science and Research*, 1 (2), 69–80.

Pansera M.R., Iob G.A., Atti-Santos A.C., Rossato M., Atti-Serafini L. and Cassel E., 2004, Extraction of tannin by *Acacia mearnsii* with supercritical fluids, *Brazilian Archives of Biology and Technology*, 47 (6), 995–998.

Pattanayak P., Behera P., Das D. and Panda S., 2010, *Ocimum sanctum* Linn. A reservoir plant for therapeutic applications: An overview, *Pharmacognosy Reviews*, 4 (7), 95.

Peter J.K., Kumar Y., Pandey P. and Masih H., 2014, Antibacterial Activity of Seed and Leaf Extract of *Carica papaya* var. Pusa dwarf Linn, *IOSR Journal of Pharmacy and Biological Sciences*, 9 (2), 29–37.

Pradhan D., Suri K. a, Pradhan D.K. and Biswasroy P., 2013, Golden Heart of the Nature : *Piper betle* L ., *Journal of Pharmacognosy and Phytochemistry*, 1 (6), 147–167.

Pundir R.K., Jain P. and Sharma C., 2010, Antimicrobial activity of *Allium sativum* ethanolic extract against food associated bacteria and fungi, *Drug Invention Today*, 2, 229–232.

Rao K., Ch B., Narasu L.M. and Giri A., 2010, Antibacterial activity of *Alpinia galanga* (L) willd crude extracts, *Applied Biochemistry and Biotechnology*, 162 (3), 871–884.

Rathnayaka R.M.U.S.K., 2013, Antibacterial Activity of *Ocimum sanctum* Extracts against Four Food-Borne Microbial Pathogens, *Scholars Journal of Applied Medical Sciences Online) Sch. J. App. Med. Sci*, 1 (6), 774–777.

Saravanan P., Ramya V., Sridhar H., Balamurugan V. and Umamaheswari S., 2010, Antibacterial activity of *Allium sativum* on pathogenic bacterial strains, *Global Veterinaria*, 4 (5), 519–522.

Senja R.Y., Issusilaningtyas E., Nugroho A.K. and Setyowati E.P., 2014, The Comparison of Extraction Method and Solvent Variation on Yield and Antioxidant Activity Of *Brassica oleracea* L. var. capitata f. rubra Extract,

Trad. Med. J., 19 (1), 43–48.

Senthikumar N., Murugesan S., Bhanu N., Supriya S. and Rajeshkannan C., 2011, Biochemical estimation and antimicrobial activities of the extracts of *Caesalpinia sappan* Linn., *Bangladesh Journal of Scientific and Industrial Research*, 46 (4), 429–436.

Simpem I.N., 2008, Isolasi Cashew Nut Shell Liquid Dari Kulit Biji Jambu Mete (*Anacardium occidentale* L.) Dan Kajian Beberapa Sifat Fisiko Kimianya, *Jurnal Kimia*, 2, 71–76.

Sireeratawong S., Piyabhan P., Singhalak T., Wongkrajang Y., Tamsiririrkkul R., Punsrirat J., Ruangwises N., Saraya S., Lerdvuthisophon N. and Jaijoy K., 2010, Toxicity evaluation of sappan wood extract in rats, *J Med Assoc Thai*, 93 (7), 50–7.

Sotto A., De Boever C.M., Fabbro-Peray P., Gouby A., Sirot D. and Jourdan J., 2001, Risk factors for antibiotic-resistant *Escherichia coli* isolated from hospitalized patients with urinary tract infections: a prospective study., *Journal of clinical microbiology*, 39 (2), 438–44.

Srinivasan R., Selvam G.G., Karthik S., Mathivanan K., Baskaran R., Karthikeyan M., Gopi M. and Govindasamy C., 2012, In vitro antimicrobial activity of *Caesalpinia sappan* L., *Asian Pacific Journal of Tropical Biomedicine*, 2, 136–139.

Subramanian G., 2014, Studies of Antimicrobial Properties of Different Leaf Extract of Tulsi (*Ocimum tenuiflorum*) against Human Pathogens, *American International Journal of Contemporary Research*, 4 (8), 149–157.

Takikawa A., Abe K., Yamamoto M., Ishimaru S., Yasui M., Okubo Y. and Yokoigawa K., 2002, Antimicrobial activity of nutmeg against *Escherichia coli* O157., *Journal of bioscience and bioengineering*, 94 (4), 315–20.

Tenover F.C., 2006, Mechanisms of antimicrobial resistance in bacteria, *American Journal of Infection Control*, 34 (5), 3-9

Tijjani A., 2013, Antibiotic-Plant Synergy as a New Strategy for Combating Drug Resistant Bacteria, *Formatex*, 3 (1836), 834–837.

Tiwari B.K., Valdramidis V.P., O'Donnell C.P., Muthukumarappan K., Bourke P. and Cullen P.J., 2009, Application of natural antimicrobials for food preservation, *Journal of Agricultural and Food Chemistry*, 57 (14), 5987–6000.

Tomsone L., Kruma Z. and Galoburda R., 2012, Comparison of Different Solvents and Extraction Methods for Isolation of Phenolic Compounds from Horseradish Roots, *International Scholarly and Scientific Research & Innovation*, 6 (4), 1164–1169.

Xu H.X. and Lee S.F., 2004, The antibacterial principle of *Caesalpinia sappan*, *Phytotherapy Research*, 18 (8), 647–651.