

DAFTAR PUSTAKA

- Aboyans, V., Lacroix, P., Tran, M.H., Salamagne, C., Galinat, S., Archambeaud, F., et al. (2012). The prognosis of diabetic patients with high anklebrachial index depends on the coexistence of occlusive peripheral artery disease. *J Vasc Surg* 53 ; 984-91.
- Al Qaisi M, Nott M.D., King H.D., Kaddoura S., (2009). Ankle Brachial Pressure Index (ABPI): An Update for Practitioners. *Vascular Health and Risk Management* ; 5: 833-841.
- American College of Cardiology Foundation/American Heart Association (ACCF/AHA). (2011). Pocket guideline: management of patient with peripheral artery disease (lower extremity, renal, mesenteric and abdominal aortic). *Am Coll Cardiol.* 58:2020-4.
- American Diabetes Association (2015). Diagnosis and Classification of Diabetes Mellitus,*Diabetes Care*,38:8-16.
- American Diabetes Association. (2012). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 27 (1), 55-60.
- Arief Mansjoer (2004). Diabetes Melitus. *Kapita Selekta Kedokteran*, edisi 3, jilid I, Media Aesculapius FK UI, pp:580-588.
- Arnadi, Imam Subekti, R. Miftah Surjadipradja, Muthalib A., Sarwono Waspadji. (2003). The Prevalence rate of Peripheral Arterial Disease in Type 2 Diabetes Mellitus and its associated risk factors. *Acta Medika Indonesiana*,1(XXXV):2-8.
- Azwaldi, S.W. (2012). Faktor-Faktor Yang Berhubungan Ankle Brachial Pressure Index Di Poli Penyakit. *Skripsi*.
- Black, J., & Hawk, J. H. (2009). *Medical Surgical Nursing. Clinical Management for Positif Outcomes* (6th). Saunders: Elsevier.
- Bryant, R.A., & Nix, D.P. (2006). *Acute and Chronic Wounds: Current Management Concepts* 3rd Edition, Mosby, St Louis.
- Buku *Profil Kesehatan Kota Surakarta* Tahun 2014.
- Buku *profil kesehatan Provinsi jawa tengah* Tahun 2011.
- Canon C.P., Braunwald E. Coronary Blood Flow in Myocardial Ischaemia.Chapter 52.Dalam Bonow RO, Mann DL, Zipe sDP, Libby P.

- Braunwald's Heart Disease a Text book of Cardiovascular Medicine.* Edisi 9. Philadelphia. Elsevier Saunders. 2012.
- Chaveepojnkamjorn, W., Pichainarong, N., Schelp, F.P., & Mahaweerawat M.U. (2008). Quality of life and compliance among type 2 diabetic patient. *Southeast Asian Journal Trop Med, Public health*, 39 (2), 328-334.
- Coffman, J.D., Eberhardt R.T., Cannon CP. (2003). *Peripheral Arterial Disease:* Springer Science & Business Media.
- Depkes RI. 2008. *Profil Kesehatan Indonesia.* Jakarta.
- Desalu,O.,Salawu,F.K.,Jimoh, A.K.,Adekoya,A.O.,Busari,O.A, and Olokoba,A.B. (2011). Diabetic Foot Care: Self Reported Knowledge and Practice Among Patients Attendind Three Tertiary Hospital in Nigeria. *Ghana Medical Journal* Vol.45, Number 2 June 2011.
- Escobedo J., Rana J.S., Lombardero M.S. (2010). Association Between Albuminuria and Duration of Diabetes and Myocardial Dysfunction and Paripheral Arterial Disease Among Patients With S Table Coronary Artery Disease in the BARI 2D Study. *Mayo Clin Proc.* 85(1):41-46.
- Fisher. (2009). *Healthy coping in diabetes: a guide for program development and implementation.* Diabetes initiative.
- Fowkes FGR, Low L-P, Tuta S, Kozak J. (2006). Ankle-brachial index and extent of atherothrombosis in 8891 patients with or at risk of vascular disease: results of the international AGATHA study. *European heart journal*;27(15):1861-7.
- Gautam, S., et al. (2010). Comparative Study of Extraction, Purification and Estimation of Bromelain from Stem and Fruit of Pineapple Plant. *Thai J. Pharm. Sci.* 34, 67-76.
- Gornik H.L, Beckman J.A. (2005). Peripheral arterial disease. *Circulation.*;111(13):e169-e72.
- Goz, F., Karaoz, S., Goz, M., Ekiz, S., & Cetin, I. (2007). Effect of the diabetic patient's perceived social support on the their quality of life. *Journal of Clinical Nursing*, 16, 1353-1360.
- Grenon SM, Gagnon J, Hsiang Y. (2009). Ankle–brachial index for assessment of peripheral arterial disease. *New England Journal of Medicine.* 361(19).
- Hiatt W.R. (2008). Atherosclerotic peripheral arterial disease. In: Arend WP, editors. *Cecil Medicine*, 23rd. New York: Elsevier.

- Hidayat, A.A. (2014). *Metode Penelitian Kebidanan dan Teknik Analisa Data*. Jakarta : Salemba Medika
- Hirsch A.T., Haskal ZJ, Hertzer N.R., Bakal CW, Creager MA, Halperin JL, et al. ACC/AHA (2005) practice guidelines for the Management of Patients with Peripheral Arterial Disease (lower extremity, renal, mesenteric, and abdominal aortic). *Circulation*. 2006;113:e463– e654.
- Irawan, Dedi (2010). Prevalensi dan Faktor Risiko Kejadian Diabetes Melitus Tipe 2 di Daerah Urban Indonesia(Analisa Data Sekunder Riskesdas 2007). *Thesis Universitas Indonesia*.
- Isa B. A. and O. Baiyewu. (2006). Quality of life with diabetes mellitus in a Nigerian Teaching Hospital. *Hongkong Journal Psychiatry* . 27-33.
- Kemenkes. Riset Kesehatan Dasar: Riskesdas 2013. Jakarta: *Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI*, 2013.
- Kirsner, R.S. (2010). The Standart of Care for Evaluation and Treatment of Diabetic Foot Ulcers. *The University of Michigan Health System's Educational Services for Nursing, and Barry University School of Podiatric Medicine*.
- Li J, Luo Y, Xu Y, Yang J, Zheng L, Hasimu B. (2007). Risk factors of peripheral arterial disease and relationship between low ankle-brachial index and mortality from all-cause and cardiovascular disease in Chinese patients with type 2 diabetes. *Circulation Journal*. 71(3):377-81.
- Mier, N., Alonso, A.B., Zhan, D., Zuniga, M.A., & Acosta, R.I. (2008). Health-related quality of life in a binational population with diabetes at the Texas-Mexico border. *Rev Panama Salud Publica*, 23 (3), 154-163
- Moosa S.R., Bakri F.G., Khammash M.R., Jaddou H.Y., Shatnawi N.J., Ajlouni K.M. (2013).Peripheral arterial disease in diabetic Jordanian patients and the agreement between ankle brachial index and toe brachial index. *The British Journal of Diabetes & Vascular Disease*. 13(1):37-47.
- Nagpal J., Kumar A., Kakar S., Bhartia A. (2010). The Development of ‘Quality of Life Instrument for Indian Diabetes Patients (QOLID) : A Validation and Reliability Study in Middle and Higher Income Groups. *JAPI May* vol. 58.
- Nahler M.R., McDermott M.M., Treat-Jacobsonc D., Chetterd I.,and Regensteiner J.G. (20003). Functional outcomes and quality of life in peripheral arterial disease: *Current status*. 8: 115–126.

- Norgren L, Hiatt W.R., Dormandy Ja, Nehler M.R., Harris K.A, Fowkes F.R. (2007). Inter-society consensus for the management of peripheral arterial disease (TASC II). *European Journal of Vascular and Endovascular Surgery* ;33(1):S1-S75.
- Notoatmodjo, S. (2010). *Metode Penelitian Kesehatan*. Jakarta : Rineka Cipta
- PERKENI., (2011). *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia*. Jakarta.
- Potier, L., Khalil, C.A., Mohammedi, K., Roussel, R., (2011). Use and Utility of Ankle Brachial Index in Patients with Diabetes, *European Journal Vascular Endovascular Surgery* 41:110-116.
- Powers M.A., Bardsley J., Cypress M., Duker P., Funnel M.M., Fischl A.H (2015). Diabetes Self-management Education and Support in Type 2 Diabetes. *Journal Of The Academy Of Nutrition And Dietetics*; DOI: 10.1177/0145721715588904.
- Priceand Wilson (2005). *Konsep Klinis Proses-Proses Penyakit*. Edisi 6. Vol.2. Jakarta: EGC.
- Regensteiner JG, Hiatt WR, Coll JR, Criqui MH, Treat-Jacobson D, McDermott M.M. (2008). The impact of peripheral arterial disease on health-related quality of life in the Peripheral Arterial Disease Awareness, Risk, and Treatment: New Resources for Survival (PARTNERS) Program. *Vascular Medicine*,;13(1):15-24.
- Rochmah, W., 2006, *Diabetes Melitus Pada Usia Lanjut*, Buku Ajar Ilmu Penyakit Dalam, Edisi Ketiga, Editor Suyono, S., 1857, Balai Penerbit FKUI, Jakarta.
- Rooke TW, Hirsch AT, Misra S, Sidawy AN, Beckman JA, Findeiss LK, et al. (2011). ACCF/AHA focused update of the guideline for the management of patients with peripheral artery disease (updating the 2005 guideline): a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Journal of the American College of Cardiology* ;58(19):2020-45.
- Roza, R.L., Afriant, R., & Edward, Z.(2015). Faktor Resiko Terjadinya Ulkus Diabetium pada Pasien Diabetes Melitus. Skripsi Ilmiah. Padang : *Fakultas Kedokteran Universitas Andalas Padang*.
- Rubenstein, David, Wayne, David, dan Bradley, John, (2007). *Lecture Notes: Kedokteran Klinis*. Jakarta: Penerbit Erlangga; 389-39.1.

- Rubin, R. R., & Peyrot, M. (2002). Was Willis right? Thoughts on the interaction of depression and diabetes. *Diabetes/metabolism research and reviews.* *Diabetes/Metabolism Research and Reviews* 18 (3), 173-175.
- Saragih. (2010). Hubungan Dukungan keluarga dengan Kualitas Hidup Pasien gagal Ginjal Kronis yang Menjalani Terapi Hemodialisa di RSUP Haji Adam Malik Medan. Skripsi. *Sumaetra Utara : Universitas Sumatera Utara.*
- Saryono. (2011). Metodologi Penelitian Keperawatan. Purwokerto: UPT *Universitas Jendral Sudirman.*
- Schteingart, D.E. (2006). Pankres: *Metabolisme Glukosa dan Diabetes dalam Patophysiolgi.* Clinical Concepts of Disease Process Volume 2 (6Th ed). Pendit, B.U (Alih Bahasa).Jakarta : EGC.
- Sherwood, Laura Iee. (2011). *Fisiologi Manusia.* Jakarta : EGC.
- Singh N, Armstrong D.G., Lipsky B.A. (2005). Preventing foot ulcers in patients with diabetes. *JAMA* ;293:217-21.
- Smeltzer & Bare . (2008). *Textbook of Medical Surgical Nursing* Vol.2. Philadelphia: Linppincott William & Wilkins.
- Sontor J. & Chuter V. (2016). Health and Quality of Life Outcomes. *BioMed Central;* 14:50 DOI 10.1186/s12955-016-0451-5.
- Stipanovic, A.R. (2002). The effects of diabetes education on self-efficacy and self care. *Dove Medical Press Limited;* 3(1) 65–76.
- Sugiyono. (2015). *Metode Penelitian Manajemen.* Jakarta : Alfabeta.
- Sutedjo, A.Y. (2010). *5 Strategi Penderita Diabetes Melitus Berusia Panjang.* Yogyakarta : Kanisius.
- Tandra. (2007). *Segala Sesuatu Yang Harus Anda Ketahui Tentang Diabetes.* Jakarta: Gramedia Pustaka Utama.
- Waspadji S. Kaki diabetes. Dalam: Sudoyo A.W., Setiyohadi B., Alwi I., Simadibrata M., Setiati S. (2009). editors. *Buku Ajar Ilmu Penyakit Dalam,* Jilid III, edisi kelima. Jakarta: Interna publishing.
- Wen, L.K., Parchman M.L. & Shepard M.D., (2004). Family support and diet barriers among older Hispanic adults with type 2 diabetes. *Clinical Research and Methods.* 36 (6), 423-430.

- WHO. (2006). *Defenition and diagnosis of diabetes mellitus and intermediate hyperglikemia*. WHO Library Cataloguing in Publication Data.
- Williams, L & Wilkins (2011). Nursing : *Memahami Berbagai Macam Penyakit*. Alih Bahasa Paramita. Jakarta : PT. Indeks.
- World Health Organization (2004): *Quality Of Life* (WHOQOL) –BREF.
- World Health Organization. (2012). Prevalence of diabetes worldwide : *Country and Regional data on diabetes*.
- Wu, S..F. (2007). Self efficacy, outcome expectat ion and self care behaviourin people with type 2 diabetes in Taiwan. *QUT (Queensland University of Technology)*
- Xu C. *et al.*, (2010). Minor Allele C of Chromosome 1p32 Single Nucleotide Polymorphism rs11206510 Confers Risk of Ischemic Stroke in Chinese Han Population. *J Stroke* 41:1587-1592.
- Yuhelma., Hasneli, Y., & Nauli, F.A. (2014). Identifikasi dan Analisis Komplikasi Makrovaskular dan Mikrovaskular pada Pasien Diabetes Melitus. Skripsi Ilmiah. *Riau : Program Study Ilmu Keperawatan Universitas Riau*.