

DAFTAR PUSTAKA

- Adeniyi, B. O., & Erhabor, G. E. (2011). The peak flow meter and its use in clinical practice. *African Journal of Respiratory Medicine*:5–8.
- Antoro, B. (2015). Pengaruh Senam Asma Terstruktur Terhadap Peningkatan Arus Puncak Ekspirasi (APE) Pada Pasien Asma. *Jurnal Kesehatan*, 4(1):69–74.
- Barrett, K. E. (2014). Fisiologia Médica de Ganong. In *Fisiología Endócrina e Reproductiva* (339–40).
- Belacy, N. A., Altemani, A. H., Abdelsalam, M. H., El-Damarawi, M. A., Elsawi, B. M., Nasif, N. A., & El-Basouni, N. A. (2014). Reference Values For Lung Function Test in adult Saudi Population. *International Journal of Internal Medicine*, 3(3):43–52.
- Buist, A. S., Anzueto, A., Calverley, P., DeGuia, T. S., Fukuchi, Y., Cleutjens, F. A. H. M., Phanareth, K. (2014). Global Initiative For Chronic Obstructive Lung Disease. *BMJ Open*, 4(2),
- Caruso, R. V, Connor, R. J. O., Stephens, W. E., & Cummings, K. M. (2014). Toxic Metal Concentrations in Cigarettes Obtained from U . S . Smokers in 2009 : Results from the International Tobacco Control (ITC) United States Survey Cohort:202–217.
- CDC. (2012). Smoking and Tobacco use. Retrieved October 10, 2017, from https://www.cdc.gov/tobacco/data_statistics/surveys/nats/index.htm
- Chaitra, B., & Maitri, V. (2012). Effect of Aerobic Exercise Training on Peak Expiratory Flow Rate: a Pragmatic Randomized Controlled Trial. *International Journal of Biological & Medical Research Int J Biol Med Res*, 2(3):789–92.
- Dahlan, S. (2015). *Statistik untuk Kedokteran dan Kesehatan*. Jakarta: Epidemiologi Indonesia.
- Depkes. (2013). Profil kesehatan provinsi jawa tengah tahun 2013:1–253.
- Depkes RI. (2006). *Pedoman Upaya Kesehatan Olahraga di Puskesmas*. Direktorat Jenderal Bina Kesehatan Masyarakat.
- Dharamshi, H. A., Faraz, A., Ashraf, E., Alam, S. S., Ali, A., Shakeel, O., Naqvi, T. (2015). Variation of PEFR with height, weight and waist-hip ratio in medical students. *International Archives of Medicine*, 8(84):1–6
- Doe, J., DeSanto, C., Granger, D., & Cohn, S. (2009). Smoking's immediate effects on the body. *Tobacco-Free Kids*, (202):1–9.
- Douglas, K. E., & Alasia, D. D. (2012). Evaluation of Peak Expiratory Flow Rates (PEFR) of Workers in a Cement Factory in Port Harcourt South-South, Nigeria., 12(4):97–101.
- Eime, R. M., Young, J. A., Harvey, J. T., Charity, M. J., & Payne, W. R.

- (2013). A systematic review of the psychological and social benefits of participation in sport for children and adolescents: informing development of a conceptual model of health through sport. *International Journal of Behavioral Nutrition and Physical Activity*, 10(1):98.
- Geiss, O., & Kotzias, D. (2007). *Tobacco , Cigarettes and Cigarette Smoke. Reproduction*.
- Hall, J. E., & Guyton, A. C. (2011). *Guyton and Hall Textbook of Medical Physiology. Journal of Chemical Information and Modeling* (Vol. 53).
- Holmen, T. L., Barrett-Connor, E., Clausen, J., Holmen, J., & Bjermer, L. (2002). Physical exercise, sports, and lung function in smoking versus nonsmoking adolescents. *European Respiratory Journal*, 19(1):8–15.
- Jenkis, C., W., B., Sarpong, D. F., Addison, C., White, M. S., Hickson, D. M. A., Burchfiel, C. (2014). Joint effects of smoking and sedentary lifestyle on lung function in African Americans: The Jackson heart study cohort. *International Journal of Environmental Research and Public Health*, 11(2):1500–19.
- Johnson, D. L., & Mair, S. D. (2006). *Clinical Sports Medicine. Clinical Sports Medicine*.
- Kemenkes RI. (2015). Perilaku Merokok Masyarakat Indonesia Berdasarkan Riskesdas 2007 dan 2013. *Infodatin Pusat Data Informasi Kementerian Kesehatan RI*.
- Kodarusman, R. (2015). The Comparation Of Lung Vital Capacity In Various Sport Athlete, 4:96–103.
- Meiliyani, A. (2017). *Pengaruh Merokok Terhadap Penurunan Arus Puncak Ekspirasi Pada Perokok Aktif & Pasif Di Kelurahan Barabai Barat*. Universitas Muhammadiyah Surakarta.
- Miller, M. R., Hankinson, J., Brusasco, V., Burgos, F., Casaburi, R., Coates, A., Wagner, J. (2005). Standardisation of spirometry. *European Respiratory Journal*.
- Mishra, J., Mishra, S., Satpathy, S., Nayak, P. K., & Mohanty, P. (2013). Variations in PEFR among Males and Females With Respect To Anthropometric Parameters. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS)*, 5(1):47–50.
- Mrindha, M., Amin, M., & Kabir, A. (2012). Peak Expiratory Flow Rate (PEFR)-A Simple Ventilatory Lung Function Test. *Journal of Shaheed*, 3(2):44–47.
- Muhammadiyah, P. P. (2010). Fatwa Majelis Tarjih Dan Tajdid Pimpinan Pusat Muhammadiyah No. 6/Sm/Mtt/Iii/2010 Tentang Hukum Merokok, (6):1–8.
- Mutohir, & Maksum. (2007). Sport Development Index. In (*Konsep, Metodologi dan Aplikasi) Alternatif Baru Mengukur Kemajuan Pembangunan Bidang Keolahragaan*. Jakarta: penerbit PT. Index.

- National Center for Chronic Disease Prevention and Health Promotion
- CDC. (2011). CHAPTER 3: Physiologic Responses and Long-Term Adaptations to Exercise. *Physical Activity and Health: A Report of the Surgeon General*:61–77.
- Nauspiel, D. r. (2015). Peak Flow Rate Measurement.
- Newman, D. (2011). *Kamus Saku Kedokteran Dorland Ed. 28. EGC Medical Publisher* (Vol. 28).
- NHANES. (2008). Respiratory Health Spirometry Procedures Manual. *National Health and Nutrition Examination Survey*, (January).
- Nisa, K., Sidharti, L., & Adityo, M. F. (2014). Pengaruh Kebiasaan Merokok terhadap Fungsi Paru pada Pegawai Pria di Gedung Rektorat Universitas Lampung Effect of Smoking Habits to Lung Function in Male Employes at Lampung University Rectorate. *Jurnal Kedokteran Universitas Lampung*, 5(9).
- PDPI. (2011). Asma. *Pedoman Diagnosis Dan Penatalaksanaan Asma Di Indonesia*, 105.
- Pruthi, N., & Multhani, N. K. (2012). Influence of Age on Lung Function Tests. *Journal of Exercise Science and Physioterapy*, 8(1):1–6.
- Radeos, M. S., & Camargo, C. A. (2012). Predicted peak expiratory flow: Differences across formulae in the literature. *American Journal of Emergency Medicine*, 22(7):516–21.
- Rahajoe, N. N., Supriyatno, B., & Setyanto, D. B. (2012). *Buku Ajar respirologi Anak* (I). Jakarta: IDAI.
- Rahmah, N. (2014). Prosiding Seminar Nasional. *Pengaruh Rokok Terhadap Kesehatan Dan Pembentukan Karakter Manusia*, 1:1–8.
- Rao, B. N. (2013). Effect of Cigarette and Cigar Smoking on Peak Expiratory Flow Rate. *Journal of Clinical and Diagnostic Research*, 3(4):398–401.
- Reddy, U. N., Khan, M. A. U., Anjum, S., Nasirmohiuddin, M., Rao, S. P., Rao, J. N., & Afree, S. (2014). Evaluation of Mean Peak Expiratory Flow Rate (PEFR) of Helathy Children Belonging to Urban Areas of Hyderabad. *Asian Pasific Journal of Health Science*, 1(2):113–9.
- Rezende, L., Machado dé, M., Lopes, cio R., Rey-Lo, J., & Pez, V. (2014). Sedentary Behavior and Health Outcomes: An Overview of Systematic Reviews. *PLoS ONE*, 9(8).
- Riskesdas. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional* 2013:1–384.
- Rom, O., Avezov, K., Aizenbud, D., & Reznick, A. Z. (2013). Cigarette smoking and inflammation revisited. *Respiratory Physiology and Neurobiology*, 187(1):5–10.
- Rosetya, M. I. (2011). Perbedaan Antara Nilai Arus Puncak Ekspirasi Sebelum dan Sesudah OLahraga Renang Selama Dua Belas Minggu.

- Program Pendidikan Sarjana Kedokteran Fakultas Kedokteran Universitas Diponegoro Semarang:1–15.*
- Saminan, S. (2017). Efek Perilaku Merokok Terhadap Saluran Pernapasa. *Jurnal Kedokteran Syiah Kuala*.
- Santosa, S. (2004). No Title. *Perbandingan Nilai Arus Puncak Ekspirasi Pada Perokok Dan Bukan Perokok*, 3.
- Sastroasmoro, S., & Ismael, S. (2014). *Dasar-dasar Metodologi Penelitian Edisi ke-5* (V). jakarta: Sagung Seto.
- Sato, K., Konishi, Y., Nakada, M., & Sakurai, T. (2013). Swimming Exercises Increase Peak Expiratory Flow Rate in Elderly Men. *American Journal of Sports Science and Medicine*, 1(4):56–8.
- Sawant, G. V, Kubde, S. R., & Kokiwar, P. R. (2016). Effect of smoking on PEFR : a comparative study among smokers and non smokers in an urban slum community of Hyderabad , India, 3(1):246–50.
- Sherwood, L. (2011). Fisiologi manusia : dari sel ke sistem edisi 6. In *Polish Journal of Surgery* (pp. 675–93).
- Siswanto, F. M., & Pangkahila, A. (2014). the Balancing of Physical Fitness Increase the Activity of Endogenous Stem Cell for Anti-Aging. *Sport and Fitness Journal*, 2(1):1–9.
- Sitalakshmi. (2013). The Peak Expiratory Flow Rate (PEFR): the Effect of Stress in a Geriatric Population of Chennai- A Pilot Study. *Journal of Clinical and Diagnostic Research : JCDR*, 7(2):409–10.
- Syaifuddin, H. (2006). *Anatomi dan Fisiologi untuk Mahasiswa Keperawatan* (3rd ed.). Jakarta: Buku Kedokteran EGC.
- Utami, A. F., Wardoyo, A. Y. P., & Hidayat, A. H. (2010). Pengukuran Faktor Emisi Gas Karbon Monoksida (CO) dan Karbon Dioksida (CO₂) Pada Asap Mainstream Rokok Non Filter. *Jurusan Fisika FMIPA Univ. Brawijaya*.
- Yunus, F. (2007). Faal Paru dan Olahraga. *Jurnal Respirologi Indonesia*, 17(2): 100-5.