

DAFTAR PUSTAKA

- Balci, P. (2009). The effects of two different closed kinetic chain exercises on muscle strength and proprioception in patients with patellofemoral pain syndrome. *Acta Orthopaedica et Traumatologica Turcica*, 43(5), 419–425. <https://doi.org/10.3944/AOTT.2009.419>
- Bhabra, G., Wang, A., Ebert, J. R., Edwards, P., Zheng, M., & Zheng, M. H. (2016). Lateral Elbow Tendinopathy: Development of a Pathophysiology-Based Treatment Algorithm. *Orthopaedic Journal of Sports Medicine*, 4(11), 1–10. <https://doi.org/10.1177/2325967116670635>
- Black, D. W. (2010). Treatment of knee arthrofibrosis and quadriceps insufficiency after patellar tendon repair: A case report including use of the Graston Technique. *International Journal of Therapeutic Massage and Bodywork: Research, Education, and Practice*, 3(2), 14–21. <https://doi.org/10.3822/ijtm.v3i2.79>
- Brotzman, S. B., & Wilk, K. E. (2003). *Clinical Orthopaedic Rehabilitation second edition*. United State of America: Mosby Elsevier.
- Chaitow, L., & DeLany, J. (2008). *Clinical Application of Neuromuscular Techniques: Volume 1 - Upper Body, 2nd ed.* China: Elsevier.
- Cheatham, S. W., Lee, M., Cain, M., & Baker, R. (2016). The efficacy of instrument assisted soft tissue mobilization: a systematic review. *The Journal of the Canadian Chiropractic Association*, 60(3), 200–211. <https://doi.org/10.2147/BCTT.S102598>
- Chen, X., & Li, Y. (2009). Role of matrix metalloproteinases in skeletal muscle. *Cell Adhesion and Migration*, 3(4), 337–341. <https://doi.org/10.4161/cam.3.4.9338>
- Coombes, B. K., Bisset, L., & Vicenzino, B. (2015). Management of Lateral Elbow Tendinopathy: One Size Does Not Fit All. *Journal of Orthopaedic & Sports Physical Therapy*, 45(11), 938–949. <https://doi.org/10.2519/jospt.2015.5841>
- Dilek, B., Batmaz, I., Sariyildiz, M. A., Sahin, E., Ilter, L., Gulbahar, S., ... Nas, K. (2016). Kinesio taping in patients with lateral epicondylitis. *Journal of Back and Musculoskeletal Rehabilitation*, 29(4), 853–858. <https://doi.org/10.3233/BMR-160701>

- Dimitrios, S. (2016). Lateral elbow tendinopathy: Evidence of physiotherapy management. *World Journal of Orthopedics*, 7(8), 463. <https://doi.org/10.5312/wjo.v7.i8.463>
- Dos Winkel, P., Omer Matthijs, P., & Valerie Phelps, P. (1997). *Diagnosis and Treatment of the Upper Extremities*. Gaithersburg, Maryland: Aspen Publishers, Inc.
- Dutra, F. C. M. S., Mancini, M. C., & Neves, J. A. (2016). Empirical analysis of the International Classification of Functioning , Disability and Health (ICF) using structural equation modeling, 20(5), 384–394.
- Gaughlitz, G. G., Korting, H. C., Pavicic, T., Ruzicka, T., & Jeschke, M. G. (2011). Hypertrophic scarring and keloids: pathomechanisms and current and emerging treatment strategies. *Molecular Medicine (Cambridge, Mass.)*, 17(1–2), 113–125. <https://doi.org/10.2119/molmed.2009.00153>
- Herawati, I., & Wahyuni. (2017). *Pemeriksaan Fisioterapi*. Surakarta: Muhammadiyah University Press.
- Hudaya, d. P. (2012). *Pemeriksaan Fisioterapi Satu*. Surakarta: Politeknik Kesehatan Surakarta.
- Jessica I. Schaefer, M. A. (2012). Effects of a 4-wee dynamic balance training program supplemented with Graston instrument assisted soft tissue mobilization for chronic ankle instability. *J Sport Rehabilitation*, 313-326.
- Kim, J., Sung, D. J., & Lee, J. (2017). Therapeutic effectiveness of instrument-assisted soft tissue mobilization for soft tissue injury: mechanisms and practical application. *Journal of Exercise Rehabilitation*, 13(1), 12–22. <https://doi.org/10.12965/jer.1732824.412>
- Kisner, C., & Colby, L. A. (2012). *Therapeutic Exercise: Foundations and Techniques, 6th ed*. United States of America: F.A. Davis Company.
- Klaus Buckup, M. (2008). *Clinical Tests for the Muskuloskeletal System: Examinations-Signs-Phenomena*. New York: Thieme Stuttgart.
- Lepley, L. K., & Palmieri-Smith, R. M. (2014). Cross-education strength and activation after eccentric exercise. *Journal of Athletic Training*, 49(5), 582–589. <https://doi.org/10.4085/1062-6050-49.3.24>
- Lorenz, D., & Reiman, M. (2011). The role and implementation of eccentric training in athletic rehabilitation: tendinopathy, hamstring strains, and acl reconstruction. *International Journal of Sports Physical Therapy*, 6(1), 27–44. <https://doi.org/10.1093/bmb/ldu006>

- Lee, J.-H., Lee, D.-K., & Oh, J.-S. (2016). The effect of Graston technique on the pain and range of motion in patients with chronic low back pain. *Journal of Physical Therapy Science*, 28(6), 1852–1855. <https://doi.org/10.1589/jpts.28.1852>
- MacDonald, N., Baker, R., & Cheatham, S. W. (2016). the Effects of Instrument Assisted Soft Tissue Mobilization on Lower Extremity Muscle Performance: a Randomized Controlled Trial. *International Journal of Sports Physical Therapy*, 11(7), 1040–1047. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/27999718> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5159628>
- Magee, D. J. (2014). *Orthopedic Physical Assessment 6th ed.* United State of America: Elsevier Saunders.
- Marchand, A. A., O'Shaughnessy, J., & Descarreaux, M. (2014). Humeral lateral epicondylitis complicated by hydroxyapatite dihydrate deposition disease: A case report. *Journal of Chiropractic Medicine*, 13(1), 67–74. <https://doi.org/10.1016/j.jcm.2014.01.001>
- Mohamed, A., & Othman, A. (2014). Treatment of Chronic Lateral Epicondylitis: Platelet Rich Plasma versus Extra-Corporeal Shock Wave Therapy. *Open Journal of Orthopedics*, 4(March), 77–83. <https://doi.org/10.4236/ojo.2014.43013>
- Namvar, H., & Moghadam, B. A. (2016). *Effect of myofascial release technique on pain , disability , maximum isometric contraction of the extensor muscles , and pressure pain threshold in patients with chronic nonspecific neck pain : Double blinded randomized clinical trial*, 500–506.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundation of Rehabilitation*. London: Mosby Elsevier.
- Papa, J. a. (2012). Two cases of work-related lateral epicondylopathy treated with Graston Technique® and conservative rehabilitation. *The Journal of the Canadian Chiropractic Association*, 56(3), 192–200. Retrieved from <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3430452&tool=pmcentrez&rendertype=abstract>
- Sevier, T. L., & Stegink-Jansen, C. W. (2015). Astym treatment vs. eccentric exercise for lateral elbow tendinopathy: a randomized controlled clinical trial. *PeerJ*, 3, e967. <https://doi.org/10.7717/peerj.967>
- Steeds, C. E. (2016). The anatomy and physiology of pain. *Surgery*, 34(2), 55–59. <https://doi.org/10.1016/j.mpsur.2015.11.005>

- Study, R., Wen, D. Y., Schultz, B. J., & Schaal, B. (2011). Eccentric Strengthening for Chronic Lateral Epicondylitis: A Prospective, 65212, 500–503. <https://doi.org/10.1177/1941738111409690>
- Stanek, J., Sullivan, T., & Davis, S. (2018). Comparison of Compressive Myofascial Release and the Graston Technique for Improving Ankle-Dorsiflexion Range of Motion. *Journal of Athletic Training*, 53(2), 1062-6050-386–16. <https://doi.org/10.4085/1062-6050-386-16>
- Sukis, B.M, S., & Husodo, B. T. (2016). Faktor-Faktor Yang Berhubungan Dengan Terapi Konservatif (ROM) Pada Pasien Lansia Penderita Nyeri
- Sendidi Unit Pelayanan Sosial Lanjut Usia “Wening Wardoyo” Ungaran. *Jurnal Kesehatan Masyarakat*, 4(2), 228–238.
- Trisnowiyanto, B. (2012). *Instrumen Pemeriksaan Fisioterapi dan Penelitian Kesehatan*. Yogyakarta: Nuha Medika.
- Ther, J. H. (2012). *Effect of Lateral Epicondylitis on Grip Force Development*, 25(1), 27–37. <https://doi.org/10.1016/j.jht.2011.09.003>.
- Vogt, M., & Hoppeler, H. H. (2014). Eccentric exercise: mechanisms and effects when used as training regime or training adjunct. *Journal of Applied Physiology*, 116(11), 1446–1454. <https://doi.org/10.1152/jappphysiol.00146.2013>
- Wahyudi T. (2015). Penambahan Latihan Eksentrik Quadriceps Pada Intervensi Wooble Board Exercise Tidak Lebih Baik Dalam, 15(April).