

DAFTAR PUSTAKA

- Ablove, R. H., & Ablove, T. S. (2009). Prevalence of carpal tunnel syndrome in pregnant women. *Wisconsin Medical Journal*, 108(4), 194–196. [https://doi.org/10.1016/S0140-6736\(75\)90071-9](https://doi.org/10.1016/S0140-6736(75)90071-9)
- Aboonq, M. S. (2015). Pathophysiology of carpal tunnel syndrome. *Neurosciences (Riyadh, Saudi Arabia)*, 20(1), 4–9. Retrieved from <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=4727604&tool=pmcentrez&rendertype=abstract>
- Agustin, C. P. M. (2012). Masa Kerja, Sikap Kerja dan Kejadian Sindrom Karpal pada Pembatik. *Jurnal Kesehatan Masyarakat*, 7(2), 170–176.
- Almasi-Doghaee, M., Boostani, R., Saeedi, M., Ebrahimzadeh, S., Moghadam-Ahmadi, A., & Saeedi-Borujeni, M. J. (2016). Carpal compression, phalen's and tinell's test: which one is more suitable for carpal tunnel syndrome? *Iranian Journal of Neurology*, 15(3), 173–174.
- Aroori, S., & Spence, R. A. J. (2008). Carpal tunnel syndrome. *The Ulster Medical Journal*, 77(1), 6–17. <https://doi.org/10.1136/bmj.39282.623553.AD>
- Bahrudin, M. (2011). Carpal Tunnel Syndrome (CTS). *Jurnal Bidang Kedokteran Dan Kesehatan*, 7(1), 78–87. <https://doi.org/https://doi.org/10.22219/sm.v7i1.1090>
- Bakhsh, H., Ibrahim, I., Khan, W., Smitham, P., & Goddard, N. (2012). Assessment of Validity, Reliability, Responsiveness and Bias of Three Commonly Used Patient-Reported Outcome Measures in Carpal Tunnel Syndrome. *Ortopedia Traumatologia Rehabilitacja*, 14(4), 4–4. <https://doi.org/10.5604/15093492.1005085>
- Burke, J., Buchberger, D. J., Carey-Loghmani, M. T., Dougherty, P. E., Greco, D. S., & Dishman, J. D. (2007a). A Pilot Study Comparing Two Manual Therapy Interventions for Carpal Tunnel Syndrome. *Journal of Manipulative and Physiological Therapeutics*, 30(1), 50–61. <https://doi.org/10.1016/J.JMPT.2006.11.014>
- Burke, J., Buchberger, D. J., Carey-Loghmani, M. T., Dougherty, P. E., Greco, D. S., & Dishman, J. D. (2007b). A Pilot Study Comparing Two Manual Therapy Interventions for Carpal Tunnel Syndrome. *Journal of Manipulative and Physiological Therapeutics*, 30(1), 50–61.

<https://doi.org/10.1016/j.jmpt.2006.11.014>

- Castarlenas, E., Jensen, M. P., von Baeyer, C. L., & Miró, J. (2017). Psychometric Properties of the Numerical Rating Scale to Assess Self-Reported Pain Intensity in Children and Adolescents: A Systematic Review. *The Clinical Journal Of Pain*, 33(4), 376–383. <https://doi.org/10.1097/AJP.0000000000000406>
- Cheatham, S. W., Lee, M., Cain, M., & Russell Baker. (2016). The efficacy of instrument assisted soft tissue mobilization: a systematic review. *The Journal of the Canadian Chiropractic Association*, 60(3), 200–211. <https://doi.org/10.2147/BCTT.S102598>
- Cheung, D. K. M. (2013). *Properties and Applications of Sensory Outcome Measures in Carpal Tunnel Syndrome*. University of Western Ontario. Retrieved from <https://ir.lib.uwo.ca/cgi/viewcontent.cgi?article=2397&context=etd>
- Coppieters, M. W., Hough, A. D., & Dilley, A. (2009). Different Nerve-Gliding Exercises Induce Different Magnitudes of Median Nerve Longitudinal Excursion: An In Vivo Study Using Dynamic Ultrasound Imaging. *Journal of Orthopaedic & Sports Physical Therapy*, 39(3), 164–171. <https://doi.org/10.2519/jospt.2009.2913>
- Day, J. A., Copetti, L., & Rucli, G. (2012). From clinical experience to a model for the human fascial system. *Journal of Bodywork and Movement Therapies*, 16(3), 372–380. <https://doi.org/10.1016/j.jbmt.2012.01.003>
- Duncan, S. F. M., & Kakinoki, R. (2017). *Carpal Tunnel Syndrome and Related Median Neuropathies: Challenges and Complications*. Springer. <https://doi.org/10.1007/978-3-319-57010-5>
- Ellis, R. F., & Hing, W. A. (2008). Neural mobilization: a systematic review of randomized controlled trials with an analysis of therapeutic efficacy. *The Journal of Manual & Manipulative Therapy*, 16(1), 8–22. <https://doi.org/10.1179/106698108790818594>
- Etikan, I., Musa, S. A., & Alkassim, R. S. (2016). Comparison of Convenience Sampling and Purposive Sampling. *American Journal of Theoretical and Applied Statistics*, 5(1), 1–4. <https://doi.org/10.11648/j.ajtas.20160501.11>
- Farhan, F. S., & Kamrasyid, A. A. (2018). Faktor-faktor yang Mempengaruhi Timbulnya Carpal Tunnel Syndrome pada Pengendara Ojek. *Manajemen Kesehatan Yayasan RS. Dr. Soetomo*, 4(2), 123–133.

- Goyal, M., Mehta, S., Rana, N., Singal, R., Mittal, A., Goyal, K., ... Sharma, M. (2016). Motor nerve conduction velocity and function in carpal tunnel syndrome following neural mobilization: A randomized clinical trial. *International Journal of Health & Allied Sciences*, 5(2), 104. <https://doi.org/10.4103/2278-344X.180434>
- GrastonTechnique.com. (2009). *Graston Technique is Based on Research*. Retrieved from https://uploads-ssl.webflow.com/5a3160be4a2f7d000196344b/5b744318e86d1103b610375e_GT_Based_On_Research.pdf
- Hadi, S. (2016). Pemeriksaan Keabsahan Data Penelitian Kualitatif Pada Skripsi. *Jurnal Ilmu Pendidikan*, 22(1), 74–79.
- Harris-Adamson, C., Eisen, E. A., Kapellusch, J., Garg, A., Hegmann, K. T., Thiese, M. S., ... Rempel, D. (2015). Biomechanical risk factors for carpal tunnel syndrome: A pooled study of 2474 workers. *Occupational and Environmental Medicine*, 72(1), 33–41. <https://doi.org/10.1136/oemed-2014-102378>
- Hyde, T. E., & Gengenbach, M. S. (2007). *Conservative Management of Sports Injuries*. Jones & Bartlett Learning. Retrieved from <https://books.google.co.id/books?id=uzPwfNYyjjUC>
- Ibrahim, I. (2012). Carpal Tunnel Syndrome: A Review of the Recent Literature. *The Open Orthopaedics Journal*, 6(1), 69–76. <https://doi.org/10.2174/1874325001206010069>
- Jiménez del Barrio, S., Bueno Gracia, E., Hidalgo García, C., Estébanez de Miguel, E., Tricás Moreno, J. M., Rodríguez Marco, S., & Ceballos Laita, L. (2018). Conservative treatment in patients with mild to moderate carpal tunnel syndrome: A systematic review. *Neurología (English Edition)*, 1–12. <https://doi.org/10.1016/j.nrleng.2016.05.015>
- Johnson, S. E., Carlson, B. L., & Meyers, M. G. (2014). Carpal Tunnel Syndrome: A Retrospective Analysis of Conservative Treatments. *Occupational Therapy Graduate Research*, (6), 1–30.
- Jongs, R. (2017). Carpal Tunnel Questionnaire. *Journal of Physiotherapy*, 63(2), 119. <https://doi.org/10.1016/j.jphys.2017.02.001>
- Jung, H. Y., Kong, M. S., Lee, S. H., Lee, C. H., Oh, M. K., Lee, E. S., ... Yoon, C. H. (2016). Prevalence and related characteristics of carpal tunnel syndrome among orchardists in the Gyeongsangnam-do Region. *Annals of*

Rehabilitation Medicine, 40(5), 902–914.
<https://doi.org/10.5535/arm.2016.40.5.902>

Keck, A. N. (2014). *Effects of Graston Technique on blood flow in the upper extremity*. *ProQuest Dissertations and Theses*. Retrieved from <https://search.proquest.com/docview/1566191305?accountid=10286>

Kementerian Kesehatan Republik Indonesia. (2014). 1 ORANG PEKERJA DI DUNIA MENINGGAL SETIAP 15 DETIK KARENA KECELAKAAN KERJA. Retrieved from <http://www.depkes.go.id/article/print/201411030005/1-orang-pekerja-di-dunia-meninggal-setiap-15-detik-karena-kecelakaan-kerja.html>

Kumar, V., Goyal, M., & Rajendran, N. (2013). Effect of neural mobilization on monosynaptic reflex. *International Journal of Physiotherapy and Research*, 2013(3), 58–62. Retrieved from http://www.ijmhr.org/ijpr_articles_vol1_03/312.pdf

Kurniawan, B., Jayanti, S., & Setyaningsih, Y. (2008). Faktor Risiko Kejadian Carpal Tunnel Syndrome (CTS) pada Wanita Pemetik Melati di Desa Karangcengis, Purbalingga. *Jurnal Promosi Kesehatan Indonesia*, 3(1), 31–37. <https://doi.org/https://doi.org/10.14710/jpki.3.1.31-37>

Lambert, M., Hitchcock, R., Lavalley, K., Hayford, E., Morazzini, R., Wallace, A., ... Cleland, J. (2017). The effects of instrument-assisted soft tissue mobilization compared to other interventions on pain and function: a systematic review. *Physical Therapy Reviews*, 22(1-2), 76–85. <https://doi.org/10.1080/10833196.2017.1304184>

Lee, J.-H., Lee, D.-K., & Oh, J.-S. (2016). The effect of Graston technique on the pain and range of motion in patients with chronic low back pain. *Journal of Physical Therapy Science*, 28(6), 1852–1855. <https://doi.org/10.1589/jpts.28.1852>

Mallapiang, F., & Wahyudi, A. A. (2014). Gambaran Faktor Pekerjaan dengan Kejadian Carpal Tunnel Syndrome (CTS) pada Pengrajin Batu Tatakan di Desa Lempang Kec . Tanete Riaja Kabupaten Barru Tahun 2015. *Al - Sihah : Public Health Science Journal*, VI(2), 19–25.

Mitra, F., Chowdhury, S., Shelley, M., & Buettner, P. (2018). iMedPub Journals Criteria Useful in Measurement of Pain and Monitoring Treatment Outcomes Abstract. *Journal of Anaesthesiology and Critical Care*, 1(2:6), 1–7. Retrieved from <http://www.imedpub.com/articles/criteria-useful-in->

measurement-of-pain-and-monitoring-treatment-outcomes.pdf

- Morina, F. et al. (2012). Carpal Tunnel Syndrome: Diagnosis and Surgical treatment. *Health*, 4(4).
- Nissa, P. C., Widjasena, B., Masyarakat, F. K., & Diponegoro, U. (2015). HUBUNGAN GERAKAN REPETITIF DAN LAMA KERJA DENGAN KELUHAN CARPAL TUNNEL SYNDROME PADA MAHASISWA TEKNIK ARSITEKTUR. *Jurnal Kesehatan Masyarakat*, 3(3), 563–571.
- Ombregt, L. (2013). *A System of Orthopaedic Medicine - E-Book*. (3, Ed.). Elsevier Health Sciences. Retrieved from <https://books.google.co.id/books?id=YaFsAAAAQBAJ&pg=RA1-PA155&lpg=RA1-PA155&dq=Durkan+JA.+A+new+diagnostic+test+for+carpal+tunnel+syndrome.+J+Bone+Joint+Surg+Am+1991;73:535-8&source=bl&ots=g5AgdIPs6Z&sig=gjLr01R1wckczEQ2BqzaIJ3uQOg&hl=id&sa=X&ved=2ahUKEwj>
- Pangestuti, A. A., & Widajati, N. (2014a). FAKTOR YANG BERHUBUNGAN DENGAN KELUHAN CARPAL TUNNEL SYNDROME PADA PEKERJA GERINDA DI PT DOK DAN PERKAPALAN SURABAYA. *The Indonesian Journal of Occupational Safety and Health*, 3, No. 1, 14–24.
- Pangestuti, A. A., & Widajati, N. (2014b). Faktor yang Berhubungan dengan Keluhan Carpal Tunnel Syndrome pada Pekerja Gerinda di PT DOK dan Perkapalan Surabaya. *The Indonesian Journal of Occupational Safety and Health*, 3(1), 14–24.
- Peer, S., & Bodner, G. (2013). *High-Resolution Sonography of the Peripheral Nervous System*. Springer Science & Business Media. Retrieved from <https://books.google.co.id/books?id=Q92tBAAAQBAJ&printsec=frontcover&dq=High-Resolution+Sonography+of+the+Peripheral+Nervous+System&hl=id&sa=X&ved=0ahUKEwjW--n1yOndAhUJwI8KHfNPBocQ6AEIJzAA#v=onepage&q=High-Resolution+Sonography+of+the+Peripheral+Nervous+System>
- Putra, R. L., Alief, H. F., & Grand, P. B. (2016). HUBUNGAN MASA KERJA DENGAN KEJADIAN CTS PADA PEKERJA PEMETIK, 12(1), 24–29.
- Rohmah, S. (2016). Analisis Hubungan Faktor-Faktor Individu Dengan Carpal Tunnel Syndrome (CTS) Pada Pekerja Konveksi. *Seminar Nasional*

IENACO, 73–79.

- Safikhani, S., Gries, K. S., Trudeau, J. J., Reasner, D., Rüdell, K., Coons, S. J., ... Vernon, M. (2018). Response scale selection in adult pain measures : results from a literature review. *Journal of Patient-Reported Outcomes*, 2(40).
- Salawati, L., & Syahrul. (2014). Carpal Tunnel Syndrome. *Jurnal Kedokteran Syiah Kuala*, 14(1), 29–37. Retrieved from www.jurnal.unsyiah.ac.id
- Salim, D. (2017). Penegakan Diagnosis dan Penatalaksanaan Carpal Tunnel Syndrome. *J. Kedokt Meditek*, 23(6), 67–70.
- Schleip, R., Findley, T. W., Chaitow, L., & Huijing, P. (2012). *Fascia: The Tensional Network of the Human Body: The science and clinical applications in manual and movement therapy. Fascia: The Tensional Network of the Human Body: The science and clinical applications in manual and movement therapy*. <https://doi.org/10.1016/C2009-0-39594-X>
- Setyoaji, D., Keselamatan, M., Kerja, K., Undip, F., Keselamatan, D., & Kesehatan, D. (2017). Faktor Yang Mempengaruhi Kejadian Carpal Tunnel Syndrome Pada Perajin Batik Tulis “Seruling Etan,” 5(2), 1–6. Retrieved from <http://ejournal-s1.undip.ac.id/index.php/jkm>
- Soemarko, D. S. (2012). PENYAKIT AKIBAT KERJA “Identifikasi dan rehabilitasi kerja.” *K3 Expo Seminar SMESCO*, (April), 1–6.
- Sueki, D., & Brechter, J. (2009). *Orthopedic Rehabilitation Clinical Advisor - E-Book*. Elsevier Health Sciences. Retrieved from <https://www.amazon.com/Orthopedic-Rehabilitation-Clinical-Advisor-Book-ebook/dp/B005NYEZHM>
- Tamba, L. M. T., & Pudjowidyanto, H. (2008). Media Medika. *Karakteristik Penderita Sindroma Terowongan Karpal (STK) Di Poliklinik Instalasi Rehabilitasi Medik RS Dr. Kariadi Semarang 2006*, 43(1), 10–16.
- Utomo, B., & Wahyono, Y. (2017). Perbedaan Pengaruh Antara Mobilisasi Saraf Dan Myofacial Release Terhadap Penurunan Nyeri Pada Pasien Carpal Tunnel Syndrome. *Kementerian Kesehatan Politeknik Kesehatan Surakarta Jurusan Fisioterapi*, 201–207.
- Yudiyanta, dkk. (2015). Assessment Nyeri. *Departement Neurologi, Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta, Indonesia*, 42(3), 214–234. Retrieved from http://kalbemed.com/Portals/6/19_226Teknik-Assessment Nyeri

Zuhri, S., Miharjanto, H., & Trisnowiyanto, B. (2012). Latihan Neural Stretching Dan Penurunan Nyeri Penderita Carpal Tunnel Syndrome. *Jurnal Terpadu Ilmu Kesehatan*, 1, 61–66. Retrieved from [/citations?view_op=view_citation&continue=/scholar?hl=fr&start=80&as_sdt=0,5&scilib=1&citilm=1&citation_for_view=AvchKBQAAAAJ:j8pv¹kN2QC&hl=fr&oi=p](#)