

DAFTAR PUSTAKA

- Alfas, I. (2001). Principles of bone healing, *10*(4), 1–4.
- Anwer, S., & Alghadir, A. (2014). Effect of Isometric Quadriceps Exercise on Muscle Strength , Pain , and Function in Patients with Knee Osteoarthritis : A Randomized Controlled Study, *26* no.5, 2–5.
- Apley, G. (1995). *Buku Ajar Ortopedi Dan Fraktur Sistem Apley*. (A. Kartini, Ed.) (edisi ketu). Jakarta: Widya Medika.
- Benjamin, G., Pitta, B., Fernanda, T., Thaysa, F., & Moreira, E. (2014). Case report Compartment syndrome after tibial plateau fracture & Case report. *Revista Brasileira de Ortopedia*, *49*(1), 86–88. <https://doi.org/10.1016/j.rboe.2014.02.002>
- Chang, S., Hosp, Y., & Zhang, Y. (2014). Schatzker Type IV Medial Tibial Plateau Fractures : A Computed Tomography – based Morphological Subclassification, (August). <https://doi.org/10.3928/01477447-20140728-55>
- Chang, S., & Zhang, Y. (2014). Morphological Subclassification, *37*(8), 699–706. <https://doi.org/10.3928/01477447-20140728-55>
- Delyuzir, N., & Lesmana, S. (2009). Perbedaan Pengaruh Pemberian Mwd , Us , Latihan Isometrik Quadriceps Terhadap Peningkatan Kekuatan, *9*(2).
- Distefano, L. J., Troy, B., & Marshall, S. (2009). Gluteal Muscle Activation During Common Therapeutic Exercises, *39*(7), 532–540. <https://doi.org/10.2519/jospt.2009.2796>
- Djaja, S., Widyastuti, R., & Tobing, K. (2016). Gambaran Kecelakaan Lalu Lintas Di Indonesia , Tahun 2010-2014 Description of Traffic Accident in Indonesia , Year 2010-2014, *2007*, 30–42.
- Elsoe, R., Larsen, P., Nielsen, N. P. H., Swenne, J., Rasmussen, S., & Ostgaard, S. E. (2015). Population-Based Epidemiology of Tibial Plateau Fractures. *Orthopedics*, *38*(9), e780–e786. <https://doi.org/10.3928/01477447-20150902-55>
- Fehr, G. L., Junior, A. C., & Walker, Ê. (2006). Effectiveness of the open and closed kinetic chain exercises in the treatment of the patellofemoral pain syndrome, *12*(16), 56–60.
- Fenton, P., & Porter, K. (2011). Tibial plateau fractures : A review, *13*(3), 181–187. <https://doi.org/10.1177/1460408610396422>
- Frontera, W., Herring, S., & Micheli, L. (2007). *Clinical Sports Medicine: Medical Management and Rehabilitation*. Elsevier Health Sciences.
- Gale, G., & Rothbart, P. (2006). Infrared therapy for chronic low back pain : A

randomized , controlled trial, 11(3), 193–196.

- Gaston, P., & Will, E. M. (2005). Recovery of knee function following fracture of the tibial plateau, 87(9), 1233–1236. <https://doi.org/10.1302/0301-620X.87B9.16276>
- Hardy, M., & Snaith, B. (2010). Musculoskeletal Trauma E-Book: a guide to assessment and diagnosis. In *Elsevier Health Sciences* (p. 255).
- Hayes, K., & Hall, K. (2012). *Manual For Physical Agents* (6 th). Pearson education.
- Hong-wei, C., & Jun, P. (2016). A posteromedial approach for open reduction and internal fixation of posteromedial tibial plateau fracture, 82, 258–264.
- Hsieh, R., Liao, W., & Lee, W. (2012). Local and Systemic Cardiovascular Effects from Monochromatic Infrared Therapy in Patients with Knee Osteoarthritis : A Double-Blind , Randomized , Placebo-Controlled Study. *Evidence-Based Complementary and Alternative Medicine*, 2012, 9. <https://doi.org/10.1155/2012/583016>
- Imotto, A., Peccin, M., & Trevisani, V. (2012). Quadriceps Strengthening Exercises are effective in improving pain , function and quality of life in patients with osteoarthritis of the Knee, 20(3), 174–179.
- Jain, R., & Orth, M. S. (2016). Prospective Case Study of Outcome of Tibial Plateau Fractures Treated with Locking Condylar Plate, 10(3), 12–16.
- Jia, P., & Lu, F. (2018). Angle Stable Interlocking Intramedullary Nails for Tibial Plateau Fractures, (February), 1–6. <https://doi.org/10.1111/os.12373>
- Kandemir, U. (2014). Surgical Approaches for Tibial Plateau Fractures.
- Keast, D., & Forest, L. (2011). of Wound Healing An understanding of the basic physiology of wound healing provides, 9(2), 1–5.
- Kerai, S., Saxena, K., & Taneja, B. (2014). Role of transcutaneous electrical nerve stimulation in post - operative analgesia. *Department of Anaesthesiology and Intensive Care*, 58(4). <https://doi.org/10.4103/0019-5049.138966>
- Kesemenli, C. C., Sarman, H., Baran, T., Memisoglu, K., Binbir, I., & Savas, Y. (2014). Original Article A new isometric quadriceps-strengthening exercise using EMG-biofeedback, 7(9), 2651–2655.
- Kfuri, M., & Schatzker, J. (2018). Revisiting the Schatzker classification of tibial plateau fractures. *Injury*, 49(12), 2252–2263. <https://doi.org/10.1016/j.injury.2018.11.010>
- Kim, M.-K., & Kong, B.-S. (2017). Effects of open and closed kinetic-chain exercises on the muscle strength and muscle activity of the ankle joint in young healthy women. *The Journal of Physical Therapy Science*, (VI), 1903–1906.

- Kisner, C., & Colby, L. (2012). *Therapeutic Exercise Foundations and Techniques* (edition 6). Margaret Biblis.
- Kwon, Y., Park, S., & Jefferson, J. (2013). The Effect of Open and Closed Kinetic Chain Exercises on Dynamic Balance Ability of Normal Healthy Adults, 671–674.
- Lee, A., & Kwok, T. C. Y. (2005). Clinical Guidelines for Managing Lower-limb Osteoarthritis in Hong Kong Clinical Guidelines for Managing Lower-limb Osteoarthritis in Hong Kong Primary Care Setting, (March 2016).
- Lee, J., Cynn, H., Kwon, O., Yi, C., Yoon, T., Choi, W., & Choi, S. (2014). Different hip rotations influence hip abductor muscles activity during isometric side-lying hip abduction in subjects with gluteus medius weakness. *Journal of Electromyography and Kinesiology*, 24(2), 318–324. <https://doi.org/10.1016/j.jelekin.2014.01.008>
- Lee, K., & Shin, W. (2014). The Journal of Korean Society of Physical Therapy Original articles The Effects of Closed Kinetic and Open Kinetic Chain Exercises Using Knee Reposition Sense in Chronic Stroke Patients, 26(3), 182–190.
- Macadam, P., Cronin, J., & Contreras, B. (2015). Systematic Review An Examination Of The Gluteal Muscle Activity Associated With Dynamic Hip Abduction And Hip External Rotation Exercise : A Systematic Review, 10(5), 573–591.
- Macaskill, M. J., Durant, T. J. S., & Wallace, D. A. (2014). Original Research Gluteal Muscle Activity During, 9(7), 907–914.
- Manidakis, N., & Dosani, A. (2009). Tibial plateau fractures : functional outcome and incidence of osteoarthritis in 125 cases, (June). <https://doi.org/10.1007/s00264-009-0790-5>
- Markhardt, K., & Gross, J. (2009). Schatzker Classification of Tibial Plateau Fractures : Use of CT and MR Imaging Improves Assessment 1, 585–598.
- Medvecky, M. J., & Noyes, F. R. (2014). Surgical Approaches to the Posteromedial and Posterolateral Aspects of the Knee, (March 2005). <https://doi.org/10.5435/00124635-200503000-00005>
- Metcalfe, D., & Hickson, C. J. (2015). External versus internal fixation for bicondylar tibial plateau fractures : systematic review and meta-analysis. *Journal of Orthopaedics and Traumatology*, 16(4), 275–285. <https://doi.org/10.1007/s10195-015-0372-9>

- Monteiro, S. D., & Einhorn, T. (2015). Fracture healing: mechanisms and interventions, *11*(1), 45–54. <https://doi.org/10.1038/nrrheum.2014.164>.Fracture
- Nabian, M. H., & Tahmasebi, M. N. (2015). Comparison of Arthroscopic Assisted Reduction and Internal Fixation Versus Open Reduction and Internal Fixation in Tibia Plateau Fracture Treatment: A Prospective Cohort Study With Historical Controls, *1*(1).
- Noehren, B., Dailey, D. L., Rakel, B. A., Vance, G. T., Zimmerman, M. B., Crofford, L. J., ... Zimmerman, M. B. (2014). Running head: FAST Protocol Protocol Effect of Transcutaneous Electrical Nerve Stimulation on Pain, Function, and Quality of Life in Fibromyalgia: A Double-Blind Randomized Clinical Trial B. <https://doi.org/10.2522/ptj.20140218>
- Ojeniweh, N., Ezema, C. I., Anekwu, E. M., Amaeze, A. A., Olowe, O., & Okoye, G. C. (2015). Efficacy of Six Weeks Infrared Radiation Therapy on Chronic Low Back Pain and Functional Disability in National Orthopaedic Hospital, Enugu, South East, Nigeria IPageifi @, *15*(4).
- Orthopaedics, C., Zeltser, D., & Leopold, S. (2016). Classifications in Brief: Schatzker Classification of Tibial Plateau Fractures Classifications in Brief, (June 2012). <https://doi.org/10.1007/s11999-012-2451-z>
- Oryan, A., Monazzah, S., & Bigham-sadegh, A. (2015). Bone Injury and Fracture Healing Biology, *28*(1), 57–71. <https://doi.org/10.3967/bes2015.006>
- Papagelopoulos, P. J., Partsinevelos, A. A., Themistocleous, G. S., Mavrogenis, A. F., Korres, D. S., & Soucacos, P. N. (2006). Complications after tibia plateau fracture surgery, *475–484*. <https://doi.org/10.1016/j.injury.2005.06.035>
- Pristianto, A., Wijianto, & Rahman, F. (2018). Terapi Latihan Dasar. In *Muhammadiyah University Press* (p. 2).
- Reiman, M. P., Bolgla, L. A., Loudon, (2012). A literature review of studies evaluating gluteus maximus and gluteus medius activation during rehabilitation exercises A literature review of studies evaluating gluteus maximus and gluteus medius activation during rehabilitation exercises, *3985*. <https://doi.org/10.3109/09593985.2011.604981>
- Rio, E., Kidgell, D., Purdam, C., Gaida, J., Moseley, G. L., Pearce, A. J., & Cook, J. (2015). Isometric exercise induces analgesia and reduces inhibition in patellar tendinopathy. *Br J Sport Medicine*, *49*, 1277–1283. <https://doi.org/10.1136/bjsports-2014-094386>
- Roberts, M. L., Winner, P., Wilson, J., & Maitland, L. (2016). A structured review of the role of gluteus maximus in rehabilitation, (January 2005).

- Rozell, J. C., Vemulapalli, K. C., Gary, J. L., & Donegan, D. J. (2016). Tibial Plateau Fractures in Elderly Patients, 7(3), 126–134. <https://doi.org/10.1177/2151458516651310>
- Singh, J. (2012). *Textbook of Electrotherapy*. Jaypee Brothers Publishers.
- Smeltzer, S. C. O. (2010). Brunner & Suddarth's Textbook of Medical-surgical Nursing, Volume 1 (p. 2084).
- Surrena, H. (2010). Handbook for Brunner and Suddarth's Textbook of Medical-Surgical Nursing (p. 305). Lippincott Williams & Wilkins.
- Susilawati, I., Tirtayasa, K., & Lesmana, S. (2015). Latihan Closed Kinetic Chain Lebih Baik Daripada Open Kinetic Chain Untuk Meningkatkan Kemampuan Fungsional Pada Osteoarthritis Lutut Setelah Pemberian Micro Wave Diathermy (Mwd) Dan Transcutaneous Electrical Nerve Stimulation (Tens). *Sport and Fitness Journal*, 3(1), 26–34.
- Syafrianto, D., Karmaya, N. M., Lesmana, S. I., & Ngurah, I. B. (2017). Penambahan Glute Exercise Pada Terapi Latihan Dasar Lebih Meningkatkan Stabilitas Ankle Pada Penderita Glute Exercise Addition To Basic Exercise Therapy Is Moreimprovetoankle Stability Patients Of Chronic Ankle Sprain, 5(2), 51–57.
- Thalathoti, S., & Shaik, S. K. (2016). Effectiveness Of Open Kinematic Chain Exercises Versus Closed Kinematic Chain Exercises Of Knee In Meniscal Instability Athletes, 4(1), 1345–1351. <https://doi.org/10.16965/ijpr.2015.188>
- Tsai, S., & Hamblin, M. R. (2017). Biological effects and medical applications of infrared radiation. *Journal of Photochemistry & Photobiology, B: Biology*, 170(April), 197–207. <https://doi.org/10.1016/j.jphotobiol.2017.04.014>
- Width, P. (2017). Pengendalian Dosis Inframerah pada Alat Terapi Menggunakan Pulse Width Modulation (PWM), 6(2), 194–204.
- Witvrouw, E., Danneels, L., Tiggelen, D. Van, & Willems, T. M. (2008). A 5-Year Prospective Randomized Study. <https://doi.org/10.1177/0363546503262187>