Correlation of Nurse Client Relationship Phase With The Level of Negative Symptoms of Schizophrenic Patients

Skripsi

Propose as the requirement for achieve Bachelor of Nursing



Written By:

Mutia Ayu Pratiwi

J210.154.001

School of Nursing

Faculty of Health Science

Uuniversity of Muhammadiyah Surakarta

2019

APPROVAL PAGE

The undersigned below stated that the research is entitled:

Correlation of Nurse Client Relationship Phase With The Level of Negative Symptoms of Schizophrenic Patients

Written By:

Mutia Ayu Pratiwi

J210.154.001

Has Qualified and Approved for the Research Exam

School of Nursing

Faculty of Health Science

University of Muhammadiyah Surakarta

2019

Supervisor

Chlara Yunita Prabawati, S.Kep., Ns., MSN

Date: 25 June 2019

LEGITIMATION PAGE

Correlation of Nurse Client Relationship Phase With The Level of Negative Symptoms of Schizophrenic Patients

Written By:

Mutia Ayu Pratiwi

J210.154.001

Has been successed to defended to the Board of Examiners

Faculty of Health Science

University of Muhammadiyah Surakarta

On 14 / August /2019

And Declared Eligible

Board of Examiners:

- 1. Chlara Yunita Prabawati, S.Kep., Ns., MSN (Chairperson of the Examiner Board)
- Arum Pratiwi S.Kp., M.Kes., Ph.D (Member I Board of Examiner)
- 3. Sulastri, S.Kp., M.Kes

 (Member II Board of Examiner)

Dean

AK Dr. Mutalazimah, SKM., M.Kes

NIK 786/ NIDN. 0617117301

STATEMENT OF RESEARCH AUTHENTICITY

Name : Mutia Ayu Pratiwi

NIM : J210.154.001

Study program : School of Nursing

Title of research : Correlation of Nurse Client Relationship Phase

With The Level of Negative Symptoms of

Schizophrenic Patients

Properly declare that on these research result there are no creations that have ever been submitted for a bachelor's degree in a university and there are no creations and opinions from other people that have been written or publised, except on this publication mentioned in writing on citations and references. If proven that there is plagiarism on this research result, the writer is willing to take full responsibility.

Surakarta, 25 / June / 2019

Writer

Mutia Ayu Pratiwi

J210.154.001

DEDICATION PAGE

Praise the presence of God Almighty for all the mercy, therefore the researcher can complete this research entitled "Correlation of Nurse Client Relationship Phase With The Level of Negative Symptoms of Schizophrenic Patients". This research report the author presents to:

- 1. Chlara Yunita Prabawati, S.Kep., Ns., MSN., as a supervisor who has provided time, thought and energy to guide the author in completed this research report.
- 2. Both of the author's parents, who always pray for the best and always given support to the author.
- 3. Friends of international nursing class of 2015.
- 4. My lovely brother Linggar Dwi Septyo.
- 5. My best partner Achmad Syarif who faithfully listen to my story and my complain and willing to accompany me when I need entertainment and vacation.

The researcher is fully aware that this research report has many shortcomings and is far from perfect. Therefore, constructive input from all parties is highly expected for the perfection of the next writing. The researcher hopes that this research report can be useful for the researchers and for all readers.

Surakarta, 25 / June / 2019

Author

Mutia Ayu Pratiwi

PREFACE

Praise the presence of God Almighty for all the mercy, therefore the researcher can complete this research entitled "Correlation of Nurse Client Relationship Phase With The Level of Negative Symptoms of Schizophrenic Patients". The research as a requirement for achieving a Bachelor of Nursing, Faculty of Health Science, University of Muhammadiyah Surakarta.

In the preparation and writing process of this research, the researcher received guidance, direction, correction, and suggestions from several parties, therefore the researcher could completed the research report. On this occasion, the researcher would like to express the gratitude to:

- 1. Dr. Sofyan Anif, M.Sc., as a rector at the University of Muhammadiyah Surakarta.
- 2. Dr. Mutalazimah, SKM., M.Kes., as a Dean of the Faculty of Health Sciences, University of Muhammadiyah Surakarta.
- 3. Arum Pratiwi S.Kep., M.Kep., Ph.D., as a chairman of the School of Nursing, University of Muhammadiyah Surakarta.
- 4. Enita Dewi, S. Kep., Ns., M.N., as the academic adviser of international nursing class of 2015, University of Muhammadiyah Surakarta.
- 5. Chlara Yunita Prabawati, S.Kep., Ns., MSN., as a supervisor who has provided time, thought and energy to guide the author in completed this research report.
- 6. Both of the author's parents, who always pray for the best and always given support to the author.
- 7. Friends of international nursing class of 2015.

Finally, may God Almighty repay all the good of all those who have helped. Hopefully, this research result give benefits to the development of science, especially in the field of nursing.

Surakarta, 25 / June / 2019

Author

Mutia Ayu Pratiwi

TABLE OF CONTENTS

| Title Page i |
|------------------------------------|
| Approval Pageii |
| Legitimation Pageiii |
| Statement of Research Authenticity |
| Dedication Pagev |
| Prefacevi |
| Table of Contents viii |
| Table of Figurexi |
| List of Tablesxii |
| Table of Attachment xiii |
| Table of Abbreviationxiv |
| Abstractxv |
| Abstrak xvi |
| CHAPTER I INTRODUCTION1 |
| A. Background1 |
| B. Problems Statement5 |
| C. Research Purpose5 |
| D. Research Advantages6 |
| E. Research Authenticity7 |
| CHAPTER II REVIEW OF THEORY9 |
| A. Literature Review9 |
| 1. Schizophrenia9 |

| 2. Therapeutic Communication | 24 |
|---|----|
| B. Theoretical Framework | 34 |
| C. Conceptual Framework | 35 |
| D. Hypothesis | 36 |
| CHAPTER III RESEARCH METHODS | 38 |
| A. Type of Research | 38 |
| B. Place and Time | 39 |
| C. Population and Sample | 39 |
| D. Research variable | 43 |
| E. Operational Definition of Variables | 43 |
| F. Research Instrument | 44 |
| G. Validity and Reliability Tests | 45 |
| H. Research Plan | 47 |
| I. Research Ethics | 49 |
| J. Data Analysis | 50 |
| K. Data Processing | 51 |
| CHAPTHER IV RESEARCH RESULTS AND DISCUSSION | 53 |
| A. Research Results | 53 |
| 1. Univariate Analysis | 53 |
| 2. Bivariate Analysis | 59 |
| B. Discussion | 61 |
| 1. Patients Demographic Characteristics | 61 |
| 2. Nurses Demographic Characteristics | 62 |
| 3. Nurse Client Relationship Phase | 63 |

| 4. The Level of Negative Symptoms of Schizophrenic |
|--|
| Patients |
| 5. Correlation of Nurse Client Relationship Phase |
| With The Level of Negative Symptoms 67 |
| C. Research Limitations |
| CHAPTHER V: CONCLUSIONS AND RECOMMENDATIONS 71 |
| A. Conclusions |
| B. Recommendations |
| REFERENCES |
| ATTACHEMENTS |

TABLE OF FIGURES

| 1. | Theoretical Framework | 35 |
|----|-----------------------|------|
| 2. | Conceptual Framework | . 36 |

LIST OF TABLES

| Table 1: Frequency Distribution of Characteristics of Patients |
|---|
| Respondents |
| Table 2: Frequency Distribution of Characteristics of Nurses |
| Respondents |
| Table 3: Frequency Distribution of Nurse Client Relationship Phase 56 |
| Table 4: Frequency Distribution of Quality of Nurse Client Relationship |
| Phase |
| Table 5: Frequency Distribution of Sub Symptoms of Negative |
| Symptoms of Schizophrenic Patients 57 |
| Table 6: Frequency Distribution of Negative Symptoms of Schizophrenic |
| Patients |
| Table 7: Relationship Between Nurse Client Relationship Phase with The |
| Level of Negative Symptoms of Schizophrenic Patients59 |
| Table 8: Correlation of Nurse Client Relationship Phase with The Level of |
| Negative Symptoms of Schizophrenic Patients 60 |

TABLE OF ATTACHMENTS

Attachement 1: Informed Consent of Patients Respondent

Attachement 2: Demographic Data of Patients Respondent

Attachement 3: Brief Negative Symptoms Scale (BNSS)

Attachement 4: Informed Consent of Nurses Respondent

Attachement 5: Demographic Data of Nurses Respondent

Attachement 6: Nurse - Client Relationship Phase

Attachement 8: SPPS Data Results

TABLE OF ABBREVIATION

Riskesdas : Riset Kesehatan Dasar

NMDA : N Methyl D Aspartic Acid

DSM-5 : Diagnostics and Statistics of the Mental Disorders - Fifth Edition

LAI : Long Acting Injection

ECT : Electroconvulsive Therapy

FDA : Food and Drug Administration

CLIA : Clinical Laboratory Improvement Amendment

CBT : Cognitive Behavioral Therapy

BNSS : Brief Negative Symptoms Scale

Correlation of Nurse Client Relationship Phase With The Level of Negative Symptoms of Schizophrenic Patients

Abstract

Schizophrenia is a serious mental disorder that affects thought, feels, and behavior. The hallmark symptoms of schizophrenia is positive and negative, such as experiencing auditory hallucinations and delusions. Negative symptoms of schizophrenia are loss or reduction in normal function such as anhedonia, avolition, asociality, apathy, alogia and attention disorder. In addition to medical treatment techniques, the schizophrenic patient's healing process must be supported by effective communication techniques.

The purpose of this study was to explore the correlation of Nurse Client Relationship Phase with The Level of Negative Symptoms of Schizophrenic Patients. The study used descriptive statistics method with cross sectional approach. Conducted at the inpatient ward of the RSJD Dr. Arif Zainudin Surakarta with 63 patients respondents and 25 nurses respondents.

Instrument research in the form of a questionnaire called "Nurse - Client Relationship Phase", contains 23 items and a questionnaire "Brief Negative Symptoms Scale (BNSS)", contains 13 items. The research that has been carried out showed that there is a correlation of Nurse Client Relationship Phase with The Level of Negative Symptoms of Schizophrenic Patients with p < .05. Nurses are expected to improve their abilities and services, especially in terms of communicating with patients.

Keywords: Schizophrenia, Therapeutic Communication, Nurse, Patient, Negative Symptoms.

Hubungan Antara Fase Hubungan Perawat Klien Dengan Tingkat Gejala Negatif Pasien Skizofrenia

Abstrak

Skizofrenia adalah gangguan mental serius yang memengaruhi pikiran, perasaan, dan perilaku. Gejala khas skizofrenia adalah positif dan negatif, seperti mengalami halusinasi pendengaran dan delusi. Gejala negatif skizofrenia adalah kehilangan atau penurunan fungsi normal seperti anhedonia, avolition, asocialitas, apatis, alogia, dan gangguan dalam perhatian. Selain teknik perawatan medis, proses penyembuhan pasien skizofrenia harus didukung oleh teknik komunikasi yang efektif.

Tujuan dari penelitian ini adalah untuk mengeksplorasi hubungan antara fase hubungan perawat - klien dengan tingkat gejala negatif pasien skizofrenia. Penelitian ini menggunakan metode deskriptif statistik dengan pendekatan cross sectional. Dilakukan di ruang rawat inap RSJD Dr. Arif Zainudin Surakarta kepada 63 responden pasien.

Instrumen penelitian dalam bentuk kuesioner yang disebut "Fase Hubungan Perawat - Pasien", berisi 23 item dan kuesioner "Brief Negative Symptoms Scale (BNSS)", berisi 13 item. Penelitian yang telah dilakukan menunjukkan bahwa ada hubungan antara Fase Hubungan Perawat - Klien dengan Tingkat Gejala Negatif Pasien Skizofrenia dengan nilai p < .05. Perawat diharapkan untuk meningkatkan kemampuan dan layanan mereka, terutama dalam hal berkomunikasi dengan pasien.

Kata kunci: Skizofrenia, Komunikasi Terapeutik, Perawat, Pasien, Gejala Negatif.