

REFERENCES

- Afnuhazi, R. (2015). *Komunikasi Terapeutik Dalam Keperawatan Jiwa*. Yogyakarta: Gosyen Publishing.
- Agustina, K. (2016). *Gambaran pelaksanaan komunikasi terapeutik perawat pada klien halusinasi*, 1–10.
- Alavi, N. M. (2014). *Men in Nursing*, (December). <https://doi.org/10.17795/nmsjournal17987>.
- Alvesson, M., & Gabriel, Y. (2015). *Grandiosity in contemporary management and education*, (December). <https://doi.org/10.1177/1350507615618321>.
- Amirullah. (2015). *Pengantar Manajemen*. Jakarta: Mitra Wacana Media.
- Andina, E. (2013). *Protection of Mental Disorders Risk Group*, 143–154.
- Ang, Y., Lockwood, P., Apps, M. A. J., Muhammed, K., & Husain, M. (2017). *Distinct Subtypes of Apathy Revealed by the Apathy Motivation Index*, 1–15. <https://doi.org/10.1371/journal.pone.0169938>.
- August, T. (2018). *Formulating and testing hypotheses*. Cell, (July 2016).
- Ayano, G. (2016). *Schizophrenia : A Concise Overview of Etiology , Epidemiology Diagnosis and Management : Review of literatures*, 3(2).
- Bischof, M., Obermann, C., Hartmann, M. N., Hager, O. M., & Kirschner, M. (2016). *The brief negative symptom scale : validation of the German translation and convergent validity with self-rated anhedonia and observerrated apathy*. BMC Psychiatry, (December). <https://doi.org/10.1186/s12888016-1118-9>.
- Bordalo, P., & Shleifer, A. (2016). No Title.
- Cheung, R. B., & Silber, J. H. (2017). *Education Levels of Hospital Nurses and Patient Mortality*, (October). <https://doi.org/10.1001/jama.290.12.1617>.

- Cohen, A. S., Najolia, G. M., Kim, Y., & Dinzeo, T. J. (2012). *On the boundaries of blunt affect / alogia across severe mental illness : Implications for Research Domain Criteria*. *Schizophrenia Research*, 140(1–3), 41–45.
<https://doi.org/10.1016/j.schres.2012.07.001>.
- Connor, T. O. (2016). *Men Choosing Nursing*, (June 2015). <https://doi.org/10.1177/1060826515582519>.
- Fasya, H., & Supratman, L. P. (2018). *Komunikasi Terapeutik Perawat Pada Pasien Gangguan Jiwa*, 21(1), 15–28. <https://doi.org/10.20422/jpk.v21i1.491>.
- Fatani, B. Z., Aldawod, R. A., & Alhawaj, F. A. (2017). *Schizophrenia : Etiology, Pathophysiology and Management : A Review*. *The Egyptian Journal of Hospital Medicine*, 69(6), 2640–2646. <https://doi.org/10.12816/0042241>.
- Fitria, Nova. (2017). *Perbedaan Komunikasi Terapeutik Perawat Di Ruang Rawat Inap RS Pemerintah Dan RS Swasta*. *Jurnal Promosi Kesehatan Indonesia Vol. 12 / No. 1 / Januari 2017*.
- Fisher, J. E. (2011). *The therapeutic role of the mental health nurse: implications for the practice of psychological therapies*, 63. <https://doi.org/10.12854/erde145>.
- Flannelly, L. T., Flannelly, K. J., & Jankowski, K. R. B. (2014). *Journal of Health Care Chaplaincy Independent , Dependent , and Other Variables in Healthcare and Chaplaincy*, (April 2015). <https://doi.org/10.1080/08854726.2014.959374>.
- Franklin, A. B., Franklin, A. B., Anderson, D. R., & Forsman, E. D. (2015). *Methods for collecting and analyzing demographic data on the Northern Spotted Owl SPOTTED*. *Studies in Avian Biology*, 17(December), 12–20.
- Garralda, M. E. (2016). *Hallucinations and Mental Health in Children*, 32–36.
- Goodman, N. (2015). *The Impact of Employment on the Health Status and Health Care Costs of Working-age People with Disabilities*.

- Guedes de Pinho, L. M. (2017). *Nursing Interventions in Schizophrenia: The Importance of Therapeutic Relationship*. *Nursing & Care Open Access Journal*, 3(6), 331–333. <https://doi.org/10.15406/ncoaj.2017.03.00090>.
- Handayani, P. (2017). *Faktor - Faktor yang Berhubungan dengan Penerapan Komunikasi Terapeutik*, 6(2), 1–11.
- Hart, S. (2015). *Patient education accessibility*, 24(4).
- Kemenkes RI. (2007). *Riset Kesehatan Dasar*. Badan Penelitian Dan Pengembangan Kemenkes RI. Jakarta.
- Kemenkes RI. (2013). *Riset Kesehatan Dasar*. Badan Penelitian Dan Pengembangan Kemenkes RI. Jakarta.
- Khademi, A. (2016). *Applied Univariate, Bivariate, and Multivariate Statistics*. *Journal of Statistical Software*, 72(Book Review 2), 1 - 4. <https://doi.org/10.18637/jss.v072.b02>.
- Kilian, S., Asmal, L., Goosen, A., Chiliza, B., & Phahladira, L. (2015). *Instruments Measuring Blunted Affect in Schizophrenia : A Systematic Review Instruments Measuring Blunted Affect in Schizophrenia : A Systematic Review*, (December). <https://doi.org/10.1371/journal.pone.0127740>.
- Kim, J. (2016). *How to Choose the Level of Significance*.
- Levy, D. L., Coleman, M. J., Sung, H., Ji, F., Matthyse, S., Mendell, N. R., & Titone, D. (2010). *The genetic basis of thought disorder and language and communication disturbances in schizophrenia*. *Journal of Neurolinguistics*, 23(3), 176–192. <https://doi.org/10.1016/j.jneuroling.2009.08.003>.
- Lewis, K. C., & Ridenour, J. (2017). *Paranoid Personality Disorder*, (January). <https://doi.org/10.1007/978-3-319-28099-8>.
- Minor, K. S., Marggraf, M. P., Davis, B. J., Luther, L., Vohs, J. L., Buck, K. D., & Lysaker, P. H. (2015). *Conceptual Disorganization Weakens Links in*

Cognitive Pathways: Disentangling Neurocognition, Social Cognition, and Metacognition in Schizophrenia, 169(317), 153–158.

Mitali, B., Khandelwal, S. K., & Gupta, S. (2009). *A study of late onset schizophrenia: Clinical characteristics with review of literature*. Delhi Psychiatry Journal. 2009 Apr; 12(1): 84-93, 12(1).

Oktaria, G. (2017). *Komunikasi Terapeutik Perawat dalam Proses Penyembuhan Pasien Psikosis Di UPT*. Bina Laras Provinsi Riau. Jom FISIP, 4(2), 1–15.

Parveen, H., & Showkat, N. (2017). *Quadrant-I (e-Text)*, (August).

Penda, C. (2017). *Establishing Therapeutic Nurse-Client Relationship with Mentally ill Patients in a Community*.

Petlevski, S. (2016). *Redefining Spontaneity*, (December 2015).

Pridmore, S. (2016). *Psychiatry, Chapter 7*. Last modified: January 2016. 1, (January), 1–30.

Putri, Vevi Suryenti. (2018). *Pengaruh strategi pelaksanaan komunikasi terapeutik terhadap resiko perilaku kekerasan pada pasien gangguan jiwa di rumah sakit jiwa provinsi jambi*, 7(2), 138–147.

Rana & Singhal. (2015). *Chi _ square Test and its Application in Hypothesis Testing*, 1(1), 2015–2017. <https://doi.org/10.4103/2395-5414.157577>.

Riduwan. (2011). *Rumus dan Data dalam Aplikasi Statistika*. Bandung : Alfabeta.

Rifqi, A. A., Handajani, R. P., & As, N. S. (2003). *Elemen Ruang Dalam pada Fasilitas Rawat Inap Pasien Gangguan Jiwa*.

Sedgwick, P. (2014). *Cross sectional studies: Advantages and disadvantages*. BMJ (Online), 348(March), 1–2. <https://doi.org/10.1136/bmj.g2276>.

Sharma, B. (2018). *Processing of data and analysis. Biostatistics and Epidemiology*. International Journal, 1, 3-5. <https://doi.org/10.3088 /beij.00003>.

- Sher, L. E. O., Rice, T., Behalf, O. N., The, O. F., & Federation, W. (2015). *Prevention of homicidal behaviour in men with psychiatric disorders*, (March), 212–229. <https://doi.org/10.3109/15622975.2015.1028998>.
- Sra, I., Catalina, D., López, G., Numeraria, A., & Presidente, E. S. (2014). D. J, 18(1), 37–42.
- Starling, J., Feijo, I., & Franzcp, J. S. (2012). *Chapter Psychotic Disorder of Early Onset*, 1–22.
- Sugiyono. (2014). *Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta.
- Sulistyowati. (2016). *The role of registered nurses in residential aged care facilities*, (July), 3–5.
- Taherdoost, H. (2016). *Validity and Reliability of the Research Instrument; How to Test the Validation of a Questionnaire/Survey in a Research*. SSRN Electronic Journal, (September). <https://doi.org/10.2139/ssrn.3205040>.
- Tomasik, J., Schwarz, E., Guest, P. C., & Bahn, S. (2012). *Blood test for schizophrenia. European Archives of Psychiatry and Clinical Neuroscience*, 262(2 SUPPL.). <https://doi.org/10.1007/s00406-012-0354-3>.
- Veenhoven, R. (2017). *Happiness : Also known as life-satisfaction and subjective well-being*, (December). <https://doi.org/10.1007/978-94-007-2421-1>.
- Videbeck, Sheila L. (2011). *Psychiatric Mental Health Nursing Fifth Edition*. Lippincott Williams & Wilkins.
- Webster, S., Gallagher, S., Brown, P., Evans, J., Flynn, M., & Lopez, V. (2012). *The perceptions of nurses in their management of patients experiencing anxiety*, 2(3), 38–45. <https://doi.org/10.5430/jnep.v2n3p38>.