

DAFTAR PUSTAKA

- Amirullah, SE., M. . (2015). *Populasi dan sampel*.
- Anggraini, N. E., & Hendrati, L. Y. (2014). Hubungan Obesitas dan Faktor-Faktor Pada Individu dengan Kejadian Osteoarthritis Genu. *Jurnal Berkala Epidemiologi*, 2(1), 93–104.
- Bijlsma, J. W. J., Berenbaum, F., & Lafeber, F. P. J. G. (2011). *Arthritis 1 Osteoarthritis : an update with relevance for clinical practice*. 2115–2126. [https://doi.org/10.1016/S0140-6736\(11\)60243-2](https://doi.org/10.1016/S0140-6736(11)60243-2)
- Chang, T., Liou, T., Chen, C., Huang, Y., & Chang, K. (2012). *Effects of elastic-band exercise on lower-extremity function among female patients with osteoarthritis of the knee*. 34(January), 1727–1735. <https://doi.org/10.3109/09638288.2012.660598>
- Chou, L., & Chen, M. (2019). *Effects of Elastic Band Exercise on Lower Limb Rehabilitation of Elderly Patients Undergoing Total Knee Arthroplasty*. (February), 60–66. <https://doi.org/10.1097/rnj.0000000000000109>
- De Rooij, M., Van Der Leeden, M., Heymans, M. W., Holla, J. F. M., Häkkinen, A., Lems, W. F., ... Dekker, J. (2016). Prognosis of Pain and Physical Functioning in Patients with Knee Osteoarthritis: A Systematic Review and Meta-Analysis. *Arthritis Care and Research*, 68(4), 481–492. <https://doi.org/10.1002/acr.22693>
- Frey-Law, L. A., Bohr, N. L., Sluka, K. A., Herr, K., Clark, C. R., Noiseux, N. O., ... Rakel, B. A. (2016). Pain sensitivity profiles in patients with advanced knee osteoarthritis. *Pain*, Vol. 157, hal. 1988–1999. <https://doi.org/10.1097/j.pain.0000000000000603>
- Freystaetter, G., Fischer, K., Orav, E. J., Egli, A., Theiler, R., Münzer, T., ... Bischoff- Ferrari, H. A. (2019). Total serum testosterone and WOMAC pain and function among older men and women with severe knee OA. *Arthritis Care & Research*. <https://doi.org/10.1002/acr.24074>
- Hu, X., Lai, Z., & Wang, L. (2019). Effects of Taichi exercise on knee and ankle proprioception among individuals with knee osteoarthritis. *Research in Sports Medicine*, 0(0), 1–11. <https://doi.org/10.1080/15438627.2019.1663520>
- Iijima, H., Fukutani, N., Isho, T., Yamamoto, Y., Hiraoka, M., Miyano, K., ... Matsuda, S. (2017). Relationship Between Pedometer-Based Physical Activity and Physical Function in Patients With Osteoarthritis of the Knee: A Cross-Sectional Study. *Archives of Physical Medicine and Rehabilitation*,

98(7), 1382–1388.e4. <https://doi.org/10.1016/j.apmr.2016.12.021>

Ismaningsih, SST.FT., M.Fis Iit Selviani, S. F. (2018). *Penatalaksanaan Fisioterapi Pada Kasus Osteoarthritis Genu Bilateral Dengan Intervensi Neuromuskuler Taping Dan Strengthening Exercise Untuk Meningkatkan Kapasitas Fungsional Salah satu gangguan kesehatan yang dialami oleh lansia adalah gangguan muskulos. 1.*

Ismaningsih, & Selviani, I. (2018). Penatalaksanaan Fisioterapi Pada Kasus Osteoarthritis Genu Bilateral Dengan Intervensi Neuromuskuler Taping Dan Strengthening Exercise Untuk Meningkatkan Kapasitas Fungsional. *Jurnal Ilmiah Fisioterapi*, 1(2), 38–46.

Kaur, R., & Sharma, V. L. (2015). Prevalence of Knee Osteoarthritis and Its Correlation in Women of Rural and Urban Parts of Hoshiarpur (Punjab). *Journal of Postgraduate Medicine, Education and Research*, 49(1), 32–36. <https://doi.org/10.5005/jp-journals-10028-1139>

Ketut, A., & Putra, T. R. (2012). Korelasi Antara Derajat Beratnya Osteoarthritis Lutut. *Korelasi Antara Derajat Beratnya Osteoarthritis Lutut*, 13.

Landstrake, M. (2012). Resistance Band & Tubing Instruction Manual. *The Hygenic Coorporation*, 1–40. <https://doi.org/10.1071/MF10269>

Liao, W., Li, Z., Zhang, H., Li, J., Wang, K., & Yang, Y. (2015). Proteomic analysis of synovial fluid as an analytical tool to detect candidate biomarkers for knee osteoarthritis. *International Journal of Clinical and Experimental Pathology*, 8(9), 9975–9989.

Nikolic, G., Nedeljkovic, B., Trajkovic, G., Rasic, D., Mirkovic, Z., Pajovic, S., ... Vujcic, I. (2019). Pain, Physical Function, Radiographic Features, and Quality of Life in Knee Osteoarthritis Agricultural Workers Living in Rural Population. *Pain Research and Management*, 2019, 1–5. <https://doi.org/10.1155/2019/7684762>

Øiestad, B. E., Juhl, C. B., Eitzen, I., & Thorlund, J. B. (2015). Knee extensor muscle weakness is a risk factor for development of knee osteoarthritis. A systematic review and meta-analysis. *Osteoarthritis and Cartilage*, 23(2), 171–177. <https://doi.org/10.1016/j.joca.2014.10.008>

Parmar, A., Nishad, P., Kulkarni, N., & Shevatekar, S. (2018). *Effectiveness of theraband ® exercises on elderly individuals with osteoarthritis of knee. 2,* 129–133.

Parry, E., Ogollah, R., & Peat, G. (2017). Significant pain variability in persons with, or at high risk of, knee osteoarthritis: preliminary investigation based

on secondary analysis of cohort data. *BMC Musculoskeletal Disorders*, 18(1), 1–11. <https://doi.org/10.1186/s12891-017-1434-3>

Pourtaghi, F., Moghadam, Z. E., Ramazani, M., Behnam, H., & Mohajer, S. (2017). *Effect of Resistance Training using Thera-Band on Muscular Strength and Quality of Life among the Elderly*. (098 51). <https://doi.org/10.22038/EBCJ.2017.25876.1584>

Prashansanie Hettihewa, A., Gunawardena, N. S., Atukorala, I., Hassan, F., Lekamge, I. N., & Hunter, D. J. (2018). Prevalence of knee osteoarthritis in a suburban, Srilankan, adult female population: A population-based study. *International Journal of Rheumatic Diseases*, 21(2), 394–401. <https://doi.org/10.1111/1756-185X.13225>

Pratama, A. D. (2019). *RSPAD GATOT SOEBROTO Abstrak Jurnal Sosial Humaniora Terapan*. 1(2), 21–34.

Putu Indraswari Aryanti, Joni Haryanto, E. U. (2019). *PENGARUH MASASE JAHE MERAH (ZINGIBER OFFICINALE VAR . OSTEOARTHRITIS The Effect of Red Ginger (Zingiber Officinale var . Rubrum) Massage on Pain in Elderly with Osteoarthritis in Surabaya*. 10, 67–77.

Putu Mulya Kharismawan, I Made Niko Winaya, I. N. A. (2017). *Perbedaan Intervensi Muscle Energy Technique Dan Infrared Dengan Positional Release Technique Dan Infrared Terhadap Penurunan Nyeri Myofascial Pain Syndrome Otot Upper Trapezius*. 4(1), 2016–2017.

Rahmawati, A. Y. (2017). *Jurnal Riset Kesehatan*. *Jurnal Riset Kesehatan*, 5(2), 83–91. Diambil dari <http://ejournal.poltekkes-smg.ac.id/ojs/index.php/jrk/article/view/1569/503>

Runhaar, J., Luijsterburg, P., Dekker, J., & Bierma-Zeinstra, S. M. A. (2015). Identifying potential working mechanisms behind the positive effects of exercise therapy on pain and function in osteoarthritis; a systematic review. *Osteoarthritis and Cartilage*, 23(7), 1071–1082. <https://doi.org/10.1016/j.joca.2014.12.027>

Sterling, M., de Zoete, R. M. J., Coppieters, I., & Farrell, S. F. (2019). Best Evidence Rehabilitation for Chronic Pain Part 4: Neck Pain. *Journal of Clinical Medicine*, 8(8), 1219. <https://doi.org/10.3390/jcm8081219>

Stratford, P., Kennedy, D., & Clarke, H. (2018). Confounding pain and function: the WOMAC's failure to accurately predict lower extremity function. *Arthroplasty Today*, 4(4), 488–492. <https://doi.org/10.1016/j.artd.2018.09.003>

- Suriani, S., & Lesmana, S. I. (2013). Latihan Theraband Lebih Baik Menurunkan Nyeri Daripada. *Jurnal Fisioterapi*, Volume 13(Nomor 1).
- Usman, Z., Maharaj, S. S., & Kaka, B. (2019). Effects of combination therapy and infrared radiation on pain, physical function, and quality of life in subjects with knee osteoarthritis: A randomized controlled study. *Hong Kong Physiotherapy Journal*, 39(2), 133–142. <https://doi.org/10.1142/S1013702519500124>
- Utomo, A. (2013). *Tingkat Keberhasilan Theraband Therapy dalam Meningkatkan Range Of Motion (ROM) Pasca Cedera Pergelangan Tangan pada Tim UKM Softball Universitas Negeri Yogyakarta*. XIV(Juli).
- Wan Amin Hasiibi Bin Wan Ali. (2014). *Prevalensi Dan Distribusi Osteoarthritis Lutut Berdasarkan Karakteristik Sosio-Demografi Dan Faktor Risiko Di Wilayah Kerja Puskesmas Susut I, Kecamatan Susut, Kabupaten Bangli Pada Tahun 2014*. (April), 1–10.
- Wijaya, S. (2018). Osteoarthritis Lutut. *Ckd*, 45(6), 424–429.