

DAFTAR PUSTAKA

- Anggara, F. H. D., & Prayitno, N. (2013). Faktor-Faktor Yang Berhubungan Dengan Tekanan Darah di Puskesmas Telaga Murni Cikarang Barat Tahun 2012. *Jurnal Ilmiah Kesehatan*, 5(1), 20–25. <https://doi.org/10.1002/9781444324808.ch36>
- Buda, E. S., Hanfore, L. K., Fite, R. O., & Buda, A. S. (2017). Lifestyle modification practice and associated factors among diagnosed hypertensive patients in selected hospitals, South Ethiopia. *Clinical Hypertension*, 23(1), 1–9. <https://doi.org/10.1186/s40885-017-0081-1>
- Bungawati, D., & Richard, S. D. (2011). Kajian Indeks Massa Tubuh (Imt) Terhadap Tekanan Darah Pada Perawat Di Rumah Sakit Baptis Kediri. *Jurnal Penelitian STIKES RS Baptis Kediri*, 4(2), 94–103.
- De León-Robert, A., Gascón-Cánovas, J. J., Antón-Botella, J. J., Hidalgo-García, I. M., López-Alegría, C., Pérez-Cabrera, Y. D., & Campusano-Castellanos, H. M. (2019). Validity of self blood pressure measurement in the control of the hypertensive patient: Factors involved. *BMC Cardiovascular Disorders*, 19(1), 1–7. <https://doi.org/10.1186/s12872-019-1145-9>
- Dien, N., Mulyadi, N., & Kundre, R. (2014). Hubungan Indeks Massa Tubuh (Imt) Dengan Tekanan Darah Pada Penderita Hipertensi Di Poliklinik Hipertensi Dan Nefrologi Blu Rsup Prof. Dr. R. D. Kandou Manado. *Jurnal Keperawatan UNSRAT*, 2(2), 114369.
- Giordano, U. (2015). Arterial hypertension and sport. Related aspects to certification for physical activity and contraindications to sports practice in hypertensive child and adolescent. *Italian Journal of Pediatrics*, 41(S2), 1–2. <https://doi.org/10.1186/1824-7288-41-s2-a37>
- Kim, D.-J., Cho, K.-I., Cho, E.-A., Lee, J.-W., Park, H.-J., Kim, S.-M., ... Heo, J. H. (2015). Association among epicardial fat, heart rate recovery and circadian blood pressure variability in patients with hypertension. *Clinical Hypertension*, 21(1), 1–10. <https://doi.org/10.1186/s40885-015-0034-5>
- Kim, D., & Ha, J.-W. (2016). Hypertensive response to exercise: mechanisms and clinical implication. *Clinical Hypertension*, 22(1), 16–19. <https://doi.org/10.1186/s40885-016-0052-y>
- Kim, T. J., & Von Dem Knesebeck, O. (2015). Is an insecure job better for health than having no job at all? A systematic review of studies investigating the health-related risks of both job insecurity and unemployment. *BMC Public*

- Health*, 15(1), 1–9. <https://doi.org/10.1186/s12889-015-2313-1>
- Litwin, M., Obrycki, Ł., Niemirska, A., Sarnecki, J., & Kułaga, Z. (2019). Central systolic blood pressure and central pulse pressure predict left ventricular hypertrophy in hypertensive children. *Pediatric Nephrology*, 34(4), 703–712. <https://doi.org/10.1007/s00467-018-4136-7>
- Montol, Ana B, Pascoal, Meildy E, Pontoh, L. (2015). Faktor Resiko Terjadinya Hipertensi pada Usia Produktif Di Wilayah Kerja Puskesmas Lansot Kota Tomohon. *Gizido*, 7(1).
- Noone, C., Dwyer, C. P., Murphy, J., Newell, J., & Molloy, G. J. (2018). Comparative effectiveness of physical activity interventions and anti-hypertensive pharmacological interventions in reducing blood pressure in people with hypertension: Protocol for a systematic review and network meta-analysis. *Systematic Reviews*, 7(1), 1–7. <https://doi.org/10.1186/s13643-018-0791-9>
- Oh, G. C., Kang, K. S., Park, C. S., Sung, H. K., Ha, K. H., Kim, H. C., ... Lee, H.-Y. (2018). Metabolic syndrome, not menopause, is a risk factor for hypertension in peri-menopausal women. *Clinical Hypertension*, 24(1), 1–8. <https://doi.org/10.1186/s40885-018-0099-z>
- Probandari, A., I, Y. W., If, F. S., Saufika, N., Atika, S., A, A. R., ... Surakarta, M. (2017). Faktor Risiko Hipertensi Pada Pasien Poliklinik Puskesmas Pajang Surakarta *Hypertension Risk Factors in Polyclinic Patients of Pajang Public Health Center Surakarta*. 4(2), 144–149.
- Rajasa, R. E., Afriwardi, & Zein, S. B. (2016). Artikel Penelitian Hubungan Tingkat Keteraturan Berolahraga Terhadap Komplikasi Penyakit pada Pasien DM Tipe 2 di Poliklinik. *Jurnal Kesehatan Andalas*, 5(2), 289–294.
- Sa'adeh, H. H., Darwazeh, R. N., Khalil, A. A., & Zyoud, S. H. (2018). Knowledge, attitudes and practices of hypertensive patients towards prevention and early detection of chronic kidney disease: a cross sectional study from Palestine. *Clinical Hypertension*, 24(1), 1–13. <https://doi.org/10.1186/s40885-018-0091-7>
- Sandi, I. N. (2016). *Denyut Nadi*. 4(2), 1–6.
- Setiawan, W. A., Yunani, & Kusyati, E. (2014). Prosiding konferensi nasional ii ppni jawa tengah 2014 hubungan frekuensi senam lansia terhadap tekanan darah dan nadi pada lansia hipertensi. *Prosiding Konferensi Nasional II PPNI Jawa Tengah*, 229–236.
- Sriani, K. I., Fakhriadi, R., & Rosadi, D. (2016). Hubungan antara Perilaku Merokok dan Kebiasaan Olahraga dengan Kejadian Hipertensi pada Laki-Laki Usia 18 -

44 Tahun (Studi Observasional di Wilayah Kerja Puskesmas Sungai Besar Kecamatan Banjarbaru Selatan). *Jurnal Publikasi Kesehatan Masyarakat Indonesia*, 3(1), 1–6.

Yonata, A., Satria, A., & Pratama, P. (2016). Hipertensi sebagai Faktor Pencetus Terjadinya Stroke. *Majority*, 5(3), 17.

Yu, J., Zou, D. S., Xie, M. T., Ye, Y., Zheng, T. P., Zhou, S. X., ... Zhou, Y. (2016). The interaction effects of risk factors for hypertension in adults: A cross-sectional survey in Guilin, China. *BMC Cardiovascular Disorders*, 16(1), 1–9. <https://doi.org/10.1186/s12872-016-0358-4>