

DAFTAR PUSTAKA

- Amin, A., & Ulfah, M. (2017). Sintesis Dan Karakterisasi Komposit Hidroksiapatit Dari Tulang Ikan Lamuru (*Sardilnella Longiceps*) - Kitosan Sebagai Bone Filler. *Jf Fik Uinam*, 5(1), 9–15.
- Auimviriyavat, J., Changkhamchom, S., & Sirivat, A. (2011). Development of Poly (Ether Ether Ketone) (Peek) with Inorganic Filler for Direct Methanol Fuel Cells (DMFCS), 12527–12533.
- Boricha, A. G., & Murthy, Z. V. P. (2009). Acrylonitrile butadiene styrene/chitosan blend membranes: Preparation, characterization and performance for the separation of heavy metals. *Journal of Membrane Science*, 339(1–2), 239–249. <http://doi.org/10.1016/j.memsci.2009.04.057>
- Dewi, E. L., & Handayani, S. (2008). Karakterisasi Kompisit Hidrokarbon Polimer Tersulfonasi (sABS-Z) sebagai Alternatif Polielektrolit untuk Fuel Cell. *Jurnal Sains Materi Indonesia*, 1–4.
- Doan, H., Inan, T. Y., Unveren, E., & Kaya, M. (2010). Effect of cesium salt of tungstophosphoric acid (Cs-TPA) on the properties of sulfonated polyether ether ketone (SPEEK) composite membranes for fuel cell applications. *International Journal of Hydrogen Energy*, 35, 7784–7795. <http://doi.org/10.1016/j.ijhydene.2010.05.045>
- EG&G Technical Services. (2004). *Fuel Cell Handbook*. US Department of Energy (Vol. 7 Edition). <http://doi.org/10.1002/zaac.200300050>
- Erce Şengül, Erdener, H., Akay, R. G., Yücel, H., Baç, N., & Eroğlu, I. (2009). Effects of sulfonated polyether-etherketone (SPEEK) and composite membranes on the proton exchange membrane fuel cell (PEMFC) performance. *International Journal of Hydrogen Energy*, 34(10), 4645–4652. <http://doi.org/10.1016/j.ijhydene.2008.08.066>

- Farha, I. F., & Kusumawati, N. (2012). Pembuatan Membran Komposit Kitosan-PVA dan Pemanfaatannya pada Pemisahan Limbah Pewarna Rhodamin B. *UNESA Journal of Chemistry*, 1(2), 31–38.
- Harmoko, T., Hidayati, N., Purnama, H., & Mujiburohman, M. (2020). Composite membrane of sulfonated polyether ether ketone (sPEEK) – Chitosan for direct methanol fuel cell Composite Membrane of Sulfonated Polyether Ether Ketone (sPEEK) – Chitosan for Direct Methanol Fuel Cell, 50005(January).
- He, Y., Tong, C., Geng, L., Liu, L., & Lü, C. (2014). Enhanced performance of the sulfonated polyimide proton exchange membranes by graphene oxide: Size effect of graphene oxide. *Journal of Membrane Science*, 458, 36–46. <http://doi.org/10.1016/j.memsci.2014.01.017>
- Hidayati, N., Mujiburohman, M., Abdillah, H., Harmoko, T., & Arimurti, R. D. (2017). Sintesis dan Karakteristik Membran Komposit Akrilonitril Butadiena Stirena (ABS) -Kitosan Tersulfonasi untuk Direct Metanol Fuel Cell. *Jurnal Matematika Dan Sains*, 22, 20–23.
- Hidayati, N., Mujiburohman, M., Abdillah, H., Purnama, H., Dwilaksana, A., Zubaida, F. R., & Kahfi, A. (2018). Chitosan-ABS membrane for DMFC : Effect of sulfonation time and mass ratio of chitosan and ABS Chitosan-ABS Membrane for DMFC : Effect of Sulfonation Time and Mass Ratio of Chitosan and ABS, 30042(June). <http://doi.org/10.1063/1.5042962>
- Hidayati, N., Mujiburohman, M., Purnama, H., & Hakim, M. F. (2015). Karakteristik Membran Komposit Poli Eter Eter Keton Tersulfonasi untuk Direct Methanol Fuel Cell. In *Prosiding Seminar Nasional Teknik Kimia “Kejuangan”* (pp. L5-1-L5-7).
- Hidayati, N., Purnama, H., Nihayati, S. R., & Wati, F. L. N. (2013). Komposit membran abs tersulfonasi untuk PEMFC. In *Prosiding Seminar Rekayasa*

Kimia dan Proses (p. H.02-4-H.02-11).

- Iulianelli, A., & Basile, A. (2012). Sulfonated PEEK-based polymers in PEMFC and DMFC applications: A review. *International Journal of Hydrogen Energy*, 37(20), 15241–15255. <http://doi.org/10.1016/j.ijhydene.2012.07.063>
- Jheng, Y., Sheng, Y., Chieh, Y., Duan, L., Joe, B., & Chih, F. (2011). Synthesis and characterization of new sulfonated polytriazole proton exchange membrane by click reaction for direct methanol fuel cells (DMFCs). *International Journal of Hydrogen Energy*, 36(23), 15333–15343. <http://doi.org/10.1016/j.ijhydene.2011.08.093>
- Jiang, Z., Zhao, X., & Manthiram, A. (2013). Sulfonated poly(ether ether ketone) membranes with sulfonated graphene oxide fillers for direct methanol fuel cells. *International Journal of Hydrogen Energy*, 38(14), 5875–5884. <http://doi.org/10.1016/j.ijhydene.2013.02.129>
- Jun, M.-S., Choi, Y.-W., & Kim, J.-D. (2012). Solvent casting effects of sulfonated poly(ether ether ketone) for Polymer electrolyte membrane fuel cell. *Journal of Membrane Science*, 396, 32–37. <http://doi.org/10.1016/j.memsci.2011.12.008>
- Kaliaguine, S., Mikhailenko, S. D., Wang, K. P., Xing, P., Robertson, G., & Guiver, M. (2003). Properties of SPEEK based PEMs for fuel cell application. *Catalysis Today*, 82, 213–222. [http://doi.org/10.1016/S0920-5861\(03\)00235-9](http://doi.org/10.1016/S0920-5861(03)00235-9)
- Kim, D. J., Jo, M. J., & Nam, S. Y. (2014). A review of polymer-nanocomposite electrolyte membranes for fuel cell application. *Journal of Industrial and Engineering Chemistry*. <http://doi.org/10.1016/j.jiec.2014.04.030>
- Kourasi, M., Wills, R. G. a, Shah, a. a., & Walsh, F. C. (2014). Heteropolyacids for fuel cell applications. *Electrochimica Acta*, 127, 454–466. <http://doi.org/10.1016/j.electacta.2014.02.006>

- Li, H., Zhang, G., Wu, J., Zhao, C., Jia, Q., Lew, C. M., ... Na, H. (2010). A facile approach to prepare self-cross-linkable sulfonated poly(ether ether ketone) membranes for direct methanol fuel cells. *Journal of Power Sources*, 195(24), 8061–8066. <http://doi.org/10.1016/j.jpowsour.2010.06.106>
- Lim, S. S., Daud, W. R. W., Md Jahim, J., Ghasemi, M., Chong, P. S., & Ismail, M. (2012). Sulfonated poly(ether ether ketone)/poly(ether sulfone) composite membranes as an alternative proton exchange membrane in microbial fuel cells. *International Journal of Hydrogen Energy*, 37(15), 11409–11424. <http://doi.org/10.1016/j.ijhydene.2012.04.155>
- Ling, X., Jia, C., Liu, J., & Yan, C. (2012). Preparation and characterization of sulfonated poly(ether sulfone)/sulfonated poly(ether ether ketone) blend membrane for vanadium redox flow battery. *Journal of Membrane Science*, 415–416, 306–312. <http://doi.org/10.1016/j.memsci.2012.05.014>
- Ma, J., & Sahai, Y. (2013a). Chitosan biopolymer for fuel cell applications. *Carbohydrate Polymers*, 92(2), 955–975. <http://doi.org/10.1016/j.carbpol.2012.10.015>
- Ma, J., & Sahai, Y. (2013b). Chitosan biopolymer for fuel cell applications. *Carbohydrate Polymers*, 92(2), 955–975. <http://doi.org/10.1016/j.carbpol.2012.10.015>
- Magalad, V. T., Pattanashetti, S. S., Gokavi, G. S., Nadagouda, M. N., & Aminabhavi, T. M. (2012). Proton conducting properties of nanocomposite membranes of chitosan. *Chemical Engineering Journal*, 189–190, 1–4. <http://doi.org/10.1016/j.cej.2012.02.002>
- Mohanapriya, S., & Raj, V. (2018). Cesium-substituted mesoporous phosphotungstic acid embedded chitosan hybrid polymer membrane for direct methanol fuel cells. *Ionics*, 24(9), 2729–2743. <http://doi.org/10.1007/s11581-017-2406-1>

- Peighambardoust, S. J., Rowshanzamir, S., & Amjadi, M. (2010). *Review of the proton exchange membranes for fuel cell applications*. *International Journal of Hydrogen Energy* (Vol. 35). Elsevier Ltd. <http://doi.org/10.1016/j.ijhydene.2010.05.017>
- Pemfcs, H., Yu, S., & Benicewicz, B. C. (2009). Synthesis and Properties of Functionalized Polybenzimidazoles for, 8640–8648. <http://doi.org/10.1021/ma9015664>
- Pramanik, H., & Basu, S. (2007). A Study on Process Parameters of Direct Ethanol Fuel Cell. *The Canadian Journal of Chemical Engineering*, 85(october), 781–785.
- Roza, M., Gusnedi, & Ratnawulan. (2013). KAJIAN SIFAT KONDUKTANSI MEMBRAN KITOSAN PADA BERBAGAI VARIASI WAKTU PERENDAMAN DALAM LARUTAN Pb, 1(April), 60–67.
- Shaari, N., & Kamarudin, S. K. (2015). Chitosan and alginate types of bio-membrane in fuel cell application : An overview. *Journal of Power Sources*, 289, 71–80. <http://doi.org/10.1016/j.jpowsour.2015.04.027>
- Shan, J., Vaivars, G., Luo, H., Mohamed, R., & Linkov, V. (2006). Sulfonated polyether ether ketone (PEEK-WC)/phosphotungstic acid composite: Preparation and characterization of the fuel cell membranes. *Pure and Applied Chemistry*, 78(9), 1781–1791. <http://doi.org/10.1351/pac200678091781>
- Smitha, B., Devi, D. A., & Sridhar, S. (2008). Proton-conducting composite membranes of chitosan and sulfonated polysulfone for fuel cell application. *International Journal of Hydrogen Energy*, 33(15), 4138–4146. <http://doi.org/10.1016/j.ijhydene.2008.05.055>
- Sofia, I., Murdiningsih, H., & Yanti, N. (2016). Pembuatan dan Kajian Sifat-Sifat

Fisikokimia , Mekanikal , dan Fungsional Edible Film dari Kitosan Udang
Windu Abstrak. <http://doi.org/10.15294/jbat.v4i2.6364>

Sofia, V., & Oliveira, B. D. E. (2009). *Transport Phenomena in Direct Methanol Fuel Cells : Modelling and Experimental studies.*

Vijayakumar, V., & Khastgir, D. (2018). Hybrid composite membranes of chitosan / sulfonated polyaniline / silica as polymer electrolyte membrane for fuel cells. *Carbohydrate Polymers*, 179(August 2017), 152–163. <http://doi.org/10.1016/j.carbpol.2017.09.083>

Wang, J., He, Y., Zhao, L., Li, Y., Cao, S., Zhang, B., & Zhang, H. (2015). *Author's Accepted Manuscript. Journal of Membrane Science.* Elsevier. <http://doi.org/10.1016/j.memsci.2015.02.015>

Wu, H., Shen, X., Cao, Y., Li, Z., & Jiang, Z. (2014). Composite proton conductive membranes composed of sulfonated poly(ether ether ketone) and phosphotungstic acid-loaded imidazole microcapsules as acid reservoirs. *Journal of Membrane Science*, 451, 74–84. <http://doi.org/10.1016/j.memsci.2013.09.058>

Wu, H., Zheng, B., Zheng, X., Wang, J., Yuan, W., & Jiang, Z. (2007). Surface-modified Y zeolite-filled chitosan membrane for direct methanol fuel cell, 173, 842–852. <http://doi.org/10.1016/j.jpowsour.2007.08.020>

Xiang, Y., Yang, M., Guo, Z., & Cui, Z. (2009). Alternatively chitosan sulfate blending membrane as methanol-blocking polymer electrolyte membrane for direct methanol fuel cell. *Journal of Membrane Science*, 337(1–2), 318–323. <http://doi.org/10.1016/j.memsci.2009.04.006>

Zhang, N., Zhang, G., Xu, D., Zhao, C., Ma, W., Li, H., ... Na, H. (2011). Cross-linked membranes based on sulfonated poly (ether ether ketone) (SPEEK)/Nafion for direct methanol fuel cells (DMFCs). *International Journal of Hydrogen Energy*, 36(17), 11025–11033.

<http://doi.org/10.1016/j.ijhydene.2011.05.158>

Zhong, S., Cui, X., Fu, T., & Na, H. (2008). Modification of sulfonated poly (ether ether ketone) proton exchange membrane for reducing methanol crossover, *180*, 23–28. <http://doi.org/10.1016/j.jpowsour.2008.02.043>