

DAFTAR PUSTAKA

- Abd El-Kader, S. M. (2011). Aerobic versus resistance exercise training in modulation of insulin resistance, adipocytokines and inflammatory cytokine levels in obese type 2 diabetic patients. *Journal of Advanced Research*, 2(2), 179–183. <https://doi.org/10.1016/j.jare.2010.09.003>
- Aggarwala, J., Sharma, S., Jain, A., & Sarkar, A. (2016). Effects of aerobic exercise on blood glucose levels and lipid profile in Diabetes Mellitus type 2 subjects. *Al Ameen Journal of Medical Sciences*, 9(July), 65–69.
- Ambarwati, I. (2014). *Hubungan Konsumsi Alkohol dengan Kehadiran Hipoglikemia pada Peserta Didik Remaja PKBM Negeri 33 Malaka Jakarta Timur*. 1–8.
- AminiLari, Z., Fararouei, M., Amanat, S., Sinaei, E., Dianatnasab, S., AminiLari, M., Daneshi, N., & Dianatnasab, M. (2017). The effect of 12 weeks aerobic, resistance, and combined exercises on omentin-1 levels and insulin resistance among type 2 diabetic middle-aged women. *Diabetes and Metabolism Journal*, 41(3), 205–212. <https://doi.org/10.4093/dmj.2017.41.3.205>
- Amirah Salsabila, N. (2019). Apoptosis Sel Hepatosit Sebagai Akibat Dari Metabolisme Alkohol. *Apoptosis of Hepatocyte Cells as a Result of Alcohol Metabolism*, 10(2), 151–155. <https://doi.org/10.35816/jiskh.v10i2.133>
- Bafirman. (2016). Program Latihan Olahraga Aerobik Pada Penderita Diabetes Mellitus. *Diabetes Research and Clinical Practice*, 101(3), 349–351. <https://doi.org/10.1016/j.diabres.2013.08.003>
- Candra, A., Rusip, G., & Machrina, Y. (2016). Pengaruh Latihan Aerobik Intensitas Ringan dan Sedang terhadap Kelelahan Otot (Muscle Fatigue) Atlet Sepakbola Aceh. *Jurnal Kedokteran Dan Kesehatan*, 3(1), 333–339.
- Church, T. S. (2010). Effects of Aerobic and Resistance Training on Hemoglobin A1c Levels in Patients With Type 2 Diabetes: A Randomized Controlled Trial. *Jama*, 304(20), 2253–2262. <https://doi.org/10.1001/jama.2010.1710.Effects>
- Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., Horton, E. S., Castorino, K., & Tate, D. F. (2016). Physical activity/exercise and diabetes: A position statement of the American Diabetes Association. *Diabetes Care*, 39(11), 2065–2079. <https://doi.org/10.2337/dc16-1728>
- Dafriani, P. (2016). Hubungan Obesitas dan Umur Dengan Kejadian Diabetes Mellitus Tipe II. *Jurnal Kesehatan Medika Sainatika*, 8(2), 1–8.
- Decroli, E. (2019). *Buku Diabetes Melitus: Edisi Pertama*.
- Desiani, V. (2019). *Pengaruh Senam Aerobik Terhadap p Penurunan Kadar Glukosa Darah Sewaktu pada Penderita Diabetes Mellitus Tipe 2 di Kecamatan Pringapus Kabupaten Semarang*.
- Dungan, K. M. (2015). Management of Type 2 Diabetes Mellitus. *Endocrinology: Adult and Pediatric*, 1–2, 839-853.e2. <https://doi.org/10.1016/B978-0-323-18907-1.00048-2>
- Dwi Ario, M. (2014). Effect of Nicotine in Cigarette for Type 2 Diabetes Mellitus. *J Majority*, 3(7), 75–80.
- Fisik, L., Aerobik, S., & Perubahan, T. (2019). *Hasanuddin Journal of Midwifery*. 1(2), 72–78.

- Gandini, A. L. A., & Agustina, H. R. (2013). Latihan Fisik Pada Pasien Diabetes Melitus Tipe 2. *Jurnal Husada Mahakam*, *III*(6), 313–318.
- Hermawati, N. Ayu Gustia, Y. D. (2018). Jurnal Kesehatan Sainatika Meditory. *Jurnal Kesehatan Sainatika Meditory*. *Jurnal Kesehatan Sainatika Meditory*, *1*(August), 79–88.
- Indriyani, P. (2010). Pengaruh Latihan Fisik; Senam Aerobik Terhadap Penurunan Kadar Gula Darah Pada Penderita Dm Tipe 2 Di Wilayah Puskesmas Bukateja Purbalingga. *Nurse Media: Journal of Nursing*, *1*(2), 89–99. <https://doi.org/10.14710/nmjn.v1i2.717>
- Jiang, Y., Tan, S., Wang, Z., Guo, Z., Li, Q., & Wang, J. (2020). Aerobic exercise training at maximal fat oxidation intensity improves body composition, glycemic control, and physical capacity in older people with type 2 diabetes. *Journal of Exercise Science and Fitness*, *18*(1), 7–13. <https://doi.org/10.1016/j.jesf.2019.08.003>
- Jorge, M. L. M. P., De Oliveira, V. N., Resende, N. M., Paraiso, L. F., Calixto, A., Diniz, A. L. D., Resende, E. S., Ropelle, E. R., Carnevalheira, J. B., Espindola, F. S., Jorge, P. T., & Geloneze, B. (2011). The effects of aerobic, resistance, and combined exercise on metabolic control, inflammatory markers, adipocytokines, and muscle insulin signaling in patients with type 2 diabetes mellitus. *Metabolism: Clinical and Experimental*, *60*(9), 1244–1252. <https://doi.org/10.1016/j.metabol.2011.01.006>
- Kesehatan, J. P., Widayanti, D. M., Kertapati, Y., Anggoro, S. D., Ismail, A., Atik, T., & Gustayansyah, D. (2020). *Penyuluhan Kesehatan Diabetes Melitus*. *3*(1), 9–27.
- Kurniati, R. (2015). Pengaruh Olahraga Aerobik Terhadap Kesejahteraan Psikologis Remaja Putri. *Psikologi*, *VI*, No.2(September), 198–210.
- Kushartanti, W. (n.d.). Usaha Kesehatan Olahraga Kuratif Masyarakat Oleh : BM. *Wara Kushartanti Dosen Jurusan Pendidikan Kesehatan dan Rekreasi FIK UNY*. 123–134.
- Kusumawardhana, B. (2016). Menurunkan Kadar Glukosa Darah Penderita Diabetes Melitus Tipe-2 Melalui Latihan Aerobic Low Impact dan Ritmis. *Jendela Olahraga*, *1*, 1–7.
- Lee, J. H., Kim, D. H., & Kim, C. K. (2017). Resistance Training for Glycemic Control, Muscular Strength, and Lean Body Mass in Old Type 2 Diabetic Patients: A Meta-Analysis. *Diabetes Therapy*, *8*(3), 459–473. <https://doi.org/10.1007/s13300-017-0258-3>
- Liu, Y., Liu, S. xin, Cai, Y., Xie, K. ling, Zhang, W. liang, & Zheng, F. (2015). Effects of combined aerobic and resistance training on the glycolipid metabolism and inflammation levels in type 2 diabetes mellitus. *Journal of Physical Therapy Science*, *27*(7), 2365–2371. <https://doi.org/10.1589/jpts.27.2365>
- Matthew C, R. et. al. (2020). Standards of Medical Care in Diabetes 2020. *American Diabetes Association*, *42*(479), 960–1010. <https://doi.org/10.1192/bjp.111.479.1009-a>
- Mulyaningsih, F. (2019). Instruktur Senam Aerobik Sebagai Alternatif Peluang Bisnis Bagi Mahasiswa. *Journal of Chemical Information and Modeling*,

- 53(9), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>
- Najafipour, F., Mobasser, M., Yavari, A., Nadrian, H., Aliasgarzadeh, A., Abbasi, N. M., Niafar, M., Gharamaleki, J. H., & Sadra, V. (2017). Effect of regular exercise training on changes in HbA1c, BMI and VO₂ max among patients with type 2 diabetes mellitus: An 8-year trial. *BMJ Open Diabetes Research and Care*, 5(1), 1–7. <https://doi.org/10.1136/bmjdr-2017-000414>
- Nur Lathifah. (2017). Hubungan Durasi Penyakit dan Kadar Gula Darah Dengan Keluhan Subyektif Penderita Diabetes Melitus. *Jurnal Berkala Epidemiologi, Volume 5 N*(Mei 2017), 231–239. <https://doi.org/10.20473/jbe.v5i2.2017.231-239>
- Palar, C. M., Wongkar, D., & Ticoalu, S. H. R. (2015). Manfaat Latihan Olahraga Aerobik Terhadap Kebugaran Fisik Manusia. *Jurnal E-Biomedik*, 3(1). <https://doi.org/10.35790/ebm.3.1.2015.7127>
- Patterson, R., McNamara, E., Tainio, M., de Sá, T. H., Smith, A. D., Sharp, S. J., Edwards, P., Woodcock, J., Brage, S., & Wijndaele, K. (2018). Sedentary behaviour and risk of all-cause, cardiovascular and cancer mortality, and incident type 2 diabetes: a systematic review and dose response meta-analysis. *European Journal of Epidemiology*, 33(9), 811–829. <https://doi.org/10.1007/s10654-018-0380-1>
- Pomatahu, A. R. (2015). *Senam Aerobik Untuk Kesehatan Paru*.
- Putri, N., & Isfandiari, M. (2013). Hubungan Empat Pilar Pengendalian Dm Tipe 2 dengan Rerata Kadar Gula Darah. *Jurnal Berkala Epidemiologi*, 1(2), 234–243.
- Rahayu, A., & Rodiani. (2016). Efek Diabetes Melitus Gestasional terhadap Kelahiran Bayi Makrosomia. *Majority*, 5(4), 17–22.
- Rahayuningrum, D. C., & Yenni, R. (2018). Efektifitas Pemberian Latihan Fisik : Senam Diabetes Terhadap Pengendalian Kadar Gula Darah Pada Penderita Diabetes Melitusefektifitas Pemberian Latihan Fisik : Senam Diabetes Terhadap Pengendalian Kadar Gula Darah Pada Penderita Diabetes Melitus. *Jik- Jurnal Ilmu Kesehatan*, 2(2), 18–26. <https://doi.org/10.33757/jik.v2i2.92>
- Rehman, K., & Akash, M. S. H. (2017). Mechanism of Generation of Oxidative Stress and Pathophysiology of Type 2 Diabetes Mellitus: How Are They Interlinked? *Journal of Cellular Biochemistry*, 118(11), 3577–3585. <https://doi.org/10.1002/jcb.26097>
- Reid, R. D., Tulloch, H. E., Sigal, R. J., Kenny, G. P., Fortier, M., McDonnell, L., Wells, G. A., Boulé, N. G., Phillips, P., & Coyle, D. (2010). Effects of aerobic exercise, resistance exercise or both, on patient-reported health status and well-being in type 2 diabetes mellitus: A randomised trial. *Diabetologia*, 53(4), 632–640. <https://doi.org/10.1007/s00125-009-1631-1>
- Report, N. D. S. (2020). National Diabetes Statistics Report, 2020. *National Diabetes Statistics Report*, 2.
- Saibi, Y., Romadhon, R., & Nasir, N. M. (2020). Kepatuhan Terhadap Pengobatan Pasien Diabetes Melitus Tipe 2 di Puskesmas Jakarta Timur. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 6(1), 94–103. <https://doi.org/10.22487/j24428744.2020.v6.i1.15002>

- Sihotang, R. C., Ramadhani, R., & Tahapary, D. L. (2018). Efikasi dan Keamanan Obat Anti Diabetik Oral pada Pasien Diabetes Melitus Tipe 2 dengan Penyakit Ginjal Kronik. *Jurnal Penyakit Dalam Indonesia*, 5(3), 150. <https://doi.org/10.7454/jpdi.v5i3.202>
- Simatupang, A. (2019). Farmakologi klinik obat-obat Diabetes Mellitus Tipe 2. In *FK UKI, Jakarta. Jl. Mayjen Sutoyo No. 2 Cawang Jakarta 13630* (Vol. 1, Issue). <https://doi.org/10.1017/CBO9781107415324.004>
- Siregar, L. M. (2019). *Latihan Fisik Senam Aerobik Terhadap Perubahan Kadar Glukosa Darah Pada DM Tipe II. 1(2)*, 72–78.
- Snyder, H. (2019). Literature review as a research methodology: An overview and guidelines. *Journal of Business Research*, 104(July), 333–339. <https://doi.org/10.1016/j.jbusres.2019.07.039>
- Soelistijo, S., Novida, H., Rudijanto, A., Soewondo, P., Suastika, K., Manaf, A., Sanusi, H., Lindarto, D., Shahab, A., Pramono, B., Langi, Y., Purnamasari, D., & Soetedjo, N. (2015). Konsesus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe2 Di Indonesia 2015. In *Perkeni*.
- Sudarsono, N. C. (2015). Indikator Keberhasilan Pengelolaan Aktivitas Fisik pada Penyandang Diabetes Melitus Tipe 2. *EJournal Kedokteran Indonesia*, 3(1). <https://doi.org/10.23886/ejki.3.4810>.
- Sutama Putra, R. J., Achmad, A., & P, H. R. (2017). Kejadian Efek Samping Potensial Terapi Obat Anti Diabetes Pasien Diabetes Melitus Berdasarkan Algoritma Naranjo Potential Side Effects of Anti-Diabetic Drug Therapy In Diabetes Mellitus Patients Based On Naranjo Algorithm. *Pharmaceutical Journal of Indonesia*, 2(2), 45–50.
- Tan, S., Li, W., & Wang, J. (2012). Effects of six months of combined aerobic and resistance training for elderly patients with a long history of type 2 diabetes. *Journal of Sports Science and Medicine*, 11(3), 495–501.
- Trisnawati, S. K., & Setyorogo, S. (2013). Faktor Risiko Kejadian Diabetes Melitus Tipe II Di Puskesmas Kecamatan Cengkareng Jakarta Barat Tahun 2012. *Jurnal Ilmiah Kesehatan*, 5(1), 6–11.
- Ulfa, N. M., & Arfiana, N. (2020). *Efektivitas Penggunaan Oral Antidiabetes Kombinasi Glimpiride Dengan Pioglitazone Pada Pasien Dabetes Mellitus Tipe 2 Effectivity of Glimpiride and Pioglitazone Combination In Type 2 Diabetes Mellitus Patients*. 5(1), 1–6.
- Wati, M., Tdg, H., & @poltekkes-mks, A. (2019). Efektivitas Senam Aerobik Terhadap Kadar Gula Darah Pada Penderita Diabetes Melitus Tipe Ii Di Puskesmas Mamajang Kota Makassar. *Media Keperawatan: Politeknik Kesehatan Makassar*, 9(2), 101. <https://doi.org/10.32382/jmk.v9i2.486>
- Wilayah, D. I., & Bukateja, P. (2010). Pengaruh Latihan Fisik; Senam Aerobik Terhadap Penurunan Kadar Gula Darah Pada Penderita Dm Tipe 2 Di Wilayah Puskesmas Bukateja Purbalingga. *Nurse Media: Journal of Nursing*, 1(2), 89–99. <https://doi.org/10.14710/nmjn.v1i2.717>
- Wirawan, K. S., & Griadhi, I. P. A. (2020). *Perbedaan olahraga aerobik intensitas sedang dan High-Intensity Interval Training (HIIT) terhadap kebugaran fisik pada mahasiswa Fakultas Kedokteran Universitas Udayana , Bali , Indonesia*. 11(1), 205–210. <https://doi.org/10.15562/ism.v11i1.535>

- Yang, D., Yang, Y., Li, Y., & Han, R. (2019). Physical Exercise as Therapy for Type 2 Diabetes Mellitus: From Mechanism to Orientation. *Annals of Nutrition and Metabolism*, 74(4), 313–321. <https://doi.org/10.1159/000500110>
- Yasa, I. D., Endang, V. M., Bagiarta, I., & Zumla, A. (2013). Latihan Aerobik Jalan Kaki Pada Pasien Diabetes. *Jurusan Keperawatan Politeknik Kesehatan Denpasar*, 2030. http://poltekkes-denpasar.ac.id/files/JURNAL_GEMA_KEPERAWATAN/JUNI_2014/Dewa_Putu_Gede_Putra_Yasa_dkk.pdf
- Yavari, A., Najafipour, F., Aliasgarzadeh, A., Niafar, M., & Mobasser, M. (2012). Effect of aerobic exercise, resistance training or combined training on glycaemic control and cardio-vascular risk factors in patients with type 2 diabetes. *Biology of Sport*, 29(2), 135–143. <https://doi.org/10.5604/20831862.990466>
- Yulia, S. (2015). Kepatuhan Dalam Menjalankan Diet Pada Penderita Diabetes Mellitus Tipe 2. *Thesis*, 2, 47–49.