

DAFTAR PUSTAKA

- Akhsyari, F. Z. (2015). *karakteristik pasien diabetes mellitus di rsud dr. soehadi prijonegoro sragen tahun 2015*.
- Badan Penelitian dan Pengembangan Kesehatan RI. (2018). Laporan Nasional Riset Kesehatan Dasar. *Kementrian Kesehatan RI*, 1–582.
- Baghikar, S., Benitez, A., Fernandez Piñeros, P., Gao, Y., & Baig, A. A. (2019). Factors Impacting Adherence to Diabetes Medication Among Urban, Low Income Mexican-Americans with Diabetes. *Journal of Immigrant and Minority Health*, 21(6), 1334–1341. <https://doi.org/10.1007/s10903-019-00867-9>
- Banyumas, K., Tanjung, F. K., & Kunci, K. (2018). “ *Tema : 3 (Pangan , Gizi dan Kesehatan) karakteristik penderita diabetes melitus (dm) tipe 2 di purwokerto Nur Signa Aini Gumilas , Ika Murti Harini , Pugud Samodra , Dwi Arini Ernawati Fakultas Kedokteran , Universitas Jenderal Soedirman pendahuluan. November*, 226–232.
- Cappuccio FP, Stranges S, Kandala NB, Miller MA, Taggart FM, Kumari M, Ferrie JE, Shipley MJ, Brunner EJ, Marmot MG. Gender-specific associations of short sleepduration with prevalent and incident hypertension: theWhitehall II Study. *Hypertension*. 2007;50:693–700.
- Cappuccio FP, D’Elia L, Strazzullo P, MillerMA. Quantityand quality of sleep and incidence of type 2 diabetes: a systematic review and meta-analysis. *Diabetes Care*. 2010;33:414–420.
- Colberg SR, Sigal RJ, Fehmhall B, American College of SportsMedicine, American Diabetes Association, et al. Exercise andtype 2 diabetes: the American College of Sports Medicine and theAmerican Diabetes Association: joint position statement. *Diabetes Care*. 2010;33:e147–67.
- Centers for Disease Control and Prevention. Diabetes report card2012. Atlanta: Centers for Disease Control and Prevention, USDepartment of Health and Human Services; 2012
- De Rekeneire N, Resnick HE, Schwartz AV, Shorr RI, Kuller LH, et al. (2003) Aging, and Body Compositionstudy. Diabetes is associated with subclinical functional limitation in nondisabled older individuals: the Health, Aging, and Body Composition study. *Diabetes Care* 26:3257–3263.

- Gangwisch JE, Feskanich D, Malaspina D, Shen S, Forman JP. Sleep duration and risk for hypertension in women: results from the nurses' health study. *Am J Hypertens*. 2013;26:903–911.
- H. L. Reeves, M. Y. W. Zaki, and C. P. Day, "Hepatocellular carcinoma in obesity, type 2 diabetes, and NAFLD," *Digestive Diseases and Sciences*, vol. 61, no. 5, pp. 1234–1245, 2016.
- Hawaks, J. M. B. & J. H. (2014). *Keperawatan Medikal Bedah Manajemen Klinis Untuk Hasil Yang Diharapkan*. ISBN.
- Huang ES, Liu JY, Moffet HH, John PM, Karter AJ (2011) Glycemic control, complications, and death in older diabetic patients. *Diabetes Care* 34: 1329–1336.
- J. E. Shaw, R. A. Sicree, and P. Z. Zimmet, "Global estimates of the prevalence of diabetes for 2010 and 2030," *Diabetes Research and Clinical Practice*, vol. 87, no. 1, pp. 4–14, 2010.
- J. D. Yang, H. A. Mohamed, J. L. Cvinar, G. J. Gores, L. R. Roberts, and W. R. Kim, "Diabetes mellitus heightens the risk of hepatocellular carcinoma except in patients with hepatitis C cirrhosis," *American Journal of Gastroenterology*, vol. 11, no. 11, pp. 1573–1580, 2016.
- Kesehatan, K. (2018). *hasil utama riskesdas 2018*.
- Kassahun, T., Gesesew, H., Mwanri, L., & Eshetie, T. (2016). Diabetes related knowledge, self-care behaviours and adherence to medications among diabetic patients in Southwest Ethiopia: A cross-sectional survey. *BMC Endocrine Disorders*, 16(1), 1–11. <https://doi.org/10.1186/s12902-016-0114-x>.
- Koelmeyer, R. L., Dharmage, S. C., & English, D. R. (2016). Diabetes in young adult men: social and health-related correlates. *BMC Public Health*, 16(Suppl 3). <https://doi.org/10.1186/s12889-016-3704-7>.
- Logue J, Walker JJ, Colhoun HM, Leese GP, Lindsay RS, McKnight JA, Morris AD, Pearson DW, Petrie JR, Philip S, Wild SH, Sattar N. Do men develop type 2 diabetes at lower body mass indices than women? *Diabetologia*. 2011;54: 30033006.

- Manurung, R. D., Biomed, M., & Panjaitan, C. V. S. (2019). *Gambaran karakteristik penderita diabetes mellitus yang berobat jalan ke poli interna rsup h . adam malik medan. 20.*
- Masturoh, I., & T., N. A. (2018). *Metodologi Penelitian Kesehatan.* Kementerian Kesehatan Republik Indonesia.
- Mac Leod KM, Tooke JE (1995) Direct and indirect costsof cardiovascular and cerebrovascular complications of type II diabetes. *Pharmacoeconomics* 8 Suppl 1: 46–51.
- Mildawati, Diani, N., & Wahid, A. (2019). Hubungan Usia, Jenis Kelamin dan Lama Menderita Diabetes dengan Kejadian Neuropati Perifer Diabateik. *Caring Nursing Journal*, 3(2), 31–37.
- Meneilly GS, Elahi D (2005) Metabolic alterations in middle-aged and elderly lean patients with type 2 diabetes. *Diabetes Care* 28: 1498–1499.
- Notoadmodjo, S. (2010). *Metode Penelitian Kesehatan.* Rineka Cipta.
- Penelitian, B., Kesehatan, P., & Kesehatan, K. (2013). *Riskesdas 2013 : Pengertian.*
- Penelitian, B., & Pengantar, K. (2008). *Riset Kesehatan Dasar.*
- Perkeni, 2006. *Konsensus Pengelolaan DM di Indodesia.* Jakarta : PERKENI
- RI, K. K. (2014). *Pusat Data Dan Informasi.*
- Smeltzer, S. C., & Bare, B. G. (2013). *Keperawatan Medikal-Bedah.* EGC.
- Schmid SM, HallschmidM, Schultes B. The metabolic burden of sleep loss. *Lancet Diabetes Endocrinol* 2014;
- Soelistijo, S. A., Novida, H., & Rudijanto, A. (2015). *Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia.* Perkeni.
- Suegondo S, Soewondo P, S. I. (2009). *Penatalaksanaan Diabetes Melitus Terpadu.* (Edisi 2.). FKUI.
- Sugiyono. (2015). *Metode Penelitian Dan Pengembangan (Research And Development).* Alfabeta.
- Spaeth AM, Dinges DF, Goel N. Sex and race differencesin caloric intake during sleep restriction in healthy adults.*Am J Clin Nutr.* 2014;100:559–566.

- Sonthon, P. (2020). *Association between Health Literacy and Glycemic Control of Patients with Type 2 Diabetes Mellitus*. 50(1), 76–88.
- Sugiyono, D., & Caesaria, R. (2015). Umur dan Perubahan Kondisi Fisiologis Terhadap Kemandirian Lansia. *Muhammadiyah Journal of Nursing*, 21–27.
- Saydah S, Cowie C, Eberhardt MS, De Rekeneire N, Narayan KM. Racial and ethnic differences in glycemic control among adults with diagnosed diabetes in the United States. *Ethnic Dis*. 2007;17(3):529–35.
- Swarjana, I. K. (2016). *Metodologi Penelitian Kesehatan [Edisi Revisi]* (M. Bendatu (ed.)). Andi.
- Spanakis EK, Golden SH. Race/ethnic difference in diabetes and diabetic complications. *Curr Diab Rep*. 2013;13(6):814–23.
- Suyanto, S. &. (2018). *Metodologi Penelitian Cross Sectional*. Bosscript.
- Trisnawati, SK & Setyorogo, S 2013, Faktor risiko kejadian diabetes melitus tipe 2 di Puskesmas kecamatan Cengkareng Jakarta Barat tahun 2012. *Jurnal Ilmiah Kesehatan*, volume 5, nomor 1, pp. 6-11
- TA, I. (2010). *Metodologi Penelitian Bidang Kesehatan Bahan Ajar Untuk Mahasiswa*. Segung Seto.
- V. A. Fonseca, M. S. Kirkman, T. Darsow, and R. E. Ratner, “The American Diabetes Association diabetes research perspective,” *Diabetes Care*, vol. 35, no. 6, pp. 1380–1387, 2012.
- WHO Fact Sheet of Diabetes, 2016
- Woods NF, LaCroix AZ, Gray SL Aragaki A, Cochrane BB, et al. (2005) Women’s Health Initiative. Frailty: emergence and consequences in women aged 65 and older in the Women’s Health Initiative Observational Study. *J Am Geriatr Soc* 53: 1321–1330.
- Wong E, Backholer K, Gearon E, Harding J, Freak-Poli R, et al. (2013) Diabetes and risk of physical disability in adults: a systematic review and meta-analysis. *Lancet Diabetes Endocrinol* 1: 106–114.
- Zhang B, Wing YK. Sex differences in insomnia: a metaanalysis. *Sleep*. 2006;29:85–93.