

DAFTAR PUSTAKA

- (IHME), I. for H. M. and E. (2016). Global Burden of Disease Study 2016. Global Burden of Disease Study 2016 (GBD 2016) Results.
- Alderman, C. P., McCarthy, L. C., & Marwood, A. C. (2009). Pharmacotherapy for post-traumatic stress disorder. *Expert Review of Clinical Pharmacology*.
<https://doi.org/10.1586/17512433.2.1.77>
- Annisa, D. F., & Ifdil, I. (2016). Konsep Kecemasan (Anxiety). *Konselor*.
- Bagus, I., Hendra, G., & Ardani, I. G. A. I. (2018). Hubungan tingkat kecemasan terhadap aktivitas sehari-hari pada lansia di Panti Werdha Wana Seraya , Denpasar - Bali. *E-Journal Medika*.
- Baldwin, D. S., Anderson, I. M., Nutt, D. J., Allgulander, C., Bandelow, B., Den Boer, J. A., ... Wittchen, H. U. (2014). Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: A revision of the 2005 guidelines from the British Association for Psychopharmacology. *Journal of Psychopharmacology*.
<https://doi.org/10.1177/0269881114525674>
- Bandelow, B., Michaelis, S., & Wedekind, D. (2017). Treatment of anxiety disorders. *Dialogues in Clinical Neuroscience*. <https://doi.org/10.4324/9780203728215-32>
- Bangsbo, J., Blackwell, J., Boraxbekk, C. J., Caserotti, P., Dela, F., Evans, A. B., ... Viña, J. (2019). Copenhagen Consensus statement 2019: Physical activity and

- ageing. *British Journal of Sports Medicine*. <https://doi.org/10.1136/bjsports-2018-100451>
- Biddle, S. (2016). Physical activity and mental health: Evidence is growing. *World Psychiatry*. <https://doi.org/10.1002/wps.20331>
- Claresta, L. J., & Purwoko, Y. (2017). Pengaruh Konsumsi Cokelat terhadap Tingkat. *Jurnal Kedokteran Diponegoro*.
- Diamond, R., & Waite, F. (2020). Physical activity in a pandemic: A new treatment target for psychological therapy. *Psychology and Psychotherapy: Theory, Research and Practice*. <https://doi.org/10.1111/papt.12294>
- Dugan, S. A., Bromberger, J. T., Segawa, E., Avery, E., & Sternfeld, B. (2015). Association between physical activity and depressive symptoms: Midlife women in SWAN. *Medicine and Science in Sports and Exercise*. <https://doi.org/10.1249/MSS.0000000000000407>
- Fakultas Kedokteran Universitas Indonesia. (2015). Buku ajar psikiatri klinis Ed. 2. In *fakultas kedokteran universitas indonesia*.
- Hearon, B. A., Beard, C., Kopeski, L. M., Smits, J. A. J., Otto, M. W., & Björgvinsson, T. (2018). Attending to Timely Contingencies: Promoting Physical Activity Uptake Among Adults with Serious Mental Illness with an Exercise-For-Mood vs. an Exercise-For-Fitness Prescription. *Behavioral Medicine*. <https://doi.org/10.1080/08964289.2016.1276428>
- Holt, N. L., Neely, K. C., Slater, L. G., Camiré, M., Côté, J., Fraser-Thomas, J., ... Tamminen, K. A. (2017). A grounded theory of positive youth development

through sport based on results from a qualitative meta-study. *International Review of Sport and Exercise Psychology*.
<https://doi.org/10.1080/1750984X.2016.1180704>

Hou, F., Bi, F., Jiao, R., Luo, D., & Song, K. (2020). Gender differences of depression and anxiety among social media users during the COVID-19 outbreak in China: a cross-sectional study. *BMC Public Health*. <https://doi.org/10.1186/s12889-020-09738-7>

International Physical Activity Questionnaire. (2005). Guidelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ) – Short and Long Forms, revised on November 2005. *Ipaq*.

Jacob, L., Tully, M. A., Barnett, Y., Lopez-Sanchez, G. F., Butler, L., Schuch, F., ... Smith, L. (2020). The relationship between physical activity and mental health in a sample of the UK public: A cross-sectional study during the implementation of COVID-19 social distancing measures. *Mental Health and Physical Activity*. <https://doi.org/10.1016/j.mhpa.2020.100345>

Jakobsson, J., Malm, C., Furberg, M., Ekelund, U., & Svensson, M. (2020). Physical Activity During the Coronavirus (COVID-19) Pandemic: Prevention of a Decline in Metabolic and Immunological Functions. *Frontiers in Sports and Active Living*. <https://doi.org/10.3389/fspor.2020.00057>

Johns Hopkins Coronavirus Resource Center. (2020). COVID-19 Map.

Joy, E. A., & Pescatello, L. S. (2016). Pre-exercise screening: Role of the primary care physician. *Israel Journal of Health Policy Research*.

<https://doi.org/10.1186/s13584-016-0089-0>

- Kautsar, F., Gustopo, D., & Achmad, F. (2015). Uji Validitas dan Reliabilitas Hamilton Anxiety Rating Scale Terhadap Kecemasan dan Produktivitas Pekerja Visual Inspection PT. Widatra Bhakti. *Seminar Nasional Teknologi 2015*.
- Lissek, S. (2012). Toward an account of clinical anxiety predicated on basic, neurally mapped mechanisms of Pavlovian fear-learning: The case for conditioned overgeneralization. *Depression and Anxiety*. <https://doi.org/10.1002/da.21922>
- Locke, A. B., Kirst, N., & Shultz, C. G. (2015). Diagnosis and management of generalized anxiety disorder and panic disorder in adults. *American Family Physician*.
- McDowell, C. P., Dishman, R. K., Hallgren, M., MacDonncha, C., & Herring, M. P. (2018). Associations of physical activity and depression: Results from the Irish Longitudinal Study on Ageing. *Experimental Gerontology*. <https://doi.org/10.1016/j.exger.2018.09.004>
- Mochcovitch, M. D., Deslandes, A. C., Freire, R. C., Garcia, R. F., & Nardi, A. E. (2016). The effects of regular physical activity on anxiety symptoms in healthy older adults: A systematic review. *Revista Brasileira de Psiquiatria*. <https://doi.org/10.1590/1516-4446-2015-1893>
- Montgomery, S. A. (2006). Pregabalin for the treatment of generalised anxiety disorder. *Expert Opinion on Pharmacotherapy*. <https://doi.org/10.1517/14656566.7.15.2139>
- Moylan, S., Eyre, H. A., Maes, M., Baune, B. T., Jacka, F. N., & Berk, M. (2013).

Exercising the worry away: How inflammation, oxidative and nitrogen stress mediates the beneficial effect of physical activity on anxiety disorder symptoms and behaviours. *Neuroscience and Biobehavioral Reviews*.
<https://doi.org/10.1016/j.neubiorev.2013.02.003>

Ramania, N. S., Pramana, Y., Apriantono, T., & Karim, D. A. (2016). INTENSITAS AKTIFITAS FISIK TERHADAP RESIKO KEJADIAN OSTEOPOROSIS PADA KELOMPOK USIA 40- 70 TAHUN. *Jurnal Sains Keolahragaan Dan Kesehatan*. <https://doi.org/10.5614/jskk.2016.1.1.3>

Riahi, M. A., Haddad, M., Ouattas, A., & Goebel, R. (2016). *The Moderating Effect of Physical Exercise in Anxiety Disorder: A review*.
<https://doi.org/10.15405/epsbs.2016.06.38>

Riskedas. (2018). PREVALENSI DEPRESI* PADA PENDUDUK UMUR ≥ 15 TAHUN MENURUT PROVINSI, 2018. *Kementrian Kesehatan Republik Indonesia*.

Rosidin, U., Sumarni, N., & Suhendar, I. (2019). Penyuluhan tentang Aktifitas Fisik dalam Peningkatan Status Kesehatan. *Media Karya Kesehatan*.
<https://doi.org/10.24198/mkk.v2i2.22574>

Schuch, F. B., Vancampfort, D., Firth, J., Rosenbaum, S., Ward, P. B., Silva, E. S., ... Stubbs, B. (2018). Physical activity and incident depression: A meta-analysis of prospective cohort studies. *American Journal of Psychiatry*.
<https://doi.org/10.1176/appi.ajp.2018.17111194>

Schuch, F. B., Vancampfort, D., Sui, X., Rosenbaum, S., Firth, J., Richards, J., ...

- Stubbs, B. (2016). Are lower levels of cardiorespiratory fitness associated with incident depression? A systematic review of prospective cohort studies. *Preventive Medicine*. <https://doi.org/10.1016/j.ypmed.2016.10.011>
- Stubbs, B., Vancampfort, D., Rosenbaum, S., Firth, J., Cosco, T., Veronese, N., ... Schuch, F. B. (2017). An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: A meta-analysis. *Psychiatry Research*. <https://doi.org/10.1016/j.psychres.2016.12.020>
- Sugiyono. (2012). Metode Penelitian Kuantitatif, Kualitatif dan R & D. Bandung: Alfabeta. *Metode Penelitian Kuantitatif, Kualitatif Dan R & D. Bandung: Alfabeta*. <https://doi.org/10.1017/CBO9781107415324.004>
- The National Institute of Mental Health. (2016). NIMH » Anxiety Disorders.
- Viana, M. C., & Andrade, L. H. (2012). Lifetime Prevalence, Age and Gender Distribution and Age-of-Onset of Psychiatric Disorders in the São Paulo Metropolitan Area, Brazil: Results from the São Paulo Megacity Mental Health Survey. *Revista Brasileira de Psiquiatria*. <https://doi.org/10.1016/j.rbp.2012.03.001>
- WHO. (2019). WHO Guidelines on physical activity, sedentary behaviour. In *World Health Organization*.
- WHO, W. H. O. (2016). What is Moderate-intensity and Vigorous-intensity Physical Activity? *Global Strategy on Diet, Physical Activity and Health. What Is Overweight and Obesity?*
- World Health Organization. (2020). Mental Health and Psychosocial Considerations

During COVID-19 Outbreak. *World Health Organization.*