

DAFTAR PUSTAKA

- Agrawal, S., Zaritsky, J. J., Fornoni, A., Smoyer, W. E., Katz, H., & Discovery, D. (2018). *Dislipidemias En Niños Tratamiento*. 14(1), 57–70. <https://doi.org/10.1038/nrneph.2017.155>.Dyslipidaemia
- AR Pambudi. (2012). *Karakteristik Kejadian Penyakit Ginjal Kronik Pada Sindrom Nefrotik Anak*. 4(4), 418–426.
- Baldi et al. (2013). Pharmacoeconomics and Economic Evaluation of Drug Therapies. *The IUPHAR Compendium of Basic Principles For Pharmacological Research in Humans*, October, 67–75.
- Bobkova, I., Chebotareva, N., Kozlovskaya, L., & Shilov, E. (2016). Edema in Renal Diseases – Current View on Pathogenesis. *Nephrology @ Point of Care*, 2(1), pocj.5000204. <https://doi.org/10.5301/pocj.5000204>
- Boldt, J. (2010). Use of albumin: An update. *British Journal of Anaesthesia*, 104(3), 276–284. <https://doi.org/10.1093/bja/aep393>
- Boyer, O., Baudouin, V., Bérard, E., Dossier, C., Audard, V., Guignon, V., & Vrillon, I. (2017). Aspects cliniques du syndrome néphrotique idiopathique de l'enfant. *Archives de Pédiatrie*, 24(12), 1338–1343. <https://doi.org/10.1016/j.arcped.2017.09.022>
- Budiningsari, R. D. (2004). Pengaruh Perubahan Status Gizi Pasien Dewasa terhadap Lama Rawat Inap dan Biaya Rumah Sakit. *Jurnal Gizi Klinik Indonesia*, 1(1), 35. <https://doi.org/10.22146/ijcn.15359>
- Cadnapaphornchai, M. A., Tkachenko, O., Shchekochikhin, D., & Schrier, R. W. (2014). The nephrotic syndrome: Pathogenesis and treatment of edema formation and secondary complications. *Pediatric Nephrology*, 29(7), 1159–1167. <https://doi.org/10.1007/s00467-013-2567-8>
- Caraceni, P., Riggio, O., Angeli, P., Alessandria, C., Neri, S., Foschi, F. G., Levantesi, F., Airolidi, A., Boccia, S., Svegliati-Baroni, G., Fagioli, S.,

- Romanelli, R. G., Cozzolongo, R., Di Marco, V., Sangiovanni, V., Morisco, F., Toniutto, P., Tortora, A., De Marco, R., ... Salerno, F. (2018). Long-term albumin administration in decompensated cirrhosis (ANSWER): an open-label randomised trial. *The Lancet*, 391(10138), 2417–2429. [https://doi.org/10.1016/S0140-6736\(18\)30840-7](https://doi.org/10.1016/S0140-6736(18)30840-7)
- Caraceni, P., Tufoni, M., & Bonavita, M. E. (2013). Clinical use of albumin. *Blood Transfusion*, 11(SUPPL. 4). <https://doi.org/10.2450/2013.005s>
- Carvalho, J. R., & Machado, M. V. (2018). New insights about albumin and liver disease. *Annals of Hepatology*, 17(4), 547–560. <https://doi.org/10.5604/01.3001.0012.0916>
- De Toledo, L. A. K., Noblat, A. C. B., Do Nascimento, H. F., & Noblat, L. D. A. C. B. (2017). Economic evaluation of human albumin use in patients with nephrotic syndrome in four Brazilian public hospitals: pharmacoeconomic study. *Sao Paulo Medical Journal*, 135(2), 92–99. <https://doi.org/10.1590/1516-3180.2016.0048030516>
- Depkes RI. (2010). 済無No Title No Title. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Downie, M. L., Gallibois, C., Parekh, R. S., & Noone, D. G. (2017). Nephrotic syndrome in infants and children: Pathophysiology and management. *Paediatrics and International Child Health*, 37(4), 248–258. <https://doi.org/10.1080/20469047.2017.1374003>
- Duffy, M., Jain, S., Harrell, N., Kothari, N., & Reddi, A. (2015). Albumin and Furosemide Combination for Management of Edema in Nephrotic Syndrome: A Review of Clinical Studies. *Cells*, 4(4), 622–630. <https://doi.org/10.3390/cells4040622>
- El Bakkali, L., Pereira, R. R., Kuik, D. J., Ket, J. C. F., & Van Wijk, J. A. E. (2011). Nephrotic syndrome in The Netherlands: A population-based cohort study and a review of the literature. *Pediatric Nephrology*, 26(8), 1241–1246. <https://doi.org/10.1007/s00467-011-1851-8>
- Fadly, F., & Vianny, O. (2019). Pemanfaatan Jaminan Kesehatan Nasional

- (JKN) Tahun 2018 di Provinsi Riau. *Jurnal Kebijakan Kesehatan Indonesia : JKKI*, 8(4), 164–167. <https://doi.org/10.22146/JKKI.49113>
- Gatta, A., Verardo, A., & Bolognesi, M. (2012). Hypoalbuminemia. *Internal and Emergency Medicine*, 7(SUPPL. 3), 193–199. <https://doi.org/10.1007/s11739-012-0802-0>
- Gebrehiwot et al. (2020). Time to Relapse and Its Predictors among Children with Nephrotic Syndrome in Comprehensive Specialized Hospitals, Tigray, Ethiopia, 2019. *International Journal of Pediatrics*, 2020, 1–9. <https://doi.org/10.1155/2020/8818953>
- Ghafari, A., Mehdizadeh, A., Alavi-darazam, I., Rahimi, E., & Kargar, C. (2011). Co-administration of Albumin – Furosemide in Patients with the. 22(3), 471–475.
- Gordillo. (2009). The nephrotic syndrome. *The American Journal of Medicine*, 3(3), 386–401. [https://doi.org/10.1016/0002-9343\(47\)90036-3](https://doi.org/10.1016/0002-9343(47)90036-3)
- Guimarães, F. T. L., Ferreira, R. N., Brito-Melo, G. E. A., Rocha-Vieira, E., Pereira, W. de F., Pinheiro, S. V. B., Miranda, A. S., & e Silva, A. C. S. (2019). Pediatric patients with steroid-sensitive nephrotic syndrome have higher expression of T regulatory lymphocytes in comparison to steroid-resistant disease. *Frontiers in Pediatrics*, 7(APR), 1–9. <https://doi.org/10.3389/fped.2019.00114>
- Horowitz, I. N., & Tai, K. (2007). Hypoalbuminemia in critically ill children. *Archives of Pediatrics and Adolescent Medicine*, 161(11), 1048–1052. <https://doi.org/10.1001/archpedi.161.11.1048>
- Hull, R. P., & Goldsmith, D. J. A. (2008). Nephrotic syndrome in adults. *Bmj*, 336(7654), 1185–1189. <https://doi.org/10.1136/bmj.39576.709711.80>
- Jatiningsih, S., Pramantara, I. D. P., & Rahmawati, F. (2015). Evaluasi penggunaan infus albumin. *Jurnal Manajemen Dan Pelayanan Farmasi*, 5(2), 135–142.
- Jj, H., As, A., Yc, K., Nj, A., H, V. R., & Jummaat, F. (2019). *Human albumin infusion for treating oedema in people with nephrotic syndrome (Review)*

Summary Of Findings For The Main Comparison. 7.
<https://doi.org/10.1002/14651858.CD009692.pub2.www.cochranelibrary.com>

Kementerian Kesehatan RI. (2013). *Pedoman Penerapan Kajian Farmakoekonomi*.

KennetKenneth D. McClatchey M.D., D. D. S. (2002). Clinical Laboratory Medicine. In Definitions. <https://doi.org/10.32388/y0q181h> D. McClatchey M.D., D. D. S. (2002). Clinical Laboratory Medicine. In *Definitions*. <https://doi.org/10.32388/y0q181>

Kerlin, B. A., Ayoob, R., & Smoyer, W. E. (2012). Epidemiology and pathophysiology of nephrotic syndrome-associated thromboembolic disease. *Clinical Journal of the American Society of Nephrology*, 7(3), 513–520. <https://doi.org/10.2215/CJN.10131011>

Khemchand N Moorani, M. R. (2012). Spectrum of infections in children with nephrotic syndrome. *International Journal of Infectious Diseases*, 51(1), e419. <https://doi.org/10.1016/j.ijid.2010.02.552>

Kinasih, R. P. (2014). Nephrotic Syndrome in 2 Years Old Child. *Agromed*, 1(3), 217–221.

Kodner, C. (2016). Diagnosis and management of nephrotic syndrome in adults. *American Family Physician*, 93(6), 479–485.

Kurdanti, W., Hadi, H., & Susetyowati, S. (2004). Hubungan antara Kadar Serum Albumin Awal dengan Lama Rawat Inap dan Status Pulang Pasien Dewasa di Rumah Sakit. *Jurnal Gizi Klinik Indonesia*, 1(1), 19. <https://doi.org/10.22146/ijcn.15356>

Lauf, K. K., Arora, S., Sweeney, C., & Lau, K. K. (2010). Management of steroid sensitive nephrotic syndrome in children: Roles of general practitioners. *Hong Kong Practitioner*, 32(3), 137–141.

Li, M., & Cai, G. (2015). Diagnosis and Treatment of Nephrotic Syndrome in the Elderly. *Journal of Integrative Nephrology and Andrology*, 2(4), 123. <https://doi.org/10.4103/2225-1243.168530>

- Lin, R., McDonald, G., Jolly, T., Batten, A., & Chacko, B. (2020). A Systematic Review of Prophylactic Anticoagulation in Nephrotic Syndrome. *Kidney International Reports*, 5(4), 435–447. <https://doi.org/10.1016/j.ekir.2019.12.001>
- Macé, C., & Chugh, S. S. (2014). Nephrotic syndrome: Components, connections, and angiopoietin-like 4-related therapeutics. *Journal of the American Society of Nephrology*, 25(11), 2393–2398. <https://doi.org/10.1681/ASN.2014030267>
- Maurin, N. (2013). Thromboembolische Komplikationen bei nephrotischem Syndrom. *Deutsche Medizinische Wochenschrift*, 138(21), 1123–1129. <https://doi.org/10.1055/s-0033-1343113>
- McCloskey, O., & Maxwell, A. P. (2017). Diagnosis and management of nephrotic syndrome. *Practitioner*, 261(1801), 11–16.
- Mendrofa, D. E., & Suryawati, C. (2016). Analisis Pengelolaan Obat Pasien BPJS Di Instalasi Farmasi Rumah Sakit Panti Wilasa Citarum Semarang Rumah Sakit Panti Wilasa Citarum memiliki visi dan misi dalam melayani Rumah Sakit Panti Wilasa Citarum melayani. *Manajemen Kesehatan Indonesia*, 4(3), 214–221.
- Muryawan, M. H., Soemantri, A., Subagio, H. W., & Sekarwana, N. (2019). Pengaruh Suplementasi Ekstrak Ikan Gabus (*Channa Striata*) Terhadap Kadar Albumin, Kolesterol, Waktu Remisi Dan Kejadian Relaps Pada Anak Sindrom Nefrotik. *Medica Hospitalia : Journal of Clinical Medicine*, 6(1), 7–12. <https://doi.org/10.36408/mhjcm.v6i1.371>
- Naber, T. H., Schermer, T., Bree, A. De, Nusteling, K., Eggink, L., Kruimel, J. W., Bakkeren, J., Heereveld, H. Van, & Katan, M. B. (1997). Prevalence of malnutrition in nonsurgical hospitalized patients and its association with disease. *American Journal of Clinical Nutrition*, 1232–1239.
- Nilawati, G. (2016). Profil Sindrom Nefrotik pada Ruang Perawatan Anak RSUP Sanglah Denpasar. *Sari Pediatri*, 14(4), 269. <https://doi.org/10.14238/sp14.4.2012.269-72>

- Nishi, S., Ubara, Y., Utsunomiya, Y., Okada, K., Obata, Y., Kai, H., Kiyomoto, H., Goto, S., Konta, T., Sasatomi, Y., Sato, Y., Nishino, T., Tsuruya, K., Furuichi, K., Hoshino, J., Watanabe, Y., Kimura, K., & Matsuo, S. (2016). Evidence-based clinical practice guidelines for nephrotic syndrome 2014. *Clinical and Experimental Nephrology*, 20(3), 342–370. <https://doi.org/10.1007/s10157-015-1216-x>
- Nugroho, M. (2013). The Effect of Temperature and Duration of the Steaming Extraction Albumin Content and Yield from the Fish Gabus (*Ophiocephalus striatus*). *Jurnal Saintek Perikanan*, 8(2), 38–43.
- Nugroho, Y. A. (2016). *Perbandingan Efektivitas Terapi Albumin Eksrak Ikan Gabus Murni Dibanding dengan Human Albumin 20% Terhadap Kadar Albumin dan pH Darah Pada Pasien Hipoalbuminemia*.
- Otukesh, H., Otukesh, S., Mojtahedzadeh, M., Hoseini, R., Fereshtehnejad, S. M., Fard, A. R., Sadigh, N., Behzadi, A. H., Javadi, R., Hooman, N., & Mehrazma, M. (2009). Management and outcome of steroid-resistant nephrotic syndrome in children. *Iranian Journal of Kidney Diseases*, 3(4), 210–217.
- Pambudi, A. (2015). *Jurnal Media Medika Muda. Karakteristik Kejadian Penyakit Ginjal Kronik Pada Sindrom Nefrotik Anak*, 4(3), 218–228.
- Park, S. J., & Shin, J. I. (2011). Complications of the nephrotic syndrome. *Giornale Italiano Di Nefrologia : Organo Ufficiale Della Società Italiana Di Nefrologia*, 20(1), 322–328.
- Perinandika, T., Rachmadi, D., & Dwiyananingrum, F. (2017). A Study of Hypoalbuminemia and Pleural Effusion in Pediatric Nephrotic Syndrome. *Althea Medical Journal*, 4(2), 188–191. <https://doi.org/10.15850/amj.v4n2.1075>
- Purwoko, P., Santoso, S. B., Permana, S. A., & Nugroho, A. (2019). Comparison of freeze-dried snakehead fish albumin extract and intravenous albumin in treating patients with hypoalbuminemia. *Drug Invention Today*, 11(2), 492–495.

- Putra, R. S. P., Indar, & Jafar, N. (2014). Ability to Pay and Catastrophic Payment on Self Payers Participants in. *JST Kesehatan*, 4(3), 283–290.
- RSU Dr. Soetomo. (2003). *pedoman human albumin dr sutomo.pdf*.
- Sanchez, L. A. (1999). Applied pharmacoeconomics: Evaluation and use of pharmacoeconomic data from the literature. *American Journal of Health-System Pharmacy*, 56(16), 1630–1640. <https://doi.org/10.1093/ajhp/56.16.1630>
- Saunders, J., Smith, T., & Stroud, M. (2011). Malnutrition and undernutrition. *Medicine*, 39(1), 45–50. <https://doi.org/10.1016/j.mpmed.2010.10.007>
- Scaria, S., Raju, R., Joseph, S., Mohan, A., & Nair, A. A. (2015). Pharmacoeconomics: Principles, methods and Indian scenario. *International Journal of Pharmaceutical Sciences Review and Research*, 34(1), 37–46.
- Siddall, E. C., & Radhakrishnan, J. (2012). The pathophysiology of edema formation in the nephrotic syndrome. *Kidney International*, 82(6), 635–642. <https://doi.org/10.1038/ki.2012.180>
- Soejono, C. H., & Gunawan, P. (2018). Perbandingan Kesintasan dan Efektivitas Biaya Pasien Geriatri di Ruang Rawat Inap Akut RSUPN dr. Cipto Mangunkusumo Sebelum dan pada Era Jaminan Kesehatan Nasional. *EJournal Kedokteran Indonesia*, 5(3). <https://doi.org/10.23886/ejki.5.8819.195-204>
- Suarez, J. I., Martin, R. H., Hohmann, S. F., Calvillo, E., Bershad, E. M., Venkatasubba Rao, C. P., Georgiadis, A., Flower, O., Zygun, D., & Finfer, S. (2017). Human Albumin Use in Adults in U.S. Academic Medical Centers. *Critical Care Medicine*, 45(1), e16–e22. <https://doi.org/10.1097/CCM.0000000000002010>
- Taguti, E., Teleken, J., Steimbach, L., & Sanches, A. (2015). Economic Evaluation Of The Use Of Human Albumin In A Brazilian Public Hospital. *Value in Health*, 18(7), A535–A536. <https://doi.org/10.1016/j.jval.2015.09.1678>

- Takeda, A., Matsutani, H., Niimura, F., & Ohgushi, H. (1996). Risk factors for relapse in childhood nephrotic syndrome. *Pediatric Nephrology*, 10(6), 740–741. <https://doi.org/10.1007/s004670050205>
- Tapia C, Bashir K. Nephrotic Syndrome. [Updated 2020 Jul 26]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK470444/>
- Teoh, C. W., Robinson, L. A., & Noone, D. (2015). Perspectives on edema in childhood nephrotic syndrome. *American Journal of Physiology - Renal Physiology*, 309(7), F575–F582. <https://doi.org/10.1152/ajprenal.00229.2015>
- Thalgahagoda, R. S., Abeyagunawardena, S., Karunadasa, U. I., & Abeyagunawardena, A. S. (2017). Managing a child with nephrotic syndrome. *Sri Lanka Journal of Child Health*, 46(3), 267–272. <https://doi.org/10.4038/sljch.v46i3.8330>
- Tjandrawinata, R. R. (2016). Peran Farmaekonomi dalam Penentuan Kebijakan yang Berkaitan dengan Obat-Obatan. *Working Paper of Dexa Medica Group, January 2016*.
- Trihono, P. P. (2012). *Konsensus Tata Laksana Sindrom Nefrotik Idiopatik pada Anak*.
- Vincent, J.-L., Fink, M. P., Marini, J. J., Pinsky, M. R., Sibbald, W. J., Singer, M., Suter, P. M., Cook, D., Pepe, P. E., & Evans, T. (2006). Intensive Care and Emergency Medicine. *Chest*, 129(4), 1061–1067. <https://doi.org/10.1378/chest.129.4.1061>
- Yulianda, D., Maharani, L., & Suryoputri, M. W. (2020). Penggunaan Albumin Oral dan Albumin Injeksi pada Pasien Sirosis Hati di RSUD Prof. Dr. Margono Soekarjo Purwokerto. *Acta Pharmaciae Indonesia : Acta Pharm Indo*, 8(1), 8. <https://doi.org/10.20884/1.api.2020.8.1.2437>
- Yunfeng X, et al. (2015). Clinical Characteristics and Etiologic Analysis of Scabies-Associated Glomerulonephritis. *Internal Medicine: Open Access*, 05(04). <https://doi.org/10.4172/2165-8048.1000196>

Zhang, A., & Huang, S. (2012). Progress in pathogenesis of proteinuria. *International Journal of Nephrology*, 2012. <https://doi.org/10.1155/2012/314251>

Zhou, et al. (2013). *Review of the rational use and adverse reactions to human serum albumin in the People ' s Republic of China*. 1207–1212.