

DAFTAR PUSTAKA

- Arma, N. (2015) *Bahan Ajar Obstetri Fisiology*. Yogyakarta: Deepublish.
- Asim, M. *et al.* (2020) 'Prelacteal feeding practices in Pakistan: A mixed-methods study', *International Breastfeeding Journal*, 15(1), pp. 1–11. doi: 10.1186/s13006-020-00295-8.
- Bayih, W. A., Mekonen, D. K. and Kebede, S. D. (2020) 'Prevalence and associated factors of prelacteal feeding among neonates admitted to neonatal intensive care units, North central Ethiopia, 2019', *BMC Public Health*, 20(1), pp. 1–11. doi: 10.1186/s12889-020-09578-5.
- Belachew, A. B., Kahsay, A. B. and Abebe, Y. G. (2016) 'Individual and community-level factors associated with introduction of prelacteal feeding in Ethiopia', *Archives of Public Health*, 74(1), pp. 1–11. doi: 10.1186/S13690-016-0117-0.
- Benedict, R. K. *et al.* (2018) 'Trends and predictors of optimal breastfeeding among children 0–23 months, South Asia: Analysis of national survey data', *Maternal and Child Nutrition*, 14, pp. 1–16. doi: 10.1111/mcn.12698.
- Betrán, A. P. *et al.* (2016) 'The increasing trend in caesarean section rates: Global, regional and national estimates: 1990-2014', *PLoS ONE*, 11(2), pp. 1–12. doi: 10.1371/journal.pone.0148343.
- Billign, N. *et al.* (2016) 'Factors associated with prelacteal feeding in North Eastern Ethiopia: A community based cross-sectional study', *International Breastfeeding Journal*, 11(1), pp. 1–7. doi: 10.1186/s13006-016-0073-x.
- Boccolini, C. S. *et al.* (2014) 'Inequities in milk-based prelacteal feedings in Latin America and the caribbean: The role of cesarean section delivery', *Journal of Human Lactation*, 31(1), pp. 89–98. doi: 10.1177/0890334414559074.
- Brady, K., Bulpitt, D. and Chiarelli, C. (2014) 'An interprofessional quality improvement project to implement maternal/infant skin-to-skin contact during cesarean delivery', *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 43(4), pp. 488–496. doi: 10.1111/1552-6909.12469.
- Central Statistics Organization (CSO), Ministry of Public Health (MoPH) and ICF (2015) *Afghanistan 2015 Demographic and Health Survey*. Kabul, Afghanistan:

- Central Statistics Organization. Available at:
<https://www.dhsprogram.com/pubs/pdf/SR236/SR236.pdf>.
- Chapman, D. J. *et al.* (2001) 'Impact of breast pumping on lactogenesis stage II after cesarean delivery: a randomized clinical trial.', *Pediatrics*, 107(6). doi: 10.1542/peds.107.6.e94.
- Chea, N. and Asefa, A. (2018) 'Prelacteal feeding and associated factors among newborns in rural Sidama, south Ethiopia: A community based cross-sectional survey', *International Breastfeeding Journal*, 13(1), pp. 1–8. doi: 10.1186/s13006-018-0149-x.
- Chen, C. *et al.* (2018) 'Influences of Cesarean Delivery on Breastfeeding Practices and Duration: A Prospective Cohort Study', *Journal of Human Lactation*, 34(3), pp. 526–534. doi: 10.1177/0890334417741434.
- Choudhari, Sonali Gajanan, R. N. L. *et al.* (2012) 'Choudhari, Sonali Gajanan, Rajesh N. Lakde², Abhay Bhausahab Mudey¹, Deepali S. Deo, Vinod L. Vedpathak, Prashant L. Dahire', *International Journal of Current Research and Review*.
- Debes, A. K. *et al.* (2013) 'Time to initiation of breastfeeding and neonatal mortality and morbidity: a systematic review', *BMC Public Health*, 13(3), pp. 1–22.
- El-Gilany, A. H. and Abdel-Hady, D. M. (2014) 'Newborn first feed and prelacteal feeds in Mansoura, Egypt', *BioMed Research International*, 2014(December 2013). doi: 10.1155/2014/258470.
- Friedman, M. (2010) *Buku Ajar Keperawatan Keluarga : Riset, Teori, dan Praktek Edisi ke-5*. Jakarta: EGC.
- Gahayu, S. A. (2019) *Metodologi Penelitian Kesehatan Masyarakat*. Yogyakarta: Deepublish.
- Gregory, K. D. *et al.* (2012) 'Cesarean versus vaginal delivery: Whose risks? whose benefits?', *American Journal of Perinatology*, 29(1), pp. 7–18. doi: 10.1055/s-0031-1285829.
- Hardani *et al.* (2020) *Buku Metode Penelitian Kualitatif dan Kuantitatif*. Yogyakarta: CV. Pustaka Ilmu Group.
- Hobbs, A. J. *et al.* (2016) 'The impact of caesarean section on breastfeeding

- initiation, duration and difficulties in the first four months postpartum', *BMC Pregnancy and Childbirth*, 16(1), pp. 1–9. doi: 10.1186/s12884-016-0876-1.
- IDAI (2013) *Inisiasi Menyusui Dini*. Available at: <https://www.idai.or.id/artikel/klinik/asi/inisiasi-menyusu-dini>.
- International Institute for Population Sciences (IIPS) and ICF (2015) 'National Family Health Survey (Nfhs-4) 2015-16', pp. 1–671. Available at: <https://dhsprogram.com/pubs/pdf/FR339/FR339.pdf>.
- Jeyakumar, A. *et al.* (2020) 'Prevalence and Determinants of Early Initiation (EI), Exclusive Breastfeeding (EBF), and Prolactal Feeding among Children Aged 0-24 Months in Slums of Pune City, in Maharashtra', *Ecology of Food and Nutrition*.
- Karkee, R. *et al.* (2014) 'Initiation of breastfeeding and factors associated with prolactal feeds in central Nepal', *Journal of Human Lactation*, 30(3), pp. 353–357. doi: 10.1177/0890334414529845.
- Khanal, V. *et al.* (2013) 'Factors associated with the introduction of prolactal feeds in Nepal: Findings from the Nepal Demographic and Health Survey 2011', *International Breastfeeding Journal*, 8(1), pp. 1–9. doi: 10.1186/1746-4358-8-9.
- Khanal, V., Scott, J. A., *et al.* (2015) 'Incidence of Mastitis in the Neonatal Period in a Traditional Breastfeeding Society: Results of a Cohort Study', *Breastfeeding Medicine*, 10(10), pp. 481–487. doi: 10.1089/bfm.2015.0080.
- Khanal, V., Lee, A. H., *et al.* (2015) 'Prevalence and factors associated with prolactal feeding in Western Nepal', *Women and Birth*, 29(1), pp. 12–17. doi: 10.1016/j.wombi.2015.07.006.
- Kurniarum, A. (2016) *Asuhan Kebidanan Persalinan dan Bayi Baru Lahir*. Pusdik SDM Kesehatan.
- Lakati, A. S. *et al.* (2010) 'The effect of pre-lactal feeding on full breastfeeding in Nairobi, Kenya.', *East African journal of public health*, 7(3), pp. 258–262. doi: 10.4314/eajph.v7i3.64737.
- Legesse, M. *et al.* (2014) 'Prolactal feeding practices and associated factors among mothers of children aged less than 24 months in Raya Kobo district, North Eastern Ethiopia: A cross-sectional study', *International Breastfeeding Journal*, 9(1), pp. 1–8. doi: 10.1186/s13006-014-0025-2.

- Ministry of Health and ICF (2017) 'Nepal Demographic and Health Survey 2016'. Kathmandu, Nepal: Ministry of Health, Nepal. doi: 10.1080/19485565.1967.9987700.
- Ministry of Health and ICF (2018) 'Maldives Demographic and Health Survey 2016-2017'. Malé, Maldives, and Rockville, Maryland, USA: MOH and ICF.
- National Institute of Population Research and Training (NIPORT) and ICF International (2020) '*Bangladesh demographic and health survey 2017-18*'. Dhaka, Bangladesh, and Rockville, Maryland, USA: NIPORT and ICF.
- National Institute of Population Studies (NIPS) and ICF (2019) '*Pakistan Maternal Mortality Survey 2019*'. USA: NIPS and ICF.
- Nguyen, P. H. *et al.* (2013) 'Prelacteal feeding practices in vietnam: Problems and determinant factors', *BMC Public Health*, 13, pp. 1–11.
- Nurokhmah, S., Masitoh, S. and Werdani, K. E. (2021) 'Prevalence and determinants of pre-lacteal feeding: Insights from the 2017 Indonesia demographic and health survey', *Kesmas*, 16(2), pp. 100–107. doi: 10.21109/KESMAS.V16I2.4283.
- Ogundele, T., Ogundele, O. A. and Adegoke, A. I. (2019) 'Determinants of prelacteal feeding practices among mothers of children aged less than 24 months in ile-ife Southwest Nigeria: A community cross-sectional study', *Pan African Medical Journal*, 34, pp. 1–11. doi: 10.11604/pamj.2019.34.172.17642.
- Patel, A., Banerjee, A. and Kaletwad, A. (2013) 'Factors associated with prelacteal feeding and timely initiation of breastfeeding in hospital-delivered infants in India', *Journal of Human Lactation*, 29(4), pp. 572–578. doi: 10.1177/0890334412474718.
- Prawirohardjo, S. (2010) *Ilmu Kebidanan, Edisi Keempat*. Jakarta: PT Bina Pustaka.
- Pries, A. M. *et al.* (2016) 'Promotion and prelacteal feeding of breastmilk substitutes among mothers in Kathmandu Valley, Nepal', *Maternal and Child Nutrition*, 12, pp. 8–21. doi: 10.1111/mcn.12205.
- Raheem, R. A. *et al.* (2014) 'Determinants of the introduction of prelacteal feeds in the maldives', *Breastfeeding Medicine*, 9(9), pp. 473–478. doi: 10.1089/bfm.2014.0028.
- Rahmartani, L. D. *et al.* (2020) 'Trends and predictors of optimal breastfeeding

- among children 0–23 months, South Asia: Analysis of national survey data', *Maternal and Child Nutrition*, 29(4), pp. 1–19. doi: 10.1089/bfm.2014.0028.
- Rogers, N. L. *et al.* (2011) 'Colostrum avoidance, prelacteal feeding and late breast-feeding initiation in rural Northern Ethiopia', *Public Health Nutrition*, 14(11), pp. 2029–2036. doi: 10.1017/S1368980011000073.
- Sujarweni, V. W. (2014) *Metodologi Penelitian Keperawatan*. Penerbit Gava Media.
- Takele, W. W. *et al.* (2018) 'Magnitude of prelacteal feeding practice and its association with place of birth in Ethiopia: A systematic review and meta-analysis, 2017', *Archives of Public Health*, 76(1), pp. 1–11. doi: 10.1186/s13690-018-0308-y.
- Tariku, A. *et al.* (2016) 'Factors associated with prelacteal feeding in the rural population of northwest Ethiopia: A community cross-sectional study', *International Breastfeeding Journal*, 11(1), pp. 1–7. doi: 10.1186/s13006-016-0074-9.
- Taye, A. A. *et al.* (2021) 'Formula feeding practice and associated factors among mothers with infants 0–6 months of age in Addis Ababa, Ethiopia: a community-based cross-sectional study', *Italian Journal of Pediatrics*, 47(1), pp. 1–9. doi: 10.1186/s13052-021-01010-x.
- Tekaly, G. *et al.* (2018) 'Pre-lacteal feeding practice and associated factors among mothers having children less than two years of age in Aksum town, Tigray, Ethiopia, 2017: A cross-sectional study', *BMC Pediatrics*, 18(1), pp. 1–10. doi: 10.1186/s12887-018-1284-7.
- Temesgen, H. *et al.* (2018) 'Prelacteal feeding and associated factors in Ethiopia: Systematic review and meta-analysis', *International Breastfeeding Journal*, 13(1), pp. 1–12. doi: 10.1186/s13006-018-0193-6.
- Tully, K. P. & H. L. B. (2012) 'Postnatal Unit Bassinet Types When Rooming-In After Cesarean Birth: Implications for Breastfeeding and Infant Safety', *Journal of Human Lactation*.
- Wolde, T. F., Ayele, A. D. and Takele, W. W. (2019) 'Prelacteal feeding and associated factors among mothers having children less than 24 months of age, in Mettu district, Southwest Ethiopia: A community based cross-sectional study',

- BMC Research Notes*, 12(1), pp. 3–9. doi: 10.1186/s13104-019-4044-3.
- World Health Organization (WHO) (2009) *Infant and young child feeding*. Geneva: World Health Organization.
- World Health Organization (WHO) (2018) *WHO recommendation non-clinical interventions to reduce unnecessary caesarean sections*. Geneva: World Health Organization.
- Wudu, M. (2021) 'Determinants of Early Days of Newborn Feeding Malpractice Among Mothers of Children Less Than One Year of Age in Mizan-Aman Town, Southwestern Ethiopia, 2020', *Pediatric Health, Medicine and Therapeutics*, Volume 12, pp. 79–89. doi: 10.2147/phmt.s297828.
- Zanardo, V. *et al.* (2016) 'Influence of elective and emergency cesarean delivery on mother emotions and bonding', *Early Human Development*, 99, pp. 17–20. doi: 10.1016/j.earlhumdev.2016.05.006.