

DAFTAR PUSTAKA

- Abdurrahman, F. (2014). Faktor Pendorong Perilaku Diet Tidak Sehat Pada Mahasiswi. *Ejournal Psikologi*, 2(2).
- ADA. (2009). Standart of Medical Care in Diabetes-2009. *Diabetes Care*, 32.
- ADA. (2014). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 34(1).
- ADA. (2015). Diagnosis and Clasification of Diabetes Mellitus. *American Diabetes Care*, 38.
- Afandi, F., Wijaya, C., Faridah, D., & Suyatma, N. (2019). Hubungan antara Kandungan Karbohidrat dan Indeks Glikemik pada Pangan Tinggi Karbohidrat. *Jurnal Pangan*, 28(2).
- AHA. (2012). Heart Disease and Stroke Statistics. 2012 update: a report from the American Heart Association. *Circulation*, 125(1).
- Ahangarpour, A., Sayahi, M., & Sayahi, M. (2019). The Antidiabetic and Antioxidant Properties of Some Phenolic Phytochemicals: A Review Study. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 13(1), 854–857. <https://doi.org/10.1016/j.dsx.2018.11.051>
- Aini, N. (2004). *Makalah Falsafah Sains Pengolahan Tepung Ubi Jalar Dan Produk – Produknya Untuk Pemberdayaan Ekonomi Masyarakat Pedesaan*. Institut Pertanian Bogor.
- Aini, N. (2004). Pengolahan Tepung Ubi Jalar dan Produk-Produknya untuk Pemberdayaan Ekonomi Masyarakat Pedesaan. *Makalah Pribadi Falsafah Sains, Pps 702*, 1–13.
- Andyarini, E. N., & Hidayati, I. (2018). Correlation Between Menstrual Duration with The Incidence of Anemia. *International Conference on Sustainable Health Promotion*, 129–134.
- Ariviani, S. (2010). Kapasitas Anti Radikal Ekstrak Antosianin Buah Salam (*Syzygium polyanthum* [Wight.] Walp) Segar dengan Variasi Proporsi Pelarut. *Caraka Tani*, 25(1).
- Arthey, D., & Ashurst, P. R. (2001). *Fruit Processing, Nutrition Product, and Quality Management, 2nd edn*. An Aspen Publication.
- Avianty, S., & Ayustaningwarno, F. (2013). Kandungan Zat Gizi dan Tingkat Kesukaan Snack Bar Ubi Jalar Kedelai Hitam sebagai Alternatif Makanan Selingan Penderita Diabetes Mellitus Tipe 2. *Journal of Nutrition College*,

2(4), 622–629.

- Avianty, S., & Ayustaningwarno, F. (2014). Indeks Glikemik Snack Bar Ubi Jalar Kedelai Hitam sebagai Alternatif Makanan Selingan Penderita Diabetes Melitus Tipe 2. *Jurnal Aplikasi Teknologi Pangan*, 3(3), 98–102.
- Behall, K. ., & Scholfield, D. . (2005). Food Amylose Content Affects Postprandial Glucose and Insulin Responses. *Cereal Chem*, 82(6).
- Belwal, T., Nabavi, S. F., Nabavi, S. M., & Habtemariam, S. (2017). Dietary Anthocyanins and Insulin Resistance: When Food Becomes A Medicine. *Nutrients*, 9(1111). <https://doi.org/10.3390/nu9101111>
- Bhat, R., & Karim, A. (2009). Exploring The Nutritional Potential of Wild and Underutilized Legumes. *Comprehensive Reviews in Food Science and Food Safety*, 8(4).
- Bolívar, A., & Luis, C. (2004). Stability of Anthocyanin-Based Aqueous Extracts of Andean Purple Corn and Red-Fleshed Sweet Potato Compared to Synthetic and Natural Colorants. *Food Chemistry*, 86(1), 69–77. <https://doi.org/10.1016/j.foodchem.2003.08.011>
- Bovell-Benjamin, A. C. (2007). Sweet Potato: A Review of its Past, Present, and Future Role in Human Nutrition. *Advances in Food and Nutrition Research*, 52(06), 1–59. [https://doi.org/10.1016/S1043-4526\(06\)52001-7](https://doi.org/10.1016/S1043-4526(06)52001-7)
- Bridgers, E. N., Chin, S. ., & Truong, D. . (2010). Extraction of Anthocyanins from Industrial Purple-Fleshed Sweet Potatoes and Enzymatic Hydrolysis of Residues for Fermentable Sugar. *Journal of Industrial Crops and Products*, 32.
- Bustan. (2007). *Epidemiologi Tidak Menular*. Rienika Cipta FKUI.
- Butt, M., Iqbal, J., Naz, A., Suleria, H., Qayyum, M., Saleem, F., & Jahangir, M. (2011). Effect of Flour Blending on Bread Characteristics. *Internet Journal of Food Safety*, 13.
- Cazarolli, L., Zanatta, L., Alberton, EH, Figueiredo, M., Folador, P., Damazio, R., Pizzolatti, M., & Silva, F. (2008). Flavonoids: Cellular and Molecular Mechanism of Action in Glucose Homeostasis. *Mini Rev Med Chem*, 8(10).
- Chu, Y., Chang, C., & Hsu, H. (2000). Flavonoid Content of Several Vegetables and Their Antioxidant Activity. *Journal of the Science of Food and Agriculture*, 80(5).
- Ciudad-Mulero, M Fernández-Ruiz, V Matallana-González, M. C Morales, P. (2019). Dietary Fiber Sources and Human Benefits: The Case Study of Cereal and Pseudocereals. In *Advances in Food and Nutrition Research. Academic Press*, 90.

- Cummings, J. ., & Stephen, A. . (2007). Carbohydrate Terminology and Classification. (Review). *European Journal of Clinical Nutrition*, 61(1).
- Dafriani, P. (2017). *Hubungan Pola Makan dan Aktifitas Fisik Terhadap Kejadian Diabetes Melitus di Poliklinik Penyakit Dalam RSUD dr . Rasidin Padang*. 13(2).
- Depkes. (2005). *Pedoman Pemeriksaan Laboratorium Untuk Penyakit Diabetes Melitus*. Departemen Kesehatan RI.
- Depkes. (2005). *Pharmaceutical Care untuk Penyakit Diabetes Melitus*. *Departemen Kesehatan Indonesia*.
- Dhital, S. (2014). Enzymatic Hydrolysis of Starch in The Presence of Cereal Soluble Fibre Polysaccharides. *Food & Function*, 5(3).
- Djunaidi, C. S., Affandi, D. R., & Praseptiangga, D. P. (2014). Efek Hipoglikemik Tepung Komposit Ubi Jalar Ungu , Jagung Kuning, dan Kacang Tunggak) Pada Tikus Diabetes Induksi Streptozotocin. *Jurnal Gizi Klinik Indonesia*, 10(03), 119–126.
- El Husna, N. (2013). Kandungan Antosianin dan Aktivitas Antioksidan Ubi Jalar Ungu Segar dan Produk Olahannya. *Jurnal Agritech*.
- Eleazu, C. . (2016). The Concept of Low Glycemic Index and Glycemic Load Foods as Panacea for Type 2 Diabetes Mellitus; Prospects, Challenges and Solutions. *African Health Sciences*, 16(2).
- Ellong, E. ., Billard, C., & Adenet, S. (2014). Comparison of Physicochemical, Organoleptic and Nutritional Abilities of Eight Sweet Potato (*Ipomoea batatas*) Varieties. *Food and Nutrition Sciences*, 5.
- Elmaniar, R., & Muhtadi. (2017). Aktivitas Penghambatan Enzim α -Glukosidase oleh Ekstrak Etanol Umbi Ubi Jalar Ungu (*Ipomea batatas* L.). *The 5th Urecol Proceeding, February*, 1–5.
- Franz, JL, B., & AB, E. (2014). Evidence-Based Diabetes Nutrition Therapy Recommendations are Effective: The Key is Individualization. *Diabetes Metab Syndr Obes*, 07.
- Franz, M. (2012). *Medical Nutrition Theraphy for Diabetes Mellitus and Hypoglycemia of Nondiabetic Origin*. (L. Mahan (ed.); Krause's F). WB Saunders Company.
- Gallagher, M. (2012). *The Nutrient and Their Metabolism* (L. Mahan (ed.); Krause's F). WB Saunders Company.
- Ganong, W. F. (2000). *Biokimia Kedokteran Dasar: Sebuah Pendekatan Klinis*. EGC.

- Ghosh, D., & Konishi, T. (2007). Anthocyanins and Anthocyanin-Rich Extracts: Role in Diabetes and Eye Function. *Asia Pac J Clin Nutr*, 16(2).
- Giacco, R., Parillo, M., Rivellese, A., Lasorella, G., & Giacco, A. (2000). Long Term Dietary Treatment with Increased Amounts of Fiber-Rich Low Glycemic Index Natural Foods Improves Blood Glucose Control and Reduces the Number of Hypoglycemic Events in Type 1 Diabetic Patients. *Diabetes Care*, 23(6).
- Ginting, E., Utomo, J. S., Yulifianti, R., & Jusuf, M. (2011). Potensi Ubi Jalar Ungu sebagai Pangan Fungsional. *Iptek Tanaman Pangan*, 6(1).
- Gipyapuri, R. A., Susyani, & Terati. (2019). Pengaruh Pemberian Puding D'bingu Terhadap Penurunan Kadar Glukosa Darah Pada Penderita Dm Tipe 2 Rawat Jalan Di Puskesmas Sosial Palembang. *Publikasi Penelitian Terapan Dan Kebijakan*, 2(1), 96–101.
- Gulliford, M., Bicknell, E., & Scarpello, J. (1989). Differential Effect of Protein and Fat Ingestion on Blood Glucose Responses to High and Low Glycemix Index Carbohydrates in Non Insulin Dependent DM. *Am J Clin Nutr*, 50(4).
- Hairani, M., Saloko, S., & Handito, D. (2018). Uji Aktivitas Antioksidan Sosis Analog Tempe Dengan Penambahan Tepung Ubi Jalar Ungu Terhadap Penurunan Kadar Gula Darah Mencit Diabetes. *Pro Food (Jurnal Ilmu Dan Teknologi Pangan)*, 4(2), 383–390.
- Hardoko, Hendarto, & Siregar. (2010). Pemanfaatan Ubi Jalar Ungu (*Ipomoea batatas* L. Poir) sebagai Pengganti Sebagian Tepung Terigu dan Sumber Antioksidan pada Roti Tawar. *Jurnal Teknologi Dan Industri Pangan*, 21(1).
- Harnowo, W. (2008). *Standar Gizi Pangan Pokok*. Swadaya Utama.
- Hartini, S. (2016). Hubungan HBA1c Terhadap Kadar Glukosa Darah Pada Penderita Diabetes Mellitus Di RSUD. Abdul Wahab Syahrani Samarinda Tahun 2016. *Jurnal Husada Mahakam*, IV(3), 171–180.
- Hartono, A. (2006). *Terapi Gizi dan Diet Rumah Sakit*. EGC.
- Hasri, S. I. P. (2018). Perbandingan Pemeriksaan Kadar Hemoglobin Metode Cyanmeth Secara Langsung dan Tidak Langsung. *Jurnal Medika*, 1–8.
- Hidayati, Z. N., & Suwita, I. K. (2017). Substitusi Pasta Ubi Jalar Ungu Terhadap Mutu Kimia, Nilai Energi dan Mutu Organoleptik Cookies (Kue Kering) Sebagai Alternatif Snack Penderita Diabetes Melitus. *Jurnal Agromix*, 8(2), 82–95.
- Husna, N. El, Novita, M., & Rohaya, S. (2013). Kandungan Antosianin dan Aktivitas Antioksidan Ubi Jalar Ungu Segar dan Produk Olahannya. *AGRITECH*, 33(3), 296–302.

- IDF. (2019). Advocacy Guide to the IDF Diabetes Atlas Ninth edition 2019. In *Working with Policymakers* (Vol. 1, Issue 1). International Diabetes Federation.
<http://www.ascd.org/ASCD/pdf/newsandissues/ascdadvocacyguide.pdf>
- IDF. (2019). *IDF DIABETES ATLAS Ninth edition 2019* (Vol. 266, Issue 6881). International Diabetes Federation. [https://doi.org/10.1016/S0140-6736\(55\)92135-8](https://doi.org/10.1016/S0140-6736(55)92135-8)
- Infodatin. (2020). Tetap Produktif, Cegah Dan Atasi Diabetes Mellitus. In *Infodatin Pusat Data dan Informasi Kementerian Kesehatan RI*.
- Jamrianti, R. (2007). Potensi Tepung Ubi Jalar sebagai Bahan Pangan. *Prosiding Jurnal Litbang Pertanian*.
- Kariadi, S. Hartini. (2009). *Diabetes? Siapa Takut!!: Panduan Lengkap Untuk Diabetesi, Keluarganya, dan Profresional Medis*. PT Mizan Pustaka.
- Kristijarti, P., & Arlene, A. (2012). *Isolasi Zat Warna Ungu pada Ipomoea batatas Poir dengan Pelarut Air. Laporan Kegiatan Penelitian*. Lembaga Penelitian dan Pengabdian kepada Masyarakat Universitas Katolik Parahyangan.
- Kurniawan, I. (2010). Diabetes Mellitus Tipe 2 pada Usia Lanjut. *Majalah Kedokteran Indonesia*, 60(12).
- Kurniawan, S. N., Raisa, N., & Margareta. (2018). *Penggunaan Hewan Coba Pada Penelitian di Bidang Neurologi* (U. Press (ed.)).
- Lapornik, B., Porsek, M., & Wondra, A. . (2005). Comparison of Extracts Prepared from Plant by-Products Using Different Solvents and Extraction Time. *J Food Engineering*, 71(2).
- Ledikwe, J. ., Blanck, H. ., Khan, L. ., Serdula, M. ., Seymour, J. ., Tohill, B. ., & Rolls, B. J. (2006). Dietary Energy Density is Associated with Energy Intake and Weight Status in US Adults. *Am J Clin Nutr*, 83.
- Lestari, D. D., Purwanto, D. S., & Kaligis, S. H. (2011). Gambaran Kadar Glukosa Darah Puasa pada Mahasiswa Angkatan 2011 Fakultas Kedokteran Universitas Sam Ratulangi dengan Indeks Massa Tubuh. *Jurnal E-Biomedik*, 1(2), 991–996.
- Lovegrove, A., Edwards, C. ., Noni, I. ., Patel, H., El, S. ., Grassby, T., Zielke, C., Ulmius, M., Nilsson, L., Butterworth, P. ., Ellis, P. ., & Shewry, P. . (2017). Role of Polysaccharides in Food, Digestion, and Health. *Critical Reviews in Food Science and Nutrition*, 57(2).
- Malik, S. (2003). *Rekomendasi Pengendalian Organisme Pengganggu Tumbuhan pada Tanaman*. Direktorat Perlindungan Tanaman.
- Markakis, P. (1982). *Stability of Anthocyanin in Food. Ch.6. In Anthocyanin as*

Food Colors, P. Markakis (Edu.). Academic Press.

- Matsui, T., Ebuchi, S., Kobayashi, M., Fukui, K., Sugita, K., Terahara, N., & Matsumoto, K. (2002). Anti-Hyperglycemic Effect of Diacylated Anthocyanin Derived from Ipomoea batatas cultivar Ayamurasaki Can be Achieved Through the Alpha-Glucosidase Inhibitory Action. *Journal of Agricultural and Food Chemistry*, 50(25), 7244–7248.
- Meng, S., Cao, J., Feng, Q., Peng, J., & Hu, Y. (2013). Roles of Chlorogenic Acid on Regulating Glucose and Lipids Metabolism: A Review. *Evidence-Based Complementary and Alternative Medicine*, 2013, 1–11.
- Mishra, S., Hardacre, A., & Monro, J. (2012). *Food Structure and Carbohydrate Digestibility. Di dalam Carbohydrate-Comprehensive Study on Glycobiology and Glycotechnology* (Chang CF, ed.). Intech.
- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*, 26(December 2003), 211–219. <https://doi.org/10.1287/isre.6.2.144>
- Murtiningsih, M. K., Pandelaki, K., & Sedli, B. P. (2021). *Gaya Hidup sebagai Faktor Risiko Diabetes Melitus Tipe 2*. 9(28), 328–333.
- Muslimin, N., Fanny, L., & Manjilala. (2018). Pemberian Kue Kering Tepung Ubi Jalar Ungu Dengan Tepung Tempe Terhadap Gula Darah Sewaktu Penderita Diabetes Mellitus Tipe 2. *Media Gizi Pangan*, 25, 33–38.
- Nansel, T., Gellar, L., & Mc, G. (2008). Effect of Varying Glycemic Index Meals on Blood Glucose Control Assessed with Continuous Glucose Monitoring in Youth with Type 1 Diabetes on Basal-Bolus Insulin Regimens. *Diabetes Care*, 31.
- National Institute for Diabetes and Digestive and Kidney Disease (NIDDK). (2014). Cause of diabetes. *NIH Publication*.
- Nintami, A. L., & Rustanti, N. (2012). Kadar Serat, Aktivitas Antioksidan, Amilosa Dan Uji Kesukaan Mi Basah Dengan Substitusi Tepung Ubi Jalar Ungu (Ipomoea Batatas Var Ayamurasaki) Bagi Penderita Diabetes Melitus Tipe-2. *Journal of Nutrition College*, 1(1), 388–397.
- Nollet, L. M. L. (1996). *Handbook of Food Analysis: Physical Characterization and Nutrient Analysis*. Marcell Dekker In.
- Nurdjanah, S., Yuliana, N., Aprisia, D., & Rangga, A. (2019). Penghambatan Aktivitas Enzim α -Glukosidase oleh Ekstrak Kasar Antosianin Ubi Jalar Ungu Segar dan Produk Olahannya. *Biopropal Industri*, 10(2).
- Nurhamidah, & Erawati. (2014). Pengaruh Pemberian Ekstrak Ubi Jalar Ungu (Ipomoea Batatas Poiret) Terhadap Kadar Glukosa Darah, Kadar

Immunoglobulin A (IgA) dan Villi Usus Pada Tikus Putih Jantan (*Rattus Norvegicus*) Diabetes Mellitus. *SCIENTIA*, 4(1), 22–28.

Ou, B., Huang, D., Hampsch-Woodill, M., Flanagan, J., & Deemer, E. (2002). Analysis of Antioxidant Activities of Common Vegetables Employing Oxygen Radical Absorbance Capacity (ORAC) and Ferric Reducing Antioxidant Power (FRAP) Assays: A Comparative Study. *J. Agric. Food Chem*, 50(11).

Ozela, E. F., Stringheta, P. C., & Chauca, M. C. (2007). Stability of Anthocyanin in Spinach Fine (*Basella Rubra*) Fruit. *Ciencia Investigacion Agraria*, 34.

Park, J. S., Yang, J. S., Hwang, B. Y., Yoo, B. K., & Han, K. (2009). Hypoglycemic Effect of Yacon Tuber Extract and its Constituent, Chlorogenic Acid, in Streptozotocin-Induced Diabetic Rats. *Biomolecules and Therapeutics*, 17(3), 256–262.
<https://doi.org/10.4062/biomolther.2009.17.3.256>

PERKENI. (2011). *Konsesus Pengelolaan Diabetes Mellitus Tipe 2 di Indonesia*. PB PERKENI.

PERKENI. (2019). Pengelolaan dan Pengobatan Diabetes Melitus Tipe 2 Dewasa. In *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia* (Vol. 1). PB PERKENI.

PERSAGI. (2009). *Tabel Komposisi Pangan Indonesia*. Penerbit PT Kompas Gramedia.

Pokorny, J., Yanishlieva, N., & Gordon, M. (2001). *Antioksidants in Food*. CRC Press.

Pratama, E. H., Izzati, M., & Saptiningsih, E. (2013). Uji Total Glukosa dan Aktivitas Antioksidan Beberapa Produk Pangan Fungsional Berbahan Dasar Ubi Jalar Ungu (*ipomoea batatas* L.) var Ayamurasaki edysri hermayudha p , Munifatul Izzati , Endang Saptiningsih Pendahuluan Ubi jalar ungu merupakan tanaman ya. *Jurnal Biologi*, 2(2).

Purnamasari, D. (2009). *Diagnosis dan Klasifikasi Diabetes Mellitus*. Dalam: Sudoyo, A., Setyohadi, B., Alwi, I., ed. *Buku Ajar Ilmu Penyakit Dalam*. Edisi 5. Jilid 3. Pusat Penerbitan Ilmu Penyakit Dalam FK UI.

Putri, S. (2017). Kajian Aktivitas Indeks Glikemik Brownies Kukus Subtitusi Tepung Ubi Jalar Termodifikasi. *Jurnal Kesehatan*, 3(1).

Raffa, M., Atig, F., Mhalla, A., Kerkeni, A., & Mechri, A. (2011). Decreased Glutathione Levels and Impaired Antioxidant Enzyme Activities in Drug-Naive First-Episode Schizophrenic Patients. *BMC Psychiatry*, 11.

Riskesdas. (2018). *HASIL UTAMA RISKESDAS 2018 Kementerian Kesehatan Badan Penelitian dan Pengembangan Kesehatan*.
<https://www.litbang.kemkes.go.id/wp-content/uploads/riskesdas/hasil->

riskesdas-2018.pdf

- Riyani, A. (2009). *Laporan Praktikum Kimia Klinik II*. Analis Kesehatan Bandung.
- Rizkalla, S., Taghrif, L., Laromiguiere, M., Huet, D., Boillot, J., & Rigoir, A. (2004). Improved Plasma Glucose Control, whole-Body Glucose Utilization, and Lipid Profile on low Glycemic Index Diet in type 2 Diabetic Men. *Diabetes Care*, 27.
- Rosidah. (2014). Potensi Ubi Jalar Sebagai Bahan Baku Industri Pangan. *Teknobağa*, 1(1).
- Sabahi, Z., Khoshnood Mansoorkhani, M. J., Rahmani Namadi, S., & Moein, M. (2016). Antidiabetic and Synergistic Effects Study of Anthocyanin Fraction from *Berberis integerrima* Fruit on Streptozotocin-Induced Diabetic Rats Model. *Trends in Pharmaceutical Sciences*, 2(1), 43–50. <http://tips.sums.ac.ir/index.php/TiPS/article/view/53>
- Sabuluntika, N., & Ayustaningwarno, F. (2013). Kadar Beta Karoten, Antosianin, Isovlafon, dan Aktivitas Antioksidan pada Snack Bar Ubi Jalar Kedelai Hitam sebagai Alternatif Makanan Selingan Penderita Diabetes Mellitus Tipe 2. *Journal of Nutrition College*, 2(4), 232–241.
- Sacher, R. A., & McPherson, R. (2004). *Tinjauan Klinis Hasil Pemeriksaan Laboratorium* (D. Penerjemah: Brahm Pendit & Wulandari (eds.); II). EGC.
- Santoso, A. (2011). Serat Pangan (Dietary Fiber) dan Manfaatnya Bagi Kesehatan. *Magistra*, 75(35).
- Saputra, N. T., Suartha, I. N., & Dharmayudha, A. A. G. O. (2018). Agen Diabetagonik Streptozotocin untuk Membuat Tikus Putih Jantan Diabetes Mellitus. *Buletin Veteriner Udayana*, 10(2), 116. <https://doi.org/10.24843/bulvet.2018.v10.i02.p02>
- Sarwono, B. (2005). *Ubi Jalar*. Penebar Swadaya.
- Sayuti, K., & Yenrina, R. (2015). *Antioksidan Alami dan Sintetik*. Andalas University Press.
- Schwingshackl, L., & Hoffmann, G. (2013). Long-Term Effects of Low Glycemic Index/Load vs. High Glycemic Index/Load Diets on Parameters of Obesity and Obesity-Associated Risks: A Systematic Review and Meta-Analysis. *Nutrition, Metabolism and Cardiovascular Diseases*, 23(8), 699–706. <https://doi.org/10.1016/j.numecd.2013.04.008>
- Shanita, S. ., Hasnah, H., & Khoo, C. . (2011). Amylose and Amylopectin in Selected Malaysian Foods and Its Relationship to Glycemic Index. *Sains Malaysiana*, 40(8).
- Siagian, A., & Rimbawan. (2004). *Faktor Faktor yang Mempengaruhi Indeks*

Glikemik Pangan, Indeks Glikemik dan Beban Glikemik Beberapa Jenis Pangan Indeks Glikemik Pangan: Cara Mudah Memilih Pangan yang Menyehatkan. Penebar Swadaya.

Siddhuraju, P., & Becker, K. (2007). The Antioxidant and Free Radical Scavenging Activities of Processed Cowpea (*Vigna unguiculata* (L.) Walp.) Seed Extracts. *Food Chemistry*, 101(01).

Silalahi, J. (2006). *Makanan Fungsional*. Kanisius.

Smeltzer, & Bare. (2008). No Title. In *Brunner & Suddarth's textbook of medical surgical nursing*. Lippincott.

Srinivasan, K., & Ramarao, P. (2007). Animal Models in Type 2 Diabetes Research: An Overview. *Indian J Med Res*.

Strugała, P., Dzydzan, O., Brodyak, I., Kucharska, A. Z., Przewodowska, A., Michałowska, D., Gabrielska, J., & Sybirna, N. (2019). Antidiabetic and Antioxidative Potential of the Blue Congo Variety of Purple Potato Extract in Streptozotocin-Induced Diabetic Rats. *Molecules*, 24(3126), 1–22.

Suarni. (2009). Prospek pemanfaatan tepung jagung untuk kue kering (cookies). *Jurnal Litbang Pertanian*, 28(2).

Subekti, L. (2009). *Buku Ajar Penyakit Dalam: Neuropati Diabetik, Jilid III* (4th ed.). FK UI.

Subroto, M. A. (2008). *Real Food True Health*. PT. Agro Media Pustaka.

Suckow, M., Weisbroth, S., & Franklin, C. (2006). *The Laboratory Rat, Elsevier, ed 2th*.

Suda, I., Oki, T., Masuda, M., Kobayashi, M., Nishiba, Y., & Furuta, S. (2003). Physiological Functionality of Purple-Fleshed Sweet Potatoes Containing Anthocyanins and Their Utilization in Foods. *JARQ*, 37(3).

Suharoschi, R., Pop, O. ., Vlaic, R. ., Muresan, C. ., Muresan, C. ., Cozma, A., Sitar-Taut, A.V., Vulturar, R., Heghes, S. ., Fodor, A., & Iuga, C. . (2019). Dietary Fiber and Metabolism. In *Dietary Fiber: Properties, Recovery, and Applications*. Academic Press.

Suryaatmadja, M. (2003). *Pendidikan Berkesinambungan Patologi Klinik 2003*. Bagian Patologi Klinik Fakultas Kedokteran Universitas Indonesia.

Szkuldelski, T. (2001). The Mechanism of Alloxan and Streptozotocin Action in B Cells of The Rat Pancreas. *Physiol Res*, 50(6).

Teow, C. C., Truong, V. Den, McFeeters, R. F., Thompson, R. L., Pecota, K. V., & Yencho, G. C. (2007). Antioxidant Activities, Phenolic and β -Carotene

Contents of Sweet Potato Genotypes with Varying Flesh Colours. *Food Chemistry*, 103(3), 829–838.
<https://doi.org/10.1016/j.foodchem.2006.09.033>

- Wakhidana, G. A., Marchianti, A. C. N., & Santosa, A. (2018). Uji Efektivitas Beras Herbal Forte terhadap Penurunan Kadar Glukosa Darah Pasien Diabetes Melitus Tipe 2 (Study of the Herbal Rice Forte Effectiveness on Decreasing Blood Glucose of Diabetes Mellitus Type 2 Patient). *Pustaka Kesehatan*, 6(1), 85. <https://doi.org/10.19184/pk.v6i1.6789>
- Waspadji, D. (2004). *Pedoman Diet Diabetes Mellitus*. FKUI.
- WHO. (2014). *Commission on Ending Childhood Obesity, Geneva, World Health Organization, Departemen of Noncommunicable disease surveillance. International Diabetes Federation (IDF) (4th ed.)*. IDF Diabetes ATLAS.
- Widiati, H. A. (2010). Karakterisasi Plasma Nutfah Ubi Jalar Berdaging Umbi Predominan Ungu. *Buletin Plasma Nutfah*, 16(2).
- Widowati, S. (2010). Diversifikasi Konsumsi Pangan Berbasis Ubi Jalar. *Jurnal Pangan*, 20(1), 49–61.
- Winarno, F. G. (2004). *Kimia Pangan dan Gizi*. PT. Gramedia Pustaka Utama.
- Winarsi, H. (2007). *Antioksidan Alami dan Radikal Bebas: Potensi dan Aplikasi Dalam Kesehatan*. Kanisius.
- Woolfe, J. . (1992). *Sweet Potato an Untapped Food Resource*. Cambridge University Press.
- Wulansari, M. A., Lestari, S. R., & Gofur, A. (2018). Ekstrak Tempe Kedelai Hitam dan Ubi Jalar Ungu Terhadap Toleransi Darah Tikus Model DMT2. *Biogenesis*, 6(1), 28–35. <https://doi.org/10.24252/bio.v6i1.4236>
- Yang, J., & R.L., G. (2008). Effects of Dehydration on Anthocyanins, Antioxidant Activities, Total Phenols and Color Characteristics of Purple-Fleshed Sweet Potatoes (*Ipomea batatas*). *American Journal of Food Technology*, 3(4).
- Yudiono, K. (2011). Ekstrak Antosianin dari Ubi Jalar Ungu (*Ipomoea batatas* cv Ayamurasaki) dengan Teknik Ekstraksi Substical Water. *Jurnal Teknologi Pangan*, 2(1).
- Zhao, J., Yan, Q., Lu, L., & Zhang, Y. (2013). In Vivo Antioxidant, Hypoglycemic , and Anti-Tumor Activities of Anthocyanin Extracts from Purple Sweet Potato. *Nutrition Research and Practice*, 7(5), 359–365.
- Zhao, R., Li, Q., Long, L., Li, J., Yang, R., & Gao, D. (2006a). Antidiabetic Activity of Flavone from *Ipomoea batatas* Leaf in Non-Insulin Dependent Diabetic Rats. *Int J Food Sci Tech*, 42(1).

Zulkarnain. (2013). Perubahan Kadar Glukosa Darah Puasa pada Tikus. *Jurnal Kedokteran Universitas Syiah Kuala*, 13, 71–76.

LAMPIRAN

1. Artikel 1 :

<https://sinta.kemdikbud.go.id/journals/detail?q=nurhamidah&search=1&id=1406>

2. Artikel 2 :

<https://www.mdpi.com/1420-3049/24/17/3126>

3. Artikel 3 :

<https://synapse.koreamed.org/articles/1051314>

4. Artikel 4 :

<https://core.ac.uk/download/pdf/296266195.pdf>

5. Artikel 5 :

<https://profood.unram.ac.id/index.php/profood/article/view/88>

6. Artikel 6 :

<http://journal.uin-alauddin.ac.id/index.php/biogenesis/article/view/4236>