

DAFTAR PUSTAKA

- [1] K. Logesh, V. Ramesh, T. P. B. Kumar, V. P. Kumar, and B. Akash, “Preparation and property studies of SiO₂/H₂O nanofluid,” *Mater. Today Proc.*, vol. 18, pp. 4816–4820, 2019.
- [2] G. Huminic, A. Huminic, C. Fleaca, F. Dumitrache, and I. Morjan, “Thermophysical properties of water based SiC nanofluids for heat transfer applications,” *Int. Commun. Heat Mass Transf.*, vol. 84, pp. 94–101, 2017.
- [3] S. M. S. Murshed, K. C. Leong, and C. Yang, “Enhanced thermal conductivity of TiO₂ - Water based nanofluids,” *Int. J. Therm. Sci.*, vol. 44, no. 4, pp. 367–373, 2005.
- [4] H. Xie, J. Wang, T. Xi, Y. Liu, F. Ai, and Q. Wu, “Thermal conductivity enhancement of suspensions containing nanosized alumina particles,” *J. Appl. Phys.*, vol. 91, no. 7, pp. 4568–4572, 2002.
- [5] M. Kole and T. K. Dey, “Thermophysical and pool boiling characteristics of ZnO-ethylene glycol nanofluids,” *Int. J. Therm. Sci.*, vol. 62, pp. 61–70, 2012.
- [6] Z. Said, S. M. A. Rahman, M. El Haj Assad, and A. H. Alami, “Heat transfer enhancement and life cycle analysis of a Shell-and-Tube Heat Exchanger using stable CuO/water nanofluid,” *Sustain. Energy Technol. Assessments*, vol. 31, no. October 2018, pp. 306–317, 2019.
- [7] H. Zhu, C. Zhang, S. Liu, Y. Tang, and Y. Yin, “Effects of nanoparticle clustering and alignment on thermal conductivities of Fe₃O₄ aqueous nanofluids,” *Appl. Phys. Lett.*, vol. 89, no. 2, pp. 4–7, 2006.
- [8] M. Wozniak, A. Danelska, D. Kata, and M. Szafran, “New anhydrous aluminum nitride dispersions as potential heat-transferring media,” *Powder Technol.*, vol. 235, pp. 717–722, 2013.

- [9] J. A. Eastman, S. U. S. Choi, S. Li, W. Yu, and L. J. Thompson, “Anomalously increased effective thermal conductivities of ethylene glycol-based nanofluids containing copper nanoparticles,” *Appl. Phys. Lett.*, vol. 78, no. 6, pp. 718–720, 2001.
- [10] H. E. Patel, S. K. Das, T. Sundararajan, A. Sreekumaran Nair, B. George, and T. Pradeep, “Thermal conductivities of naked and monolayer protected metal nanoparticle based nanofluids: Manifestation of anomalous enhancement and chemical effects,” *Appl. Phys. Lett.*, vol. 83, no. 14, pp. 2931–2933, 2003.
- [11] J. Sunil, J. Vignesh, R. Vettumperumal, R. Maheswaran, and R. A. A. Raja, “The thermal properties of CaO-Nanofluids,” *Vacuum*, vol. 161, no. December 2018, pp. 383–388, 2019.
- [12] M. Chen, Y. He, J. Huang, and J. Zhu, “Investigation into Au nanofluids for solar photothermal conversion,” *Int. J. Heat Mass Transf.*, vol. 108, pp. 1894–1900, 2017.
- [13] Y. Ding, H. Alias, D. Wen, and R. A. Williams, “Heat transfer of aqueous suspensions of carbon nanotubes (CNT nanofluids),” *Int. J. Heat Mass Transf.*, vol. 49, no. 1–2, pp. 240–250, 2006.
- [14] M. Nazari, M. Karami, and M. Ashouri, “Comparing the thermal performance of water, Ethylene Glycol, Alumina and CNT nanofluids in CPU cooling: Experimental study,” *Exp. Therm. Fluid Sci.*, vol. 57, pp. 371–377, 2014.
- [15] V. Kumaresan, S. Mohaideen Abdul Khader, S. Karthikeyan, and R. Velraj, “Convective heat transfer characteristics of CNT nanofluids in a tubular heat exchanger of various lengths for energy efficient cooling/heating system,” *Int. J. Heat Mass Transf.*, vol. 60, no. 1, pp. 413–421, 2013.
- [16] P. Van Trinh, N. N. Anh, N. T. Hong, P. N. Hong, P. N. Minh, and B. H. Thang, “Experimental study on the thermal conductivity of ethylene glycol-based

- nanofluid containing Gr-CNT hybrid material,” *J. Mol. Liq.*, vol. 269, pp. 344–353, 2018.
- [17] A. S. Dalkılıç *et al.*, “Experimental study on the thermal conductivity of water-based CNT-SiO₂ hybrid nanofluids,” *Int. Commun. Heat Mass Transf.*, vol. 99, pp. 18–25, 2018.
- [18] S. S. Chougule, V. V. Nirgude, P. D. Gcharge, M. Mayank, and S. K. Sahu, “Heat Transfer Enhancements of Low Volume Concentration CNT/Water Nanofluid and Wire Coil Inserts in a Circular Tube,” *Energy Procedia*, vol. 90, no. December 2015, pp. 552–558, 2016.
- [19] L. Duan, J. Han, L. Cao, and C. Huo, “Experimental study on heat transfer characteristics of CNTs/Al₂O₃nanofluids in personal cooling system based on thermoelectric refrigeration,” *Procedia Eng.*, vol. 205, pp. 588–595, 2017.
- [20] M. Muruganandam and P. C. Mukesh Kumar, “Experimental analysis on internal combustion engine using MWCNT/water nanofluid as a coolant,” *Mater. Today Proc.*, vol. 21, no. xxxx, pp. 248–252, 2020.
- [21] S. Masoud Hosseini, L. Vafajoo, and B. H. Salman, “Performance of CNT-water nanofluid as coolant fluid in shell and tube intercooler of a LPG absorber tower,” *Int. J. Heat Mass Transf.*, vol. 102, pp. 45–53, 2016.
- [22] M. Xing, J. Yu, and R. Wang, “Experimental investigation and modelling on the thermal conductivity of CNTs based nanofluids,” *Int. J. Therm. Sci.*, vol. 104, pp. 404–411, 2016.
- [23] M. M. Sarafraz, F. Hormozi, and V. Nikkhah, “Thermal performance of a counter-current double pipe heat exchanger working with COOH-CNT/water nanofluids,” *Exp. Therm. Fluid Sci.*, vol. 78, pp. 41–49, 2016.
- [24] K. Babu and T. S. Prasanna Kumar, “Effect of CNT concentration and agitation

- on surface heat flux during quenching in CNT nanofluids,” *Int. J. Heat Mass Transf.*, vol. 54, no. 1–3, pp. 106–117, 2011.
- [25] M. H. Aghabozorg, A. Rashidi, and S. Mohammadi, “Experimental investigation of heat transfer enhancement of Fe₂O₃-CNT/water magnetic nanofluids under laminar, transient and turbulent flow inside a horizontal shell and tube heat exchanger,” *Exp. Therm. Fluid Sci.*, vol. 72, pp. 182–189, 2016.
- [26] A. Ghozatloo, A. M. Rashidi, and M. Shariaty-Niasar, “Effects of surface modification on the dispersion and thermal conductivity of CNT/water nanofluids,” *Int. Commun. Heat Mass Transf.*, vol. 54, pp. 1–7, 2014.
- [27] V. Kumaresan and R. Velraj, “Experimental investigation of the thermo-physical properties of water-ethylene glycol mixture based CNT nanofluids,” *Thermochim. Acta*, vol. 545, pp. 180–186, 2012.
- [28] A. N. Omrani, E. Esmaeilzadeh, M. Jafari, and A. Behzadmehr, “Effects of multi walled carbon nanotubes shape and size on thermal conductivity and viscosity of nanofluids,” *Diam. Relat. Mater.*, vol. 93, pp. 96–104, 2019.
- [29] P. Zhang *et al.*, “Effects of Surface Modificationon the Suspension Stability and Thermal Conductivity of Carbon Nanotubes Nanofluids,” *Energy Procedia*, vol. 69, pp. 699–705, 2015.
- [30] M. N. A. W. M. Yazid, N. A. C. Sidik, R. Mamat, and G. Najafi, “A review of the impact of preparation on stability of carbon nanotube nanofluids,” *Int. Commun. Heat Mass Transf.*, vol. 78, pp. 253–263, 2016.
- [31] S. Halelfadl, P. Estellé, and T. Maré, “Heat transfer properties of aqueous carbon nanotubes nanofluids in coaxial heat exchanger under laminar regime,” *Exp. Therm. Fluid Sci.*, vol. 55, pp. 174–180, 2014.
- [32] M. Xing, J. Yu, and R. Wang, “Thermo-physical properties of water-based

- single-walled carbon nanotube nanofluid as advanced coolant,” *Appl. Therm. Eng.*, vol. 87, pp. 344–351, 2015.
- [33] M. Farbod, A. Ahangarpour, and S. G. Etemad, “Stability and thermal conductivity of water-based carbon nanotube nanofluids,” *Particuology*, vol. 22, pp. 59–65, 2015.
- [34] M. Hemmat Esfe, S. Saedodin, O. Mahian, and S. Wongwises, “Thermophysical properties, heat transfer and pressure drop of COOH-functionalized multi walled carbon nanotubes/water nanofluids,” *Int. Commun. Heat Mass Transf.*, vol. 58, pp. 176–183, 2014.
- [35] M. S. Liu, M. C. C. Lin, C. Y. Tsai, and C. C. Wang, “Enhancement of thermal conductivity with Cu for nanofluids using chemical reduction method,” *Int. J. Heat Mass Transf.*, vol. 49, no. 17–18, pp. 3028–3033, 2006.
- [36] B. Ruan and A. M. Jacobi, “Ultrasonication effects on thermal and rheological properties of carbon nanotube suspensions,” *Nanoscale Res. Lett.*, vol. 7, pp. 1–14, 2012.
- [37] F. Jabbari, A. Rajabpour, and S. Saedodin, “Viscosity of carbon nanotube/water nanofluid: Equilibrium molecular dynamics,” *J. Therm. Anal. Calorim.*, vol. 135, no. 3, pp. 1787–1796, 2019.
- [38] S. U. Ilyas, R. Pendyala, and M. Narahari, “Experimental investigation of natural convection heat transfer characteristics in MWCNT-thermal oil nanofluid,” *J. Therm. Anal. Calorim.*, vol. 135, no. 2, pp. 1197–1209, 2019.
- [39] R. Sadri *et al.*, “An experimental study on thermal conductivity and viscosity of nanofluids containing carbon nanotubes,” *Nanoscale Res. Lett.*, vol. 9, no. 1, pp. 4–13, 2014.
- [40] Y.S.Touloukian, *Thermal Conductivity Metallic Elements and Alloys*. New

York-Washington: Plenum Publishing Corporation, 1970.

- [41] I. M. Mahbubul, E. B. Elcioglu, R. Saidur, and M. A. Amalina, “Optimization of ultrasonication period for better dispersion and stability of TiO₂–water nanofluid,” *Ultrason. Sonochem.*, vol. 37, pp. 360–367, 2017.
- [42] S. K. Das, S. U. S. Choi, and H. E. Patel, “Heat transfer in nanofluids - A review,” *Heat Transf. Eng.*, vol. 27, no. 10, pp. 3–19, 2006.
- [43] J. H. Lee *et al.*, “Effective viscosities and thermal conductivities of aqueous nanofluids containing low volume concentrations of Al₂O₃ nanoparticles,” *Int. J. Heat Mass Transf.*, vol. 51, no. 11–12, pp. 2651–2656, 2008.
- [44] A. Ghadimi, R. Saidur, and H. S. C. Metselaar, “A review of nanofluid stability properties and characterization in stationary conditions,” *Int. J. Heat Mass Transf.*, vol. 54, no. 17–18, pp. 4051–4068, 2011.
- [45] R. R. Paul C. Hiemenz, “Principles of Colloid and Surface Chemistry.” p. 703, 1997.
- [46] D. Wu, H. Zhu, L. Wang, and L. Liu, “Critical Issues in Nanofluids Preparation, Characterization and Thermal Conductivity,” *Curr. Nanosci.*, vol. 5, no. 1, pp. 103–112, 2009.
- [47] H. T. Zhu, Y. S. Lin, and Y. S. Yin, “A novel one-step chemical method for preparation of copper nanofluids,” *J. Colloid Interface Sci.*, vol. 277, no. 1, pp. 100–103, 2004.
- [48] M. Wagener, B. S. Murty, and B. Guenther, “Preparation of metal nanosuspensions by high-pressure dc-sputtering on running liquids,” *Mater. Res. Soc. Symp. - Proc.*, vol. 457, pp. 149–154, 1997.
- [49] H. A. Mohammed, A. A. Al-Aswadi, N. H. Shuaib, and R. Saidur, “Convective

- heat transfer and fluid flow study over a step using nanofluids: A review,” *Renew. Sustain. Energy Rev.*, vol. 15, no. 6, pp. 2921–2939, 2011.
- [50] H. Chang, C. S. Jwo, P. S. Fan, and S. H. Pai, “Process optimization and material properties for nanofluid manufacturing,” *Int. J. Adv. Manuf. Technol.*, vol. 34, no. 3–4, pp. 300–306, 2007.
- [51] C. H. Lo, T. T. Tsung, L. C. Chen, C. H. Su, and H. M. Lin, “Fabrication of copper oxide nanofluid using submerged arc nanoparticle synthesis system (SANSS),” *J. Nanoparticle Res.*, vol. 7, no. 2–3, pp. 313–320, 2005.
- [52] H. Chang and Y. C. Chang, “Fabrication of Al₂O₃ nanofluid by a plasma arc nanoparticles synthesis system,” *J. Mater. Process. Technol.*, vol. 207, no. 1–3, pp. 193–199, 2008.
- [53] J. Garg *et al.*, “Enhanced thermal conductivity and viscosity of copper nanoparticles in ethylene glycol nanofluid,” *J. Appl. Phys.*, vol. 103, no. 7, 2008.
- [54] X. Wei and L. Wang, “Synthesis and thermal conductivity of microfluidic copper nanofluids,” *Particuology*, vol. 8, no. 3, pp. 262–271, 2010.
- [55] W. Yu, H. Xie, L. Chen, Y. Li, and C. Zhang, “Synthesis and characterization of monodispersed copper colloids in polar solvents,” *Nanoscale Res. Lett.*, vol. 4, no. 5, pp. 465–470, 2009.
- [56] W. Patungwasa and J. H. Hodak, “pH tunable morphology of the gold nanoparticles produced by citrate reduction,” *Mater. Chem. Phys.*, vol. 108, no. 1, pp. 45–54, 2008.
- [57] T. Cho, I. Baek, J. Lee, and S. Park, “Preparation of nanofluids containing suspended silver particles for enhancing fluid thermal conductivity of fluids,” *Journal of Industrial and Engineering Chemistry*, vol. 11, no. 3, pp. 400–406, 2005.

- [58] N. Ngafwan, I. N. G. Wardana, W. Wijayanti, and E. Siswanto, “The role of NaOH and papaya latex bio-activator during production of carbon nanoparticle from rice husks,” *Adv. Nat. Sci. Nanosci. Nanotechnol.*, vol. 9, no. 4, 2018.
- [59] W. Yu, H. Xie, Y. Li, and L. Chen, “Experimental investigation on thermal conductivity and viscosity of aluminum nitride nanofluid,” *Particuology*, vol. 9, no. 2, pp. 187–191, 2011.
- [60] I. M. Mahbubul, *Preparation of Nanofluid*, no. 2017. 2019.
- [61] Z. Sharifalhosseini, M. H. Entezari, and R. Jalal, “Direct and indirect sonication affect differently the microstructure and the morphology of ZnO nanoparticles: Optical behavior and its antibacterial activity,” *Ultrason. Sonochem.*, vol. 27, pp. 466–473, 2015.
- [62] Y. Hwang *et al.*, “Production and dispersion stability of nanoparticles in nanofluids,” *Powder Technol.*, vol. 186, no. 2, pp. 145–153, 2008.
- [63] M. Mahendran, G. C. Lee, K. V. Sharma, and A. Shahrani, “Performance of Evacuated Tube Solar Collector using Water-Based Titanium Oxide Nanofluid,” *J. Mech. Eng. Sci.*, vol. 3, no. December, pp. 301–310, 2012.
- [64] I. M. Mahbubul, R. Saidur, and M. A. Amalina, “Influence of particle concentration and temperature on thermal conductivity and viscosity of Al₂O₃/R141b nanorefrigerant,” *Int. Commun. Heat Mass Transf.*, vol. 43, pp. 100–104, 2013.
- [65] C. M. Warboys, M. Ghim, and P. D. Weinberg, “Understanding mechanobiology in cultured endothelium: A review of the orbital shaker method,” *Atherosclerosis*, vol. 285, no. February, pp. 170–177, 2019.
- [66] C. Y. Tang and Z. Yang, *Transmission Electron Microscopy (TEM)*. Elsevier B.V., 2017.

- [67] S. K. Das, *Nanofluids: Science and Technology*. Canada: John Wiley & Sons, Inc., Hoboken, New Jersey, 2008.
- [68] M. Rafati, A. A. Hamidi, and M. Shariati Niaser, “Application of nanofluids in computer cooling systems (heat transfer performance of nanofluids),” *Appl. Therm. Eng.*, vol. 45–46, pp. 9–14, 2012.
- [69] N. Zhao, L. Guo, C. Qi, T. Chen, and X. Cui, “Experimental study on thermo-hydraulic performance of nanofluids in CPU heat sink with rectangular grooves and cylindrical bugles based on exergy efficiency,” *Energy Convers. Manag.*, vol. 181, no. October 2018, pp. 235–246, 2019.
- [70] F. RozpŁoch, J. Patyk, and J. Stankowski, “Graphenes bonding forces in graphite,” *Acta Phys. Pol. A*, vol. 112, no. 3, pp. 557–562, 2007.
- [71] M. S. Dresselhaus, G. Dresselhaus, and R. Saito, “Physics of carbon nanotubes,” *Carbon N. Y.*, vol. 33, no. 7, pp. 883–891, 1995.
- [72] I. D’Amico and S. G. Sharapov, “Universal scaling of Coulomb drag in graphene layers,” no. 4, pp. 1–4, 2004.
- [73] M. Holwill, “van der Waals Heterostructures,” pp. 19–31, 2019.
- [74] L. Pauling, “The nature of the chemical bond. Application of results obtained from the quantum mechanics and from a theory of paramagnetic susceptibility to the structure of molecules,” *J. Am. Chem. Soc.*, vol. 53, no. 4, pp. 1367–1400, 1931.
- [75] S. Alvarez, “A cartography of the van der Waals territories,” *Dalt. Trans.*, vol. 42, no. 24, pp. 8617–8636, 2013.
- [76] R. Heyrovská, “Bonding Distances as Exact Sums of the Radii of the Constituent Atoms in Nanomaterials - Boron Nitride and Coronene The atomic structure of

- h-boron nitride and coronene,” pp. 1–6.
- [77] W. M. Frank and W. M. Gray, “Characteristics of Carbon Black Dust as a Large-Scale Tropospheric Heat Source,” *Atmos. Sci. Pap.*, no. 195, 1973.
- [78] E. M. Dannenberg, “Carbon black, physics, chemistry, and elastomer reinforcement, Jean-Baptiste Donnet and Andries Voet, Dekker, New York, 1976, 362 pp. \$39.50.,” *J. Polym. Sci. Polym. Lett. Ed.*, vol. 15, no. 10, pp. 631–632, 1977.
- [79] S. H. Kim, G. W. Mulholland, and M. R. Zachariah, “Density measurement of size selected multiwalled carbon nanotubes by mobility-mass characterization,” *Carbon N. Y.*, vol. 47, no. 5, pp. 1297–1302, 2009.
- [80] E. Pop, V. Varshney, and A. K. Roy, “Thermal properties of graphene: Fundamentals and applications,” *MRS Bull.*, vol. 37, no. 12, pp. 1273–1281, 2012.
- [81] J. Lee, D. Kim, and Y. J. Yoon, “Specific heat measurements of CNT nanofluids,” *Int. J. Nanotechnol.*, vol. 16, no. 4–5, pp. 289–296, 2019.
- [82] Q. Lu *et al.*, “Determination of carbon nanotube density by gradient sedimentation,” *J. Phys. Chem. B*, vol. 110, no. 48, pp. 24371–24376, 2006.
- [83] N. R. Pradhan, H. Duan, J. Liang, and G. S. Iannacchione, “The specific heat and effective thermal conductivity of composites containing single-wall and multi-wall carbon nanotubes,” *Nanotechnology*, vol. 20, no. 24, 2009.
- [84] S. Picard, D. T. Burns, and P. Roger, “Determination of the specific heat capacity of a graphite sample using absolute and differential methods,” *Metrologia*, vol. 44, no. 5, pp. 294–302, 2007.
- [85] N. V. Khartchenko and V. M. Kharchenko, “Appendix 8: Thermophysical

Properties of Water,” *Adv. Energy Syst.*, pp. 595–596, 2020.

- [86] M. Ma, Y. Zhai, P. Yao, Y. Li, and H. Wang, “Synergistic mechanism of thermal conductivity enhancement and economic analysis of hybrid nanofluids,” *Powder Technol.*, vol. 373, pp. 702–715, 2020.
- [87] L. Qiu *et al.*, “Enhancing the interfacial interaction of carbon nanotubes fibers by Au nanoparticles with improved performance of the electrical and thermal conductivity,” *Carbon N. Y.*, vol. 141, pp. 497–505, 2019.
- [88] A. D. Manasrah *et al.*, “Heat transfer enhancement of nanofluids using iron nanoparticles decorated carbon nanotubes,” *Appl. Therm. Eng.*, vol. 107, pp. 1008–1018, 2016.
- [89] L. Qiu *et al.*, “A review of recent advances in thermophysical properties at the nanoscale: From solid state to colloids,” *Phys. Rep.*, vol. 843, pp. 1–81, 2020.