

DAFTAR PUSTAKA

- Aas, A.Gurdani, Y., & Asep Iwan, P. (2020). Asupan Mikronutrien Dan Riwayat Penyakit Infeksi Pada Balita Stunting Di Uptd Puskesmas Limbangan Kecamatan Sukaraja Kabupaten Sukabumi. *Journal of Nutrition College*, 9(1), 6–11. <https://doi.org/10.14710/jnc.v9i1.24647%0A>
- Afriyani R, M. N. (2018). Faktor-Faktor Yang Mempengaruhi Kejadian Wasting Pada Balita Usia 1-5 Tahun. *Jurnal Kesehatan*, 66–72.
- Ariani A.P. (2017). *Ilmu Gizi : Dilengkapi dengan Standar Penilaian Status Gizi dan Daftar Komposisi Bahan makanan*. Nuha Media.
- Aritomang, S. O. B., Thomson, P., & Lestari, W. (2022). Risk Factors for Wasting in Toddlers at UPTD Puskesmas Luahagundre Maniamolo South Nias District In 2019. *Journal of Healthcare Technology and Medicine*, 8(2), 952–961.
- Bakker, H., Gaillard, R., Franco, O. H., Hofman, A., Van Der Heijden, A. J., et al. (2014). Fetal and infant growth patterns and kidney function at school age. *Journal of the American Society of Nephrology*, 25(11), 2607–2615. <https://doi.org/10.1681/ASN.2013091003>
- Bappenas. (2011). *Rencana Aksi Nasional Pangan dan Gizi 2011-2015*. Bappenas Republik Indonesia.
- Bappenas. (2020). *Pedoman Teknis Penyusunan Rencana Aksi Tujuan Pembangunan Berkelanjutan (TPB)/Sustainable Development Goals (SDGs)*. Bappenas Republik Indonesia.
- Cono, E. G., Nahak, M. P. M., & Gatum, A. M. (2021). Hubungan Riwayat Penyakit Infeksi dengan Status Gizi pada Balita Usia 12-59 Bulan di Puskesmas Oepoi Kota Kupang. *Chmk Health Journal*, 5(1), 16.
- Damayanti, D. (2017). *Ilmu Gizi Teori dan Aplikasi*. Penerbit Buku Kedokteran EGC.
- Depkes RI. (2015). *Pendek (Stunting) di Indonesia, Masalah dan Solusinya*. Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Dinas Kesehatan Kabupaten Sukoharjo. (2022). Profil Kesehatan Kabupaten Sukoharjo 2022. In *Dinas Kesehatan Kabupaten Sukoharjo*.
- Dwi Listiarini, U., Maryanti, E., & Sofiah, N. S. (2022). Status Gizi Ibu Hamil Berhubungan dengan Bayi Berat Badan Lahir Rendah (BBLR). *Jurnal Kesehatan Mahardika*, 9(2), 10–15. <https://doi.org/10.54867/jkm.v9i2.107>
- Gonete, A. T., Alemu, T. G., Mekonnen, E. G., & Takele, W. W. (2021). Malnutrition and contributing factors among newborns delivered at the University of Gondar Hospital, Northwest Ethiopia: A cross-sectional study. *BMJ Open*, 11(11), 1–10. <https://doi.org/10.1136/bmjopen-2021-053577>

- Hammond Yaw Addae, & Ambrose Atosona, R. T. M. S. T. Y. (2019). *Low Birthweight Estimates*. 19(3) March). <https://doi.org/10.1371/journal.pone.0297698>
- Hartiningrum, I., & Fitriyah, N. (2019). Bayi Berat Lahir Rendah (BBLR) di Provinsi Jawa Timur Tahun 2012-2016. *Jurnal Biometrika Dan Kependudukan*, 7(2), 97. <https://doi.org/10.20473/jbk.v7i2.2018.97-104>
- Hasnita, E., Noflidaputri, R., Sari, N. W., & Yuniliza, Y. (2023). Faktor-faktor yang Mempengaruhi Kejadian Wasting pada Balita Usia 36-59 Bulan di Wilayah Kerja Puskesmas Rao Kabupaten Pasaman. *Jik Jurnal Ilmu Kesehatan*, 7(1), 130. <https://doi.org/10.33757/jik.v7i1.740>
- Herawati, S., & Tridiyawati, F. (2023). Risk Factor Analysis Of Low Birth Weight Events (Lbw) At Kartika Husada Hospital. *International Journal of Health and Pharmaceutical (IJHP)*, 3(4), 646–651. <https://doi.org/10.51601/ijhp.v3i4.220>
- Hughson, M., Farris, A. B., Douglas-Denton, R., Hoy, W. E., & Bertram, J. F. (2003). Glomerular number and size in autopsy kidneys: The relationship to birth weight. *Kidney International*, 63(6), 2113–2122. <https://doi.org/10.1046/j.1523-1755.2003.00018.x>
- Ibrahim, M. K., Zambruni, M., Melby, C. L., & Melby, P. C. (2017). Impact of childhood malnutrition on host defense and infection. *Clinical Microbiology Reviews*, 30(4), 919–971. <https://doi.org/10.1128/CMR.00119-16>
- Islam, M. Z., Chowdhury, M. R. K., Kader, M., Billah, B., Islam, M. S., & Rashid, M. (2024). Determinants of low birth weight and its effect on childhood health and nutritional outcomes in Bangladesh. *Journal of Health, Population and Nutrition*, 43(1), 1–11. <https://doi.org/10.1186/s41043-024-00565-9>
- Jana, A., Dey, D., & Ghosh, R. (2023). Contribution of low birth weight to childhood undernutrition in India: evidence from the national family health survey 2019–2021. *BMC Public Health*, 23(1), 1–14. <https://doi.org/10.1186/s12889-023-16160-2>
- Kanda, T., Takeda, A., Hirose, H., Abe, T., Urai, H., Inokuchi, M., Wakino, S., Tokumura, M., Itoh, H., & Kawabe, H. (2018). Temporal trends in renal function and birthweight in Japanese adolescent males (1998-2015). *Nephrology Dialysis Transplantation*, 33(2), 304–310. <https://doi.org/10.1093/ndt/gfw428>
- Kemenkes. (2023). Hasil Survei Status Gizi Indonesia (SSGI) 2022. In *Kementerian Kesehatan Republik Indonesia*.
- Kemenkes RI. (2016). *Keperawatan Gerontik*. Pusdik SDM Kesehatan.
- Kementerian Kesehatan RI. (2022). Hasil Survei Status Gizi Indonesia (SSGI) 2022. In *Kementerian Kesehatan Republik Indonesia*.
- Kementrian PPN/Bappenas. (2021). Peta Jalan Sustainable Development Goals

- (SDGs) di Indonesia 2030. *Kementerian PPN/Bappenas*, 35. https://sdgs.bappenas.go.id/website/wp-content/uploads/2021/02/Roadmap_Bahasa-Indonesia_File-Upload.pdf
- Kim, H. S., Kim, E. K., Park, H. K., Ahn, D. H., Kim, M. J., & Lee, H. J. (2020). Cognitive outcomes of children with very low birth weight at 3 to 5 years of age. *Journal of Korean Medical Science*, 35(1), 1–12. <https://doi.org/10.3346/jkms.2020.35.e4>
- Maternity, DP Ratna, L. D. (2017). *Asuhan Kebidanan Komunitas*. ANDI.
- Mireku, M. O., Cot, M., Massougbodji, A., & Bodeau-Livinec, F. (2020). Relationship between stunting, wasting, underweight and geophagy and cognitive function of children. *Journal of Tropical Pediatrics*, 66(5), 517–527. <https://doi.org/10.1093/tropej/fmaa009>
- Murai-Takeda, A., Kanda, T., Azegami, T., Hirose, H., Inokuchi, M., Tokuyama, H., et al. (2019). Low birth weight is associated with decline in renal function in Japanese male and female adolescents. *Clinical and Experimental Nephrology*, 23(12), 1364–1372. <https://doi.org/10.1007/s10157-019-01784-9>
- Nurhamidah Octarya, Kurnia Dewiani, Linda Yusanti, Suriyati, Novianti, & Linda Yulyani. (2022). The Relationship of Parenting Feeding Patterns to The Occurrence of Undernutrition in Children Under Five. *Journal of Health Sciences and Medical Development*, 1(01), 12–19. <https://doi.org/10.56741/hesmed.v1i01.31>
- Permenkes. (2018). Keputusan Menteri Kesehatan Republik Indonesia Nomor Hk.01.07/Menkes/295/2018 Tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Tindakan Resusitasi, Stabilisasi, Dan Transport Bayi Berat Lahir Rendah. In *Kementerian Kesehatan Republik Indonesia*.
- Rahayu Putri, M. (2018). Hubungan Pola Asuh Orangtua Dengan Status Gizi Pada Balita Di Wilayah Kerja Puskesmas Bulang Kota Batam. *Jurnal Bidan Komunitas*, 11(2), 107–116. <http://ejournal.helvetia.ac.id/index.php/jbk>
- Rahma, F. A., Munir, M., & Fauziah, L. F. (2024). Hubungan Pemberian ASI Eksklusif, Kelengkapan Imunisasi Dasar dan Penyakit Infeksi pada Balita Usia 1-5 Tahun dengan Kejadian Wasting Di Kabupaten Tuban. *Media Cetak*, 3(2), 215–225. <https://doi.org/10.55123/insologi.v3i2.3437>
- Rahman, M. S., Howlader, T., Masud, M. S., & Rahman, M. L. (2016). Association of low-birth weight with malnutrition in children under five years in Bangladesh: Do mother's education, socio-economic status, and birth interval matter? *PLoS ONE*, 11(6), 1–16. <https://doi.org/10.1371/journal.pone.0157814>
- Schoenbuchner, S. M., Dolan, C., Mwangome, M., Hall, A., Richard, S. A., Wells, J. C., et al. (2019). The relationship between wasting and stunting: A retrospective cohort analysis of longitudinal data in Gambian children from

- 1976 to 2016. *American Journal of Clinical Nutrition*, 110(2), 498–507. <https://doi.org/10.1093/ajcn/nqy326>
- Shokri, M., Karimi, P., Zamanifar, H., Kazemi, F., Azami, M., & Badfar, G. (2020). Epidemiology of low birth weight in Iran: A systematic review and meta-analysis. *Heliyon*, 6(5), e03787. <https://doi.org/10.1016/j.heliyon.2020.e03787>
- Siddiqi, M., Shah, G. H., Mayo-Gamble, T. L., & Zubair, A. (2023). Determinants of Child Stunting, Wasting, and Underweight: Evidence from 2017 to 2018 Pakistan Demographic and Health Survey. *Journal of Nutrition and Metabolism*, 2023, 1–12. <https://doi.org/10.1155/2023/2845133>
- Soedarsono, A. M., & Sumarmi, S. (2021). Faktor yang Mempengaruhi Kejadian Wasting pada Balita di Wilayah Kerja Puskesmas Simomulyo Surabaya. *Media Gizi Kesmas*, 10(2), 237. <https://doi.org/10.20473/mgk.v10i2.2021.237-245>
- Tampy, S. T., Nugroho, H. W., & Syuadzah, R. (2020). *The Corellation between Stunting, Wasting, and Children's Cognitive Ability: Indonesia Family Life Survey 2000 – 2014*. 232–241. <https://doi.org/10.26911/the7thicph.03.19>
- Thurstans, S., Oundo, C., Seal, A., Wells, J., Khara, T., Dolan, C., et al. (2020). Boys are more likely to be undernourished than girls: A systematic review and meta-analysis of sex differences in undernutrition. *BMJ Global Health*, 5(12). <https://doi.org/10.1136/bmjgh-2020-004030>
- Thurstans, S., Sessions, N., Dolan, C., Sadler, K., Cichon, B., Isanaka, S., et al. (2022). The relationship between wasting and stunting in young children: A systematic review. *Maternal and Child Nutrition*, 18(1). <https://doi.org/10.1111/mcn.13246>
- UNICEF. (2013). Improving Child Nutrition: The Achievable Imperative for Global Progress. In *NCSL legisbrief* (Vol. 18, Issue 8). United Nations Children's Fund. https://data.unicef.org/wp-content/uploads/2015/12/NutritionReport_April2013_Final_29.pdf
- UNICEF. (2019). The State of the World's Children 2019: Children, Food and Nutrition--Growing Well in a Changing World. In *Unicef*.
- Werdani, A. R. (2023). Hubungan BBLR dengan Kekurangan Gizi (Wasting) Pada Anak Usia 6-23 Bulan. *Jurnal Ilmu Kedokteran Dan Kesehatan Indonesia*, 1(2), 47–54. <https://doi.org/10.55606/jikki.v1i2.2061>
- White, S. L., Perkovic, V., Cass, A., Chang, C. L., Poulter, N. R., Spector, T., et al. (2009). Is Low Birth Weight an Antecedent of CKD in Later Life? A Systematic Review of Observational Studies. *American Journal of Kidney Diseases*, 54(2), 248–261. <https://doi.org/10.1053/j.ajkd.2008.12.042>
- WHO. (2020). *United Nations Children's Fund (UNICEF), World Health Organization, and the World Bank. Levels and trends in child malnutrition: Key*

- Findings of the 2020 Edition of the point Child Malnutrition Estimates.*
- WHO. (2023). *Levels and Trends in Child Malnutrition*.
- World Health Organization. (2017). *Guideline. Vitamin A supplementation in infants 1-5 months of age*.
- Wulandari, E. S. P., Sulistyaningsih, E., & Machianti, A. C. N. (2020). The Effect of Food Intake on the Incidence of Malnutrition in Toddlers in the Work Area of the Kertosari Health Center, Banyuwangi Regency. *STRADA Jurnal Ilmiah Kesehatan*, 9(2), 1740–1746. <https://doi.org/10.30994/sjik.v9i2.530>
- Zhang, L., Wang, F., Wang, L., Wang, W., Liu, B., Liu, J., et al. (2012). Prevalence of chronic kidney disease in China: a cross-sectional survey. *Lancet*, 11, 815–822.
- Zoleko-Manego, R., Mischlinger, J., Dejon-Agobe, J. C., Basra, A., MacKanga, J. R., Diop, D. A., et al. (2021). Birth weight, growth, nutritional status and mortality of infants from Lambarene and Fougamou in Gabon in their first year of life. *PLoS ONE*, 16(2 (February)), 1–15. <https://doi.org/10.1371/journal.pone.0246694>