

REFERENSI

- [1] R. K. Lal, V. K. Choubey, J. P. Dwivedi, and S. Kumar, "Study of factors affecting Springback in Sheet Metal Forming and Deep Drawing Process," *Mater. Today Proc.*, vol. 5, no. 2, pp. 4353–4358, 2018.
- [2] H. Zein, M. El Sherbiny, M. Abd-Rabou, and M. El shazly, "Thinning and spring back prediction of sheet metal in the deep drawing process," *Mater. Des.*, vol. 53, pp. 797–808, 2014.
- [3] A. D. Anggono and T. W. B. Riyadi, "Finite element simulation of the drawability of tailor-welded blank," *Appl. Mech. Mater.*, vol. 660, pp. 3–7, 2014.
- [4] H.-M. Huang, S.-D. Liu, and S. Jiang, "Stress and Strain Histories of Multiple Bending-Unbending Springback Process," *J. Eng. Mater. Technol. Asme - J Eng Mater Technol*, vol. 123, 2001.
- [5] A. R. Joshi, K. D. Kothari, and R. L. Jhala, "Effects Of Different Parameters On Deep Drawing Process: Review," *Int. J. Eng. Res. Technol.*, vol. 2, no. 3, 2013.
- [6] L. Chen, "Finite element simulation of springback in sheet metal forming," *Appl. Mech. Mater.*, vol. 50–51, pp. 615–618, 2011.
- [7] M. A. Farsi and B. Arezoo, "Bending force and spring-back in V-die-bending of perforated sheet-metal components," *J. Brazilian Soc. Mech. Sci. Eng.*, vol. 33, no. 1, pp. 45–51, 2011.
- [8] J. H. Song, H. Huh, and S. H. Kim, "A simulation-based design parameter study in the stamping process of an automotive member," *J. Mater. Process. Technol.*, vol. 189, no. 1–3, pp. 450–458, 2007.
- [9] P. Dudhat, S. Bagasariya, A. Khun, A. Koladiya, and J. Hirpara, "Study of Deep Drawing Process – A Review," *Int. J. Innov. Res. Sci. Technol.*, vol. 3, no. 08, pp. 103–106, 2017.
- [10] S. Candra, I. M. L. Batan, W. Berata, and A. S. Pramono, "Analytical study and FEM simulation of the maximum varying blank holder force to prevent cracking on cylindrical cup deep drawing," *Procedia CIRP*, vol. 26, pp. 548–553, 2015.

- [11] G. Brabie, E. M. Costache, N. Nanu, and B. Chirita, "Prediction and minimisation of sheet thickness variation during deep drawing of micro/milli parts," *Int. J. Mech. Sci.*, vol. 68, pp. 277–290, 2013.
- [12] B. Billade and P. S. Dahake, "Design and Analysis of Draw Bead Profile in Sheet Metal Forming Of Reinf-Rr End Upr-Lh / Rh for Safe Thinning," vol. 7, no. 7, pp. 1–10, 2018.
- [13] A. D. Anggono, W. A. Sharif, A. Trianto, and M. Y. Darmawan, "Influence of lubrication and blank holder force in dome wrinkling defect on cup drawing process," *ARPJ. Eng. Appl. Sci.*, vol. 11, no. 16, pp. 9985–9991, 2016.
- [14] A. S. Darmawan, A. D. Anggono, and A. Hamid, "Die design optimization on sheet metal forming with considering the phenomenon of springback to improve product quality," *MATEC Web Conf.*, vol. 154, pp. 2–5, 2018.
- [15] C. J. Tan, M. S. Ibrahim, and M. R. Muhamad, "Preventing delayed cracks in SUS304 deep drawn cups using extreme blank holding forces aided by nanolubrication," *Int. J. Adv. Manuf. Technol.*, vol. 100, no. 5–8, pp. 1341–1354, 2019.
- [16] H. J. Bong, F. Barlat, M. G. Lee, and D. C. Ahn, "The forming limit diagram of ferritic stainless steel sheets: Experiments and modeling," *Int. J. Mech. Sci.*, vol. 64, no. 1, pp. 1–10, 2012.
- [17] Z. Marciniak, J. L. Duncan, and S.J. Hu, "Mechanics of Sheet Metal Forming," 2002.
- [18] V. Laxman and S. R. Srivatsa, "ScienceDirect Sheet Metal Forming Processes – Recent Technological Advances," *Mater. Today Proc.*, vol. 5, no. 1, pp. 2564–2574, 2018.
- [19] V. Boljanovic, *Sheet metal forming and Die design*. 2004.
- [20] H. Mohammadi Majd, M. Jalali Azizpour, and M. Goodarzi, "Prediction the limiting drawing ratio in deep drawing process by back propagation artificial neural network," *World Acad. Sci. Eng. Technol.*, vol. 78, pp. 318–321, 2011.
- [21] W. F. Hosford and R. M. Caddell, *Metal forming: Mechanics and metallurgy*. 2007.
- [22] J. Hol, J. H. Wiebenga, and B. Carleer, "Friction and lubrication modelling

- in sheet metal forming: Influence of lubrication amount, tool roughness and sheet coating on product quality,” *J. Phys. Conf. Ser.*, vol. 896, no. 1, 2017.
- [23] C. C. Tai and J. C. Lin, “The optimisation deep-draw clearance design for deep-draw dies,” *Int. J. Adv. Manuf. Technol.*, vol. 14, no. 6, pp. 390–398, 1998.
- [24] K. Manabe, H. Koyama, S. Yoshihara, and T. Yagami, “Development of a combination punch speed and blank-holder fuzzy control system for the deep-drawing process,” *J. Mater. Process. Technol.*, vol. 125–126, pp. 440–445, 2002.
- [25] H. D. Nine, “New drawbead concepts for sheet metal forming,” *J. Appl. Metalwork.*, vol. 2, no. 3, pp. 185–192, 1982.
- [26] D. Raabe, P. Klose, B. Engl, K. P. Imlau, F. Friedel, and F. Roters, “Concepts for integrating plastic anisotropy into metal forming simulations,” *Adv. Eng. Mater.*, vol. 4, no. 4, pp. 169–180, 2002.
- [27] Miller G. F. and Musgrave M. J. P., “The Royal Society is collaborating with JSTOR to digitize, preserve, and extend access to Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences. © www.jstor.org,” *Proc. R. Soc. London A*, vol. 236, pp. 352–383, 1956.
- [28] J. Woodthorpe and R. Pearce, “The anomalous behaviour of aluminium sheet under balanced biaxial tension,” *Int. J. Mech. Sci.*, vol. 12, no. 4, pp. 341–347, 1970.
- [29] R. Pearce, “Some aspects of anisotropic plasticity in sheet metals,” *Int. J. Mech. Sci.*, vol. 10, no. 12, pp. 995–1004, 1968.
- [30] F. Barlat and K. Lian, “Plastic behavior and stretchability of sheet metals. Part I: A yield function for orthotropic sheets under plane stress conditions,” *Int. J. Plast.*, vol. 5, no. 1, pp. 51–66, 1989.
- [31] H. Aretz, “Applications of a new plane stress yield function to orthotropic steel and aluminium sheet metals,” *Model. Simul. Mater. Sci. Eng.*, vol. 12, no. 3, pp. 491–509, 2004.
- [32] S. Panich and V. Uthaisangasuk, “Determination of forming limit stress diagram for formability prediction of SPCE 270 steel sheet,” *J Met Mater ...*, vol. 21, no. 1, pp. 19–27, 2011.
- [33] F. Ozturk, M. Dilmec, M. Turkoz, R. E. Ece, and H. S. Halkaci, “Grid

- Marking and Measurement Methods for Sheet Metal Formability,” *5th Int. Conf. Exhib. Des. Prod. Mach. Dies/Molds*, no. June, pp. 1–10, 2009.
- [34] M. Abbasi, M. A. Shafaat, M. Ketabchi, D. F. Haghshenas, and M. Abbasi, “Application of the GTN model to predict the forming limit diagram of IF-Steel,” *J. Mech. Sci. Technol.*, vol. 26, no. 2, pp. 345–352, 2012.
- [35] Q. Zhang, Y. Liu, and Z. Zhang, “A new optimization method for sheet metal forming processes based on an iterative learning control model,” *Int. J. Adv. Manuf. Technol.*, vol. 85, no. 5–8, pp. 1063–1075, 2016.
- [36] B. R. Billade and P. S. K. Dahake, “Optimization of Forming Process Parameters in Sheet Metal Forming Of Reinf-Rr End Upr-Lh / Rh for Safe Thinning,” vol. 8, no. 8, pp. 1–7, 2018.
- [37] S. Chen, J. Liao, H. Xiang, X. Xue, and A. B. Pereira, “Pre-strain effect on twist springback of a 3D P-channel in deep drawing,” *J. Mater. Process. Technol.*, p. 116224, 2019.
- [38] A. Grab, “Structural Bonding of Lightweight Cars,” p. 12, 2015.
- [39] C. D. Schwindt, M. Stout, L. Iurman, and J. W. Signorelli, “Forming Limit Curve Determination of a DP-780 Steel Sheet,” *Procedia Mater. Sci.*, vol. 8, pp. 978–985, 2015.